

Leicestershire Partnership NHS Trust: Adult Mental Health
and Learning Disability Services, Community Health
Services, Families Young People and Children's Services:
April 2016 to March 2017

A quantitative equality analysis of the demographic profile
of service users and their access to services

Table of Contents

1	Introduction.....	1
1.1	A note on the anonymisation of information about service users within this report.....	3
2	Summary of findings.....	4
3	The demographic profile of LPT's service users	5
3.1	The age and gender profiles of LPT's service users	5
3.2	The ethnicity profile of LPT's service users.....	9
3.3	The disability, religion and belief, and sexual orientation profiles of LPT's service users	13
3.4	Service in the Armed Forces amongst LPT's service users	13
3.5	Broad disorder types and Health of Nation Outcome Scores amongst users of adult mental health services.....	13
4	Appendix of analyses	14
4.1	Demographic profile of service users.....	14
4.1.1	Local population and service use, overall and by service area	15
4.1.2	Service use in Adult Mental Health and Learning Disabilities analysed by service line	20
4.1.3	Service use in Community and Health Services analysed by service line	24
4.1.4	Service use in Families, Young Person and Children's services analysed by service line	28
4.2	Broad disorder types and Health of Nation Outcome Scores amongst users of adult mental health services.....	32
4.2.1	Broad disorder type	33
4.2.2	Health of Nation Outcome Scores	37

1 Introduction

The Equality Act (2010) describes a 'public sector equality duty' (section 149). The 'public sector equality duty' applies to listed public authorities (including NHS Trusts) and others who exercise public functions.

149 Public sector equality duty:

- (1) A public authority must, in the exercise of its functions, have due regard to the need to—
 - (a) eliminate discrimination, harassment, victimisation and any other conduct that is prohibited by or under this Act;
 - (b) advance equality of opportunity between persons who share a relevant protected characteristic and persons who do not share it;
 - (c) foster good relations between persons who share a relevant protected characteristic and persons who do not share it.
- (2) A person who is not a public authority but who exercises public functions must, in the exercise of those functions, have due regard to the matters mentioned in subsection (1).
- (3) Having due regard to the need to advance equality of opportunity between persons who share a relevant protected characteristic and persons who do not share it involves having due regard, in particular, to the need to—
 - (a) remove or minimise disadvantages suffered by persons who share a relevant protected characteristic that are connected to that characteristic;
 - (b) take steps to meet the needs of persons who share a relevant protected characteristic that are different from the needs of persons who do not share it;
 - (c) encourage persons who share a relevant protected characteristic to participate in public life or in any other activity in which participation by such persons is disproportionately low.

The public sector equality duty covers people across nine protected characteristics: age; disability; gender reassignment; marriage and civil partnership*; pregnancy and maternity; race; religion or belief; sex; sexual orientation. (*Marriage or civil partnership status is only covered by the first aim of the public sector equality duty, to have due regard to the need to eliminate discrimination, harassment, victimisation and any other conduct that is prohibited by or under the Act.)

Listed public authorities must publish information to demonstrate compliance with the duty imposed by section 149(1) of the Act, at least annually. The information that a listed public authority publishes in compliance with paragraph (1) must include, in particular, information relating to persons who share a relevant protected characteristic who are—

- (a) its employees;
- (b) other persons affected by its policies and practices.

Although, only listed public authorities with 150 or more employees need publish information on their workforce.

Regarding other persons affected by its policies and practices, the types of information that listed authorities could publish to demonstrate compliance include¹:

- Records kept of how it has had due regard in making decisions, including any analysis undertaken and the evidence used.
- Relevant performance information, especially those relating to outcomes, for example information about levels of educational attainment for boys and girls, health outcomes for people from different ethnic minorities, and reported incidences of disability-related harassment.
- Access to and satisfaction with services, including complaints.
- Any quantitative and qualitative research undertaken, for example patient surveys and focus groups.
- Details of, and feedback from, any engagement exercises.

The present report considers Leicestershire Partnership NHS Trust's Service Users with respect to observed and expected levels of access to services. Also considered are Health of Nation Outcome Scores for adult mental health service users, to give an indication regarding how the type and severity of mental health problems vary by demographic group amongst service users.

The present analyses prioritise three of the nine protected characteristics: age, gender, and ethnicity which are associated strongly with health inequalities^{2,3}. The number of people accessing services within LPT's Adult Mental Health and Learning Disability, Community Health Services, and Families, Young People and Children's service areas were analysed and compared against levels of representation in the local population, in compartmentalised analyses by ethnicity, age band, and gender. The aim of the analysis was to assess equity in service use, based on the levels of service use that would be expected given the levels of each demographic group's representation in the local population (period: April 2016 to March 2017).

¹ This guidance is taken from the technical guidance published by the Equality and Human Rights Commission: Equality Act 2010 Technical Guidance on the Public Sector Equality Duty England (August 2014), page 69

² The Marmot Review (2010) Fair Society, Healthy Lives: strategic review of health inequalities in England post-2010. London: The Marmot Review

³ Commission on Social Determinants of Health (2008) Closing the gap in a generation: Health equity through action on the social determinants of health. Geneva: World Health Organization

1.1 A note on the anonymisation of information about service users within this report

This version of the report has been redacted and edited to allow publication on a publically accessible website. The report contains counts of numbers of service users, analysed in several tables, by their protected characteristics (e.g., age group, gender). The use of these tables to produce aggregated summaries of service user counts has the effect of anonymising much of the information and protecting the identities of individual service users. However, some analyses contain very small counts of service users in some protected characteristic groups, especially when broken down by certain domains of interest. Such small counts could, potentially, be used to identify individual service users, even after aggregation. Consequently, these small counts might be considered personal information that is protected by the Data Protection Act 1998 and other legislation. Where there is a risk that individuals could be identified from a small count, these counts have been redacted from the tables. Where the redacted count can be deduced from other counts in a table, these other counts have been redacted as well. In the present report, as a start point for the anonymisation process, counts below 10 have been redacted to mitigate the risk that individuals might be identifiable. The anonymisation process has followed guidance issued by the Information Commissioner's Office⁴. In the tables of analysis throughout this report, the letter "R" is used to indicate a redacted number.

⁴ Information Commissioner's Office: Anonymisation: managing data protection risk code of practice (November 2012)

2 Summary of findings

- In 16/17, compared to their levels of representation in the age-matched local population:
 - overall, LPT had higher than expected proportions of BME people amongst its service users, however, specific ethnic groups were underrepresented in some areas (detailed demographic breakdowns by service line are given in the Appendix of analyses);
 - young Chinese adults were underrepresented in all service areas;
 - young Asian British Indian adults were underrepresented in AMH/LD;
 - young women from various BME groups (Asian British Indian, Black British African, Chinese) were underrepresented in CHS;
 - Black British African children and young Black British African adults were underrepresented in FYPC.
 - The underrepresentation of some ethnic groups in some areas may indicate difficulties in gaining referral, barriers to accessing services, an unwillingness to seek treatment, or a lack of knowledge about the services available for treatment.
 - Regarding the underrepresentation of young Asian British Indian adults in AMH/LD, it is noted that a proportion of working age adults may have accessed mental health services through the Leicester City Increasing Access to Psychological Therapies (IAPT) service – a relatively high proportion of whom may have been young, Asian British people given the focus of this service on Leicester City residents. The Leicester City IAPT service is operated by Nottinghamshire Healthcare NHS Foundation Trust; consequently, figures related to these service users will not be included in LPT's service user profile.
 - Amongst users of adult mental health services, the problems faced by service users (based on Health of Nation Outcome Scores, HoNOS) varied in prevalence and severity by demographic group. For instance, Black British service users were more likely to have severe problems in terms of problems associated with hallucinations and delusions, problems with living conditions, agitated behaviour / expansive mood (historical), safeguarding children and vulnerable dependent adults (historical), engagement (historical), and vulnerability (historical). (Detailed breakdowns of the prevalence of problems in the HoNOS domains amongst users of adult mental health services, by demographic group, are given in the Appendix of analyses.)
- Information on ethnicity was not held for 25% of service users across LPT; consequently, the present findings regarding ethnicity may be unreliable.
- LPT collects information on disability, religion or belief, and sexual orientation about its service users. However this information was not known for the vast majority of service users (in excess of 97%) during the 16/17 financial year. Completion of patient information about disability and sexual orientation has now been made mandatory on the RiO patient information system (this was not possible for information about religion or belief).


3 The demographic profile of LPT’s service users

Leicestershire Partnership NHS Trust (LPT) provides mental health, learning disability and community health services to the diverse population of Leicester, Leicestershire, and Rutland. Services are provided to boys, girls, men, and women, of many ethnic groups and across a wide range of ages from those in their first year of life to those aged 90 and above. In the 2016/17 financial year, LPT provided services to 275,020 individuals (22,289 in AMH/LD, 108,782 in CHS, and 158,860 in FYPC⁵).

3.1 The age and gender profiles of LPT’s service users

In terms of age and gender, in comparison with the local population, LPT’s service users were weighted towards children (aged 16 years old and under), young women (late 20’s to early 30’s), and older people (those in their 70’s and over) (Figure 1, Table 1).

Figure 1: Age and Gender profile of LPT’s service users compared to the local population




LLR: Leicester, Leicestershire, and Rutland (Office for National Statistics, 2016 mid-year estimate)
 LPT: Leicestershire Partnership NHS Trust (headcount of service users 2016/17)

⁵ These figures when summed will exceed the total of 275,020 as some individuals will use services in more than one service area.

There were marked variations in service use by age and gender across service areas:

- AMH&LD’s service users were more likely to be adults of working age (Figure 2, Table 1). (Variations in age profile by individual service line are detailed for all service users in Table 7, for females in Table 8, and for males in Table 9.)

Figure 2: Age and Gender profile of AMH/LD’s service users compared to the local population




LLR: Leicester, Leicestershire, and Rutland (Office for National Statistics, 2016 mid-year estimate)

AMH/LD: Adult Mental Health and Learning Disability services (headcount of service users 2016/17)

- CHS's service users were more likely to be older adults (in their 60's and over), with increasingly higher proportions of women at greater ages (Figure 3, Table 1). (Variations in age profile by individual service line are detailed for all service users in Table 11, for females in Table 12, and for males in Table 13.)


Figure 3: Age and Gender profile of CHS' service users compared to the local population



LLR: Leicester, Leicestershire, and Rutland (Office for National Statistics, 2016 mid-year estimate)
 CHS: Community Health Services (headcount of service users 2016/17)

- FYPC's service users were more likely to be children and young people (aged 18 years old and under), or women in their late 20's or early 30's (Figure 4, Table 1). (Variations in age profile by individual service line are detailed for all service users in Table 15, for females in Table 16, and for males in Table 17.)

Figure 4: Age and Gender profile of FYPC's service users compared to the local population




LLR: Leicester, Leicestershire, and Rutland (Office for National Statistics, 2016 mid-year estimate)
 FYPC: Families, Young People and Children's Services (headcount of service users 2016/17)

3.2 The ethnicity profile of LPT's service users

In terms of ethnicity, in comparison to the local population benchmarks, LPT had generally higher proportions than expected of service users from BME groups (Figure 5, Table 2).

Figure 5: Ethnicity profile of LPT's service users by age band and gender, compared to the local population




LLR: Leicester, Leicestershire, and Rutland (Office for National Statistics, 2011 Census)
LPT: Leicestershire Partnership NHS Trust (headcount of service users 2016/17)

However, there were notable underrepresentations for some ethnic subgroups in some service areas:

- In AMH&LD:
 - there were underrepresentations of Asian British Indian men and women amongst those aged 16 to 29 and those aged 30 to 49 years old;
 - there were underrepresentations of Chinese men and women amongst those aged 16 to 29 years old (Figure 6, Table 2).
 - Variations in ethnicity profile by individual service line are detailed in Table 10.


Figure 6: Ethnicity profile of AMH/LD's service users by age band and gender, compared to the local population



LLR: Leicester, Leicestershire, and Rutland (Office for National Statistics, 2011 Census)
 AMH/LD: Adult Mental Health and Learning Disability services (headcount of service users 2016/17)

- In CHS:
 - there were underrepresentations of Asian British Indian women amongst those aged 16 to 29 years old;
 - there were underrepresentations of Black British African women amongst those aged 16 to 29 and those aged 30 to 49 years old;
 - there were underrepresentations of Chinese men and women amongst those aged 16 to 29 years old (Figure 7, Table 2).
 - Variations in ethnicity profile by individual service line are detailed in Table 14; for instance, service use amongst Asian British Indian people was weighted towards the Continence Nursing, Podiatry, and Reablement service lines, with lower levels of representation in many other CHS service lines.


Figure 7: Ethnicity profile of CHS’s service users by age band and gender, compared to the local population



LLR: Leicester, Leicestershire, and Rutland (Office for National Statistics, 2011 Census)
CHS: Community Health Services (headcount of service users 2016/17)

- In FYPC,
 - there were underrepresentations of Black British African girls and boys amongst those aged under 15 years old, Black British African men and women amongst those aged 16 to 29 years old, and Black British African women amongst those aged 30 to 49 years old;
 - there were underrepresentations of Chinese men and women amongst those aged 16 to 29 years old (Figure 8, Table 2).
 - Variations in ethnicity profile by individual service line are detailed in Table 18; for instance, service use amongst Asian British Indian people was weighted heavily towards the Children’s Phlebotomy service line, with much lower levels of representation in many other FYPC service lines.

Figure 8: Ethnicity profile of FYPC’s service users by age band and gender, compared to the local population



LLR: Leicester, Leicestershire, and Rutland (Office for National Statistics, 2011 Census)
 FYPC: Families, Young People and Children’s Services (headcount of service users 2016/17)

- Data quality:
 - Information about ethnicity was not held for 25.0% of LPT's service users overall (Table 2), 23.6% in AMH/LD, 18.7% in CHS, and 27.9% in FYPC; with considerable variation by service line (AMH/LD Table 10, CHS Table 14, FYPC Table 18).
 - Thus, potentially, the analyses presented here may not give a representative picture of the ethnicity profile of service users within LPT.

3.3 The disability, religion and belief, and sexual orientation profiles of LPT's service users

LPT's patient information systems hold information about patients' disability (Table 3), religion or belief (Table 4), and sexual orientation (Table 5). However, these data are largely incomplete and cannot be used to draw reliable inferences about the disability, religion and belief, and sexual orientation profiles of LPT's service users.

3.4 Service in the Armed Forces amongst LPT's service users

LPT's patient information systems also hold information about whether a patient has served in the armed forces (Table 6). Again, these data are largely incomplete and cannot be used to draw reliable inferences about the profile of LPT's service users with regard to having served in the armed forces.

3.5 Broad disorder types and Health of Nation Outcome Scores amongst users of adult mental health services

Disorder types and Health of Nation Outcome Scores (HoNOS) were analysed by age, ethnicity, and gender for users of adult mental health services to give insight into how the difficulties and problems faced by these service users vary by demographic group. Disorder types (non-psychotic, psychotic, organic) varied by age, ethnicity, and gender (Table 19 to Table 21); as did the prevalence and severity of problems in the HoNOS domains (Table 22 to Table 27). The scores in HoNOS domains, as analysed here, reflect a snapshot of mental health at a given time rather than a treatment outcome.

For instance, Asian British and Black British service users were overrepresented amongst those with a psychotic disorder (Table 20). Additionally, Black British service users were more likely to have severe problems in several HoNOS domains (Table 25):

- problems associated with hallucinations and delusions;
- problems with living conditions;
- agitated behaviour / expansive mood (historical);
- safeguarding children and vulnerable dependent adults (historical);
- engagement (historical);
- vulnerability (historical).

4 Appendix of analyses

4.1 Demographic profile of service users

Overrepresentation or underrepresentation in a protected characteristic subgroup of service users was assessed for the period 1st April 2016 to 31st March 2017 relative to that subgroups' representation in the local population, based on Leicester, Leicestershire, and Rutland (or the East Midlands region where more local breakdowns are not available) according to the latest available estimates⁶ (Chi-Squared Test or Fisher's Exact Tests, $\alpha = .05$, followed by a *post-hoc* analyses of standardised residuals with the Bonferroni correction applied).

Statistically significant deviations from proportional representation are flagged in the tables giving the percentages of service users in each protected characteristic subgroup compared to the relevant benchmark:

	Reference benchmark against which overrepresentation or underrepresentation is evaluated (representation in the local population)
	A group that is overrepresented to a significant, large degree when compared to its level of representation in the reference benchmark
	A group that is overrepresented to a significant, medium degree when compared to its level of representation in the reference benchmark
	A group that is overrepresented to a significant, small degree when compared to its level of representation in the reference benchmark
	A group that is proportionately represented when compared to its level of representation in the reference benchmark
	A group that is underrepresented to a significant, small degree when compared to its level of representation in the reference benchmark
	A group that is underrepresented to a significant, medium degree when compared to its level of representation in the reference benchmark
	A group that is underrepresented to a significant, large degree when compared to its level of representation in the reference benchmark

(Essentially, greens indicate overrepresentation and yellows/oranges/reds indicate underrepresentation.)

⁶ Office for National Statistics 2016 mid-year estimates for age and gender; 2011 UK Census for ethnicity, disability, and religion or belief; 2016 ONS Annual Population Survey for sexual orientation; 2015 ONS Annual Population Survey for veterans / ex-service people

4.1.1 Local population and service use, overall and by service area

Table 1: Service users analysed by service area, age, and gender, compared against the local population

Gender	Area	Age Band (years)*												Total known	Not known	Grand total
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 +			
All Persons	LLR	6.0%	6.1%	5.6%	6.3%	14.6%	12.3%	13.1%	13.0%	10.9%	7.3%	3.8%	0.9%	1069906	0.00%	1069906
	LPT‡	20.0%	10.6%	8.2%	6.3%	7.5%	8.6%	5.6%	6.3%	7.0%	8.1%	8.3%	3.4%	274997	0.01%	275020
	AMH/LD	0.0%	0.1%	0.2%	3.8%	22.6%	20.3%	20.6%	18.6%	10.2%	3.0%	0.6%	0.0%	22289	0.00%	22289
	CHS	0.1%	0.2%	0.7%	1.6%	5.1%	6.1%	8.6%	12.4%	15.8%	20.0%	20.8%	8.7%	108760	0.02%	108782
	FYPC	34.6%	18.3%	14.0%	10.0%	7.8%	9.2%	1.8%	1.0%	0.9%	0.9%	0.9%	0.5%	158859	0.00%	158860
Females	LLR	5.9%	6.0%	5.5%	6.0%	14.1%	12.3%	13.2%	13.0%	10.9%	7.7%	4.4%	1.2%	537942	0.00%	537942
	LPT‡	17.1%	8.6%	6.7%	5.9%	10.0%	12.0%	6.0%	6.5%	6.6%	7.8%	8.7%	4.3%	154331	0.00%	154331
	AMH/LD	0.0%	0.1%	0.1%	3.6%	22.0%	19.9%	20.7%	19.5%	10.4%	3.0%	0.7%	0.1%	11612	0.00%	11612
	CHS	0.1%	0.2%	0.7%	1.3%	4.5%	6.1%	8.7%	12.5%	14.7%	18.9%	21.6%	10.6%	61488	0.00%	61488
	FYPC	29.2%	14.5%	11.2%	9.2%	12.8%	15.7%	2.8%	1.1%	1.0%	0.9%	1.0%	0.7%	90711	0.00%	90711
Males	LLR	6.2%	6.3%	5.8%	6.6%	15.2%	12.3%	13.1%	13.0%	10.9%	7.0%	3.1%	0.5%	531964	0.00%	531964
	LPT‡	23.7%	13.3%	10.1%	7.0%	4.4%	4.2%	5.0%	6.1%	7.5%	8.6%	7.7%	2.4%	120620	0.00%	120620
	AMH/LD	0.0%	0.1%	0.2%	3.9%	23.3%	20.9%	20.5%	17.6%	10.1%	3.0%	0.4%	0.0%	10667	0.00%	10667
	CHS	0.1%	0.3%	0.8%	1.9%	5.9%	6.1%	8.3%	12.2%	17.2%	21.4%	19.7%	6.2%	47240	0.00%	47240
	FYPC	41.8%	23.5%	17.6%	11.2%	1.1%	0.5%	0.6%	0.8%	0.9%	0.9%	0.8%	0.3%	68144	0.00%	68144

LLR: Leicester, Leicestershire, and Rutland (Office for National Statistics, 2016 mid-year estimate)

LPT: Leicestershire Partnership NHS Trust (headcount of service users 2016/17); colour coding compares to the LLR benchmark

AMH/LD: Adult Mental Health and Learning Disability services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

CHS: Community Health Services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

FYPC: Families, Young People and Children's Services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known age (all persons) or total of known age and gender (males / females)

‡ totals for individual service areas will exceed those for LPT overall as individuals may use services in more than one service area

Table 2: Service users analysed by service area, ethnicity, age, and gender, compared against the local population

Age Band (years)	Gender	Area	Ethnicity															Total known	Not known	Grand total		
			British	White Irish	Other	Bangla-deshi	Asian British Indian	Pakistani	Other	African	Black British Caribbean	Other	White / Asian	Mixed White / Black African	White / Black Caribbean	Other	Other Chinese				Any Other	
All Ages	All Persons	LLR	74.9%	0.7%	2.8%	0.6%	12.0%	1.0%	1.7%	1.4%	0.6%	0.4%	0.7%	0.2%	0.8%	0.4%	0.8%	1.1%	1017697	0.0%	1017697	
		LPT‡	68.0%	0.5%	4.7%	0.8%	15.1%	1.7%	2.3%	0.3%	0.5%	0.6%	0.9%	1.3%	1.0%	0.9%	0.3%	1.1%	206262	25.0%	275020	
		AMH/LD	77.0%	0.6%	2.7%	0.4%	9.3%	1.1%	2.2%	1.4%	1.2%	0.6%	0.4%	0.2%	0.9%	0.7%	0.2%	1.1%	17023	23.6%	22289	
		CHS	79.2%	0.8%	2.3%	0.3%	12.2%	0.7%	1.5%	0.3%	0.6%	0.3%	0.2%	0.3%	0.4%	0.2%	0.2%	0.4%	88424	18.7%	108782	
		FYPC	59.1%	0.2%	6.6%	1.2%	17.6%	2.5%	2.8%	0.1%	0.4%	0.8%	1.4%	2.2%	1.5%	1.4%	0.4%	1.7%	114606	27.9%	158860	
0 to 15	Females	LLR	68.8%	0.3%	2.4%	1.1%	13.0%	1.7%	2.3%	2.4%	0.4%	0.9%	1.7%	0.5%	1.8%	0.9%	0.4%	1.5%	94151	0.0%	94151	
		LPT‡	58.4%	0.1%	6.6%	1.2%	17.6%	2.6%	2.8%	0.0%	0.4%	0.9%	1.7%	2.0%	1.8%	1.7%	0.4%	1.8%	38918	25.8%	52435	
		AMH/LD	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	25	26.5%	34
		CHS	73.5%	R	3.1%	R	9.4%	2.2%	2.6%	R	R	R	1.7%	R	R	R	R	R	R	586	15.9%	697
		FYPC	58.2%	0.1%	6.6%	1.2%	17.7%	2.6%	2.9%	0.0%	0.4%	0.9%	1.7%	2.0%	1.8%	1.7%	0.4%	1.8%	38610	25.8%	52058	
	Males	LLR	69.0%	0.3%	2.4%	1.1%	12.9%	1.6%	2.3%	2.4%	0.4%	0.9%	1.8%	0.5%	1.8%	0.8%	0.4%	1.4%	99195	0.0%	99195	
		LPT‡	58.5%	0.1%	6.6%	1.3%	17.5%	2.6%	2.7%	0.0%	0.3%	0.8%	1.7%	2.2%	1.8%	1.7%	0.4%	1.8%	43353	26.6%	59080	
		AMH/LD	71.4%	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	42	19.2%	52
		CHS	67.8%	R	5.2%	R	14.1%	2.7%	2.0%	R	R	R	R	R	R	R	R	R	R	559	15.4%	661
		FYPC	58.4%	0.1%	6.6%	1.3%	17.5%	2.6%	2.7%	0.0%	0.3%	0.8%	1.7%	2.2%	1.8%	1.7%	0.4%	1.8%	43076	26.7%	58735	
16 to 29	Females	LLR	66.0%	0.4%	4.9%	0.8%	14.1%	1.4%	2.1%	2.3%	0.7%	0.4%	0.9%	0.2%	1.3%	0.6%	2.6%	1.4%	100494	0.0%	100494	
		LPT‡	65.1%	0.3%	6.5%	1.1%	14.3%	2.4%	2.2%	0.4%	0.6%	0.6%	0.8%	1.9%	1.2%	0.6%	0.5%	1.4%	14245	35.3%	22026	
		AMH/LD	80.5%	R	2.6%	0.6%	5.5%	1.2%	2.1%	1.5%	0.6%	0.6%	0.7%	0.5%	1.2%	0.9%	R	1.3%	2162	27.2%	2968	
		CHS	77.6%	R	3.7%	0.6%	9.4%	1.0%	1.6%	R	0.6%	0.6%	0.9%	1.1%	1.0%	0.7%	R	R	2620	25.1%	3496	
		FYPC	61.7%	0.4%	7.4%	1.2%	15.8%	2.8%	2.3%	0.2%	0.6%	0.6%	0.9%	2.2%	1.4%	0.6%	0.5%	1.6%	11251	36.1%	17620	
	Males	LLR	67.0%	0.5%	4.2%	0.8%	14.0%	1.4%	2.4%	1.9%	0.6%	0.4%	1.1%	0.3%	1.2%	0.5%	2.1%	1.8%	102038	0.0%	102038	
		LPT‡	66.1%	0.3%	3.7%	0.7%	13.4%	2.2%	2.8%	1.2%	1.0%	0.9%	1.1%	1.5%	1.5%	1.2%	0.4%	1.5%	6406	44.1%	11467	
		AMH/LD	74.3%	0.6%	2.9%	0.7%	7.1%	1.1%	2.7%	2.4%	1.2%	1.2%	0.7%	R	1.4%	1.6%	R	1.7%	1984	31.3%	2889	
		CHS	68.4%	R	3.5%	R	14.6%	1.8%	2.6%	1.1%	0.8%	R	0.9%	1.4%	1.2%	0.9%	R	0.9%	2456	31.0%	3559	
		FYPC	59.3%	R	4.2%	0.9%	16.5%	3.1%	3.4%	0.7%	1.0%	1.0%	1.5%	3.1%	1.8%	1.2%	R	2.0%	2867	53.1%	6109	

LLR: Leicester, Leicestershire, and Rutland (Office for National Statistics, 2011 Census)

LPT: Leicestershire Partnership NHS Trust (headcount of service users 2016/17); colour coding compares to the LLR benchmark

AMH/LD: Adult Mental Health and Learning Disability services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

CHS: Community Health Services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

FYPC: Families, Young People and Children's Services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known ethnicity or total of known ethnicity, gender, and ethnicity (within age bands and genders)

‡ totals for individual service areas will exceed those for LPT overall as individuals may use services in more than one service area

R - REDACTED

Table 2 is continued overleaf ...

Table 2 continued: Service users analysed by service area, ethnicity, age, and gender, compared against the local population

Age Band (years)	Gender	Area	Ethnicity*															Total known	Not known	Grand total		
			British	White Irish	Other	Bangla-deshi	Asian Indian	British Pakistani	Other	Black African	Black Caribbean	Other	White / Asian	Mixed White / Black African	White / Black Caribbean	Other	Other Chinese				Any Other	
30 to 49	Females	LLR	73.3%	0.6%	3.4%	0.6%	13.4%	1.1%	1.9%	1.7%	0.7%	0.4%	0.3%	0.1%	0.5%	0.3%	0.6%	1.0%	138300	0.0%	138300	
		LPT‡	58.9%	0.4%	6.8%	1.0%	19.1%	2.3%	3.4%	0.7%	0.5%	0.9%	0.7%	2.2%	0.7%	0.6%	0.6%	1.4%	20055	27.8%	27785	
		AMH/LD	75.6%	0.4%	3.2%	0.5%	9.1%	1.3%	2.8%	1.5%	0.8%	0.8%	0.5%	R	1.2%	0.8%	R	1.1%	3600	23.6%	4711	
		CHS	68.2%	0.5%	4.7%	0.8%	15.9%	1.4%	2.8%	1.0%	0.6%	0.6%	0.5%	0.9%	0.5%	0.5%	0.4%	0.7%	7034	22.9%	9120	
		FYPC	50.5%	0.4%	8.6%	1.3%	22.6%	3.0%	3.7%	0.4%	0.4%	1.1%	0.8%	3.3%	0.7%	0.7%	0.8%	1.8%	11977	28.5%	16759	
	Males	LLR	73.0%	0.6%	3.5%	0.6%	12.5%	1.1%	2.2%	1.8%	0.7%	0.3%	0.4%	0.1%	0.5%	0.2%	0.5%	1.7%	136886	0.0%	136886	
		LPT‡	67.0%	0.5%	4.3%	1.0%	15.4%	1.4%	3.3%	1.4%	1.1%	0.7%	0.4%	0.4%	0.7%	0.7%	0.2%	1.4%	7877	28.6%	11033	
		AMH/LD	73.9%	0.5%	3.5%	0.4%	9.6%	1.0%	2.8%	1.8%	1.8%	0.6%	0.3%	R	1.0%	0.8%	R	1.6%	3225	27.0%	4416	
		CHS	64.0%	0.5%	4.7%	1.2%	18.3%	1.7%	3.3%	1.1%	0.9%	0.7%	0.5%	0.6%	0.5%	0.4%	0.3%	1.2%	4892	28.1%	6808	
		FYPC	59.7%	R	3.2%	R	18.6%	R	5.9%	2.5%	R	R	R	R	R	R	2.1%	0.0%	2.5%	630	17.3%	762
	50 to 74	Females	LLR	82.9%	1.1%	1.5%	0.2%	10.7%	0.4%	0.9%	0.3%	0.6%	0.1%	0.1%	0.0%	0.1%	0.1%	0.3%	0.4%	136751	0.0%	136751
			LPT‡	76.7%	0.8%	1.6%	0.2%	15.2%	0.8%	1.9%	0.5%	0.7%	0.3%	0.2%	0.2%	0.3%	0.2%	0.2%	0.3%	20985	19.5%	26055
AMH/LD			78.4%	0.8%	2.1%	R	11.9%	0.9%	1.8%	0.7%	1.2%	R	R	R	R	R	R	0.6%	3062	17.0%	3687	
CHS			76.8%	0.8%	1.6%	0.2%	15.4%	0.7%	1.8%	0.4%	0.7%	0.3%	0.2%	0.3%	0.3%	0.2%	0.2%	0.3%	18171	18.8%	22390	
FYPC			73.5%	0.8%	1.2%	R	16.1%	0.8%	3.6%	0.6%	1.1%	0.5%	R	R	R	R	R	0.6%	2056	13.4%	2374	
Males		LLR	83.2%	1.0%	1.3%	0.2%	10.6%	0.5%	0.9%	0.3%	0.7%	0.1%	0.1%	0.0%	0.1%	0.1%	0.3%	0.5%	134277	0.0%	134277	
		LPT‡	77.5%	0.7%	1.5%	0.2%	15.0%	0.8%	1.6%	0.3%	0.7%	0.4%	0.1%	0.2%	0.2%	0.2%	0.1%	0.4%	17181	20.9%	21714	
		AMH/LD	79.0%	1.1%	1.6%	R	11.1%	1.2%	1.5%	0.7%	1.3%	R	R	R	0.5%	R	R	0.7%	2599	18.2%	3178	
		CHS	77.5%	0.7%	1.4%	0.3%	15.5%	0.7%	1.6%	0.2%	0.6%	0.4%	0.1%	0.2%	0.2%	0.2%	0.1%	0.3%	15171	20.2%	19023	
		FYPC	76.7%	0.8%	1.8%	0.0%	13.1%	R	4.0%	R	R	R	R	R	R	0.0%	0.8%	R	R	1298	12.7%	1487
75 and over		Females	LLR	89.9%	1.4%	1.7%	0.1%	5.3%	0.2%	0.3%	0.1%	0.6%	0.0%	0.1%	0.0%	0.1%	0.1%	0.1%	0.2%	44786	0.0%	44786
			LPT‡	86.2%	1.1%	2.2%	0.1%	7.8%	0.3%	0.7%	0.1%	0.5%	0.1%	0.1%	0.1%	0.2%	0.1%	0.1%	0.2%	22419	13.9%	26030
	AMH/LD		85.8%	R	R	0.0%	7.1%	R	R	0.0%	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	R	197	7.1%	212	
	CHS		86.2%	1.1%	2.2%	0.1%	7.8%	0.3%	0.7%	0.1%	0.5%	0.1%	0.1%	0.1%	0.2%	0.0%	0.1%	0.2%	22216	13.8%	25785	
	FYPC		87.9%	1.4%	2.0%	0.0%	5.8%	R	1.1%	R	R	R	R	0.0%	R	R	R	R	1840	3.2%	1900	
	Males	LLR	89.6%	1.3%	1.5%	0.1%	5.5%	0.2%	0.3%	0.1%	0.7%	0.1%	0.1%	0.0%	0.1%	0.0%	0.1%	0.3%	30819	0.0%	30819	
		LPT‡	86.3%	1.0%	1.9%	0.2%	7.8%	0.3%	0.8%	0.1%	0.7%	0.1%	0.0%	0.1%	0.3%	0.1%	0.1%	0.2%	14804	14.6%	17326	
		AMH/LD	89.6%	R	R	0.0%	R	0.0%	0.0%	0.0%	R	0.0%	0.0%	0.0%	0.0%	R	0.0%	0.0%	125	5.3%	132	
		CHS	86.3%	1.0%	1.9%	0.2%	7.8%	0.3%	0.8%	0.1%	0.7%	0.1%	0.0%	0.1%	0.3%	0.1%	0.1%	0.2%	14703	14.5%	17189	
		FYPC	86.3%	1.2%	1.9%	R	7.2%	R	1.1%	0.0%	R	R	0.0%	R	R	R	R	R	1000	4.9%	1051	

LLR: Leicester, Leicestershire, and Rutland (Office for National Statistics, 2011 Census)

LPT: Leicestershire Partnership NHS Trust (headcount of service users 2016/17); colour coding compares to the LLR benchmark

AMH/LD: Adult Mental Health and Learning Disability services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

CHS: Community Health Services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

FYPC: Families, Young People and Children's Services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known ethnicity or total of known ethnicity, gender, and age (within age bands and genders)

‡ totals for individual service areas will exceed those for LPT overall as individuals may use services in more than one service area

Table 3: Service users analysed by service area and disability (day-to-day activities limited a lot), compared against the local population

Area	Disability		Total known	Not known	Grand total
	Disabled†	Not Disabled			
LLR	7.4%	92.6%	1017697	0.0%	1017697
LPT Overall‡	82.9%	17.1%	286	99.9%	275020
AMH/LD	66.2%	33.8%	68	99.7%	22289
CHS	87.5%	12.5%	248	99.8%	108782
FYPC	78.7%	21.3%	47	100.0%	158860

LLR: Leicester, Leicestershire, and Rutland (Office for National Statistics, 2011 Census)

LPT: Leicestershire Partnership NHS Trust (headcount of service users 2016/17); colour coding compares to the LLR benchmark

AMH/LD: Adult Mental Health and Learning Disability services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

CHS: Community Health Services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

FYPC: Families, Young People and Children's Services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known disability status

† for the LLR 2011 Census figures those who described their day-to-day activities as limited a lot are classified as disabled, whilst those who described their day-to-day activities as limited a little or not limited at all are classified as not disabled

‡ totals for individual service areas will exceed those for LPT overall as individuals may use services in more than one service area

Table 4: Service users analysed by service area and religion or belief, compared against the local population

Area	Religion or Belief						Total known	Not known	Grand total
	No Religion	Christian	Hindu	Muslim	Sikh	Other Religion			
LLR	27.2%	55.0%	7.2%	7.4%	2.4%	0.9%	954766	6.2%	1017697
LPT Overall‡	20.2%	57.8%	8.7%	7.5%	3.1%	2.7%	7103	97.4%	275020
AMH/LD	25.3%	51.4%	8.4%	8.9%	3.3%	2.8%	4890	78.1%	22289
CHS	10.3%	69.9%	9.3%	5.0%	2.8%	2.7%	3407	96.9%	108782
FYPC	24.1%	54.4%	7.3%	8.5%	2.6%	3.1%	1317	99.2%	158860

LLR: Leicester, Leicestershire, and Rutland (Office for National Statistics, 2011 Census)

LPT: Leicestershire Partnership NHS Trust (headcount of service users 2016/17); colour coding compares to the LLR benchmark

AMH/LD: Adult Mental Health and Learning Disability services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

CHS: Community Health Services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

FYPC: Families, Young People and Children's Services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known religion or belief

‡ totals for individual service areas will exceed those for LPT overall as individuals may use services in more than one service area

Table 5: Service users analysed by service area and sexual orientation, compared against the local population

Area	Sexual Orientation*		Total known	Not known	Grand total†
	Heterosexual	LGBO			
East Midlands	97.4%	2.6%	3594	4.9%	3779
LPT Overall‡	97.0%	3.0%	440	99.7%	163476
AMH/LD	R	R	84	99.6%	22200
CHS	97.2%	2.8%	388	99.6%	107401
FYPC	R	R	58	99.9%	48064

East Midlands: East Midlands region (Office for National Statistics, 2016 Annual Population Survey)

LPT: Leicestershire Partnership NHS Trust (headcount of service users 2016/17); colour coding compares to the LLR benchmark

AMH/LD: Adult Mental Health and Learning Disability services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

CHS: Community Health Services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

FYPC: Families, Young People and Children's Services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known sexual orientation

† aged 16 years old and over

‡ totals for individual service areas will exceed those for LPT overall as individuals may use services in more than one service area

R - REDACTED

Table 6: Service users analysed by service area and service in the Armed Forces, compared against the local population

Area	Forces*		Total known	Not known	Grand total†
	Ex-Services / Veterans	Not ex-services			
East Midlands	5.0%	95.0%	3729	0.7%	3757
LPT Overall‡	19.2%	80.8%	1822	98.9%	163476
AMH/LD	15.2%	84.8%	223	99.0%	22200
CHS	19.2%	80.8%	1690	98.4%	107401
FYPC	13.9%	86.1%	194	99.6%	48064

East Midlands: East Midlands region (Office for National Statistics, 2015 Annual Population Survey)

LPT: Leicestershire Partnership NHS Trust (headcount of service users 2016/17); colour coding compares to the LLR benchmark

AMH/LD: Adult Mental Health and Learning Disability services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

CHS: Community Health Services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

FYPC: Families, Young People and Children's Services (headcount of service users 2016/17); colour coding compares to the LLR benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known forces status

† aged 16 years old and over

‡ totals for individual service areas will exceed those for LPT overall as individuals may use services in more than one service area

4.1.2 Service use in Adult Mental Health and Learning Disabilities analysed by service line

Table 7: AMH&LD's service users analysed by age and service line, compared against the overall profile of AMH&LD's service users

Area	Service line	Age Band (years)*												Total known	Not known	Grand total
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 +			
	AMH/LD Overall‡	0.0%	0.1%	0.2%	3.8%	22.6%	20.3%	20.6%	18.6%	10.2%	3.0%	0.6%	0.0%	22289	0.0%	22289
	ADHD Service	0.0%	0.0%	0.0%	7.7%	48.3%	24.1%	14.0%	R	R	R	0.0%	0.0%	1071	0.0%	1071
	Adult General Psychiatry Community and Outpatient Teams	0.0%	0.0%	0.0%	2.0%	18.5%	19.7%	22.8%	22.3%	11.9%	2.4%	0.2%	0.0%	11534	0.0%	11534
	Adult General Psychiatry Inpatients / Acute Recovery Team	0.0%	0.0%	0.0%	R	20.6%	21.3%	19.7%	20.6%	11.0%	4.4%	R	0.2%	661	0.0%	661
	Aspergers	R	0.0%	0.0%	R	41.5%	19.3%	13.6%	12.6%	R	R	0.0%	0.0%	301	0.0%	301
	Assertive Outreach Community	0.0%	0.0%	0.0%	R	8.2%	24.8%	30.3%	21.3%	12.2%	R	0.0%	0.0%	403	0.0%	403
	Clinical Neuropsychology	R	5.5%	5.5%	R	7.0%	11.7%	13.9%	19.8%	18.3%	12.5%	R	0.0%	273	0.0%	273
	Cognitive Behavioural Psychotherapy	0.0%	0.0%	0.0%	1.5%	20.8%	24.1%	23.4%	20.5%	8.2%	R	R	0.0%	960	0.0%	960
	Criminal Justice Liaison and Diversion Service	R	0.0%	1.4%	9.2%	34.6%	23.3%	17.6%	9.7%	2.7%	R	R	R	1389	0.0%	1389
	Deliberate Self Harm	0.0%	0.0%	0.0%	8.4%	31.3%	20.7%	18.7%	13.2%	4.6%	R	R	0.0%	1341	0.0%	1341
	Dynamic Psychotherapy Service	0.0%	0.0%	0.0%	R	R	22.8%	28.5%	27.1%	10.0%	R	R	0.0%	558	0.0%	558
	EMAS	0.0%	0.0%	R	R	22.4%	16.4%	17.9%	19.4%	R	R	R	0.0%	67	0.0%	67
	Forensic	0.0%	0.0%	0.0%	R	23.0%	34.0%	23.4%	14.5%	R	R	0.0%	0.0%	235	0.0%	235
	Homeless Service	0.0%	0.0%	0.0%	R	29.8%	31.6%	19.8%	11.5%	R	0.0%	0.0%	0.0%	373	0.0%	373
	Huntington's Disease Service Lines	0.0%	0.0%	0.0%	R	R	13.5%	19.9%	22.2%	25.1%	13.5%	R	0.0%	171	0.0%	171
	Medical Psychology	R	0.0%	0.0%	2.3%	17.4%	19.4%	25.0%	19.8%	10.6%	3.8%	R	R	1076	0.0%	1076
	Mental Health Inpatient Rehabilitation Service	0.0%	0.0%	0.0%	0.0%	R	17.6%	20.4%	26.9%	18.5%	R	R	0.0%	108	0.0%	108
	Mental Health Triage Service (Urgent Care Centre and UHL)	0.0%	0.0%	0.0%	8.8%	31.9%	21.3%	17.5%	12.5%	4.5%	2.4%	1.0%	0.0%	2627	0.0%	2627
	METT Centre and Linnaeus Nursery	0.0%	0.0%	0.0%	0.0%	R	15.3%	29.4%	30.0%	14.7%	R	R	0.0%	170	0.0%	170
	Perinatal Mental Health Service	0.0%	0.0%	0.0%	4.1%	42.1%	47.6%	6.3%	0.0%	0.0%	0.0%	0.0%	0.0%	592	0.0%	592
	Personality Disorder Service	0.0%	0.0%	0.0%	2.1%	43.1%	25.8%	19.6%	8.0%	1.5%	0.0%	0.0%	0.0%	866	0.0%	866
	Place of Safety Assessment Unit	0.0%	0.0%	0.0%	R	23.9%	29.6%	21.1%	R	R	R	0.0%	0.0%	71	0.0%	71
	Psychiatry - Chronic Fatigue (Liaison)	0.0%	0.0%	0.0%	R	18.6%	18.0%	26.9%	28.1%	R	0.0%	0.0%	0.0%	167	0.0%	167
	Psychiatry - General (Liaison)	0.0%	0.0%	0.0%	R	12.8%	17.4%	25.7%	24.9%	16.9%	R	0.0%	0.0%	758	0.0%	758
	Psycho Oncology (Liaison)	0.0%	0.0%	0.0%	0.0%	5.6%	6.6%	16.5%	24.4%	26.5%	17.5%	R	R	468	0.0%	468
	SPA Acute Assessment and CRHT	0.0%	0.0%	0.0%	4.3%	26.7%	22.8%	20.8%	17.3%	R	R	0.3%	0.0%	2768	0.0%	2768
	Triage Car Service	0.0%	0.0%	R	7.8%	21.5%	25.4%	21.8%	13.7%	4.2%	R	R	0.0%	335	0.0%	335
	Urgent Care Centre	R	0.0%	R	8.5%	32.4%	21.8%	16.7%	12.4%	4.4%	2.6%	R	R	1576	0.0%	1576
	Autism Service	0.0%	0.0%	0.0%	R	46.1%	R	R	R	R	R	0.0%	0.0%	76	0.0%	76
	Community Team	0.0%	0.0%	0.0%	3.1%	29.4%	17.0%	15.3%	17.6%	12.3%	4.7%	0.6%	0.0%	1734	0.0%	1734
	Inpatients - Treatment and Assessment	0.0%	0.0%	0.0%	0.0%	R	R	R	R	R	0.0%	0.0%	0.0%	13	0.0%	13
	Outreach	0.0%	0.0%	0.0%	R	39.6%	19.5%	10.7%	14.1%	8.1%	R	0.0%	0.0%	149	0.0%	149

AMH/LD: Adult Mental Health and Learning Disability services (headcount of service users 2016/17); colour coding compares to this benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known age (all persons)

‡ totals for individual service lines will exceed those for the service area overall as individuals may use services in more than one service line

R - REDACTED

Table 8: AMH&LD's female service users analysed by age and service line, compared against the overall profile of AMH&LD's female service users

Area	Service line	Age Band (years)*												Total known	Not known	Grand total
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 +			
	AMH/LD Overall‡	0.0%	0.1%	0.1%	3.6%	22.0%	19.9%	20.7%	19.5%	10.4%	3.0%	0.7%	0.1%	11612	0.0%	11612
	ADHD Service	0.0%	0.0%	0.0%	R	44.1%	29.7%	16.2%	6.0%	R	0.0%	0.0%	0.0%	333	0.0%	333
	Adult General Psychiatry Community and Outpatient Teams	0.0%	0.0%	0.0%	2.2%	18.5%	18.4%	22.5%	23.5%	12.0%	2.7%	0.3%	0.0%	6236	0.0%	6236
	Adult General Psychiatry Inpatients / Acute Recovery Team	0.0%	0.0%	0.0%	R	18.7%	15.0%	22.1%	23.8%	9.5%	6.1%	R	R	294	0.0%	294
	Aspergers	0.0%	0.0%	0.0%	R	45.7%	18.1%	R	17.0%	R	0.0%	0.0%	0.0%	94	0.0%	94
	Assertive Outreach Community	0.0%	0.0%	0.0%	R	R	15.6%	29.9%	27.9%	14.9%	R	0.0%	0.0%	154	0.0%	154
	Clinical Neuropsychology	R	R	R	R	R	9.0%	14.4%	19.8%	15.3%	14.4%	0.0%	0.0%	111	0.0%	111
	Cognitive Behavioural Psychotherapy	0.0%	0.0%	0.0%	R	21.2%	25.9%	22.0%	20.8%	6.6%	R	R	0.0%	518	0.0%	518
	Criminal Justice Liaison and Diversion Service	0.0%	0.0%	R	7.7%	34.7%	20.5%	18.4%	12.8%	R	R	R	R	375	0.0%	375
	Deliberate Self Harm	0.0%	0.0%	0.0%	10.7%	31.8%	17.1%	17.7%	14.8%	R	R	R	0.0%	702	0.0%	702
	Dynamic Psychotherapy Service	0.0%	0.0%	0.0%	R	10.5%	23.8%	27.0%	26.8%	R	R	R	0.0%	400	0.0%	400
	EMAS	0.0%	0.0%	R	R	R	R	R	R	R	R	R	0.0%	31	0.0%	31
	Forensic	0.0%	0.0%	0.0%	0.0%	R	R	33.3%	R	0.0%	0.0%	0.0%	0.0%	33	0.0%	33
	Homeless Service	0.0%	0.0%	0.0%	R	34.4%	28.7%	18.9%	R	R	0.0%	0.0%	0.0%	122	0.0%	122
	Huntington's Disease Service Lines	0.0%	0.0%	0.0%	R	R	R	17.0%	21.6%	26.1%	R	R	0.0%	88	0.0%	88
	Medical Psychology	R	0.0%	0.0%	1.8%	17.7%	19.8%	26.8%	18.0%	10.4%	3.7%	R	R	712	0.0%	712
	Mental Health Inpatient Rehabilitation Service	0.0%	0.0%	0.0%	0.0%	R	22.2%	R	31.1%	R	R	R	0.0%	45	0.0%	45
	Mental Health Triage Service (Urgent Care Centre and UHL)	R	0.0%	R	10.7%	33.4%	18.8%	16.5%	12.8%	4.2%	2.1%	R	R	1350	0.0%	1350
	METT Centre and Linnaeus Nursery	0.0%	0.0%	0.0%	0.0%	R	R	25.0%	33.8%	17.5%	R	0.0%	0.0%	80	0.0%	80
	Perinatal Mental Health Service	0.0%	0.0%	0.0%	4.1%	42.1%	47.6%	6.3%	0.0%	0.0%	0.0%	0.0%	0.0%	592	0.0%	592
	Personality Disorder Service	0.0%	0.0%	0.0%	2.4%	45.6%	23.3%	18.8%	8.4%	1.5%	0.0%	0.0%	0.0%	658	0.0%	658
	Place of Safety Assessment Unit	0.0%	0.0%	0.0%	R	R	R	R	R	R	0.0%	0.0%	0.0%	31	0.0%	31
	Psychiatry - Chronic Fatigue (Liaison)	0.0%	0.0%	0.0%	R	18.7%	16.4%	30.6%	25.4%	R	0.0%	0.0%	0.0%	134	0.0%	134
	Psychiatry - General (Liaison)	0.0%	0.0%	0.0%	R	14.8%	17.5%	24.7%	25.8%	14.8%	R	0.0%	0.0%	445	0.0%	445
	Psycho Oncology (Liaison)	0.0%	0.0%	0.0%	0.0%	R	7.9%	20.2%	27.7%	25.3%	R	R	0.3%	292	0.0%	292
	SPA Acute Assessment and CRHT	0.0%	0.0%	0.0%	4.3%	27.2%	22.4%	20.9%	17.4%	6.1%	R	R	0.0%	1481	0.0%	1481
	Triage Car Service	0.0%	0.0%	R	10.7%	16.8%	22.9%	25.2%	13.7%	R	R	R	0.0%	131	0.0%	131
	Urgent Care Centre	R	0.0%	R	10.1%	35.0%	20.7%	15.4%	11.5%	3.8%	1.9%	R	R	792	0.0%	792
	LD															
	Autism Service	0.0%	0.0%	0.0%	R	50.0%	R	R	R	R	R	0.0%	0.0%	22	0.0%	22
	Community Team	0.0%	0.0%	0.0%	R	27.5%	17.6%	16.2%	17.5%	12.5%	4.7%	R	0.0%	760	0.0%	760
	Inpatients - Treatment and Assessment	0.0%	0.0%	0.0%	0.0%	R	R	R	R	R	0.0%	0.0%	0.0%	R	0.0%	R
	Outreach	0.0%	0.0%	0.0%	R	36.8%	22.1%	R	17.6%	R	R	0.0%	0.0%	68	0.0%	68

AMH/LD: Adult Mental Health and Learning Disability services (headcount of service users 2016/17); colour coding compares to this benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known age and gender (females)

‡ totals for individual service lines will exceed those for the service area overall as individuals may use services in more than one service line

R - REDACTED

Table 9: AMH&LD's male service users analysed by age and service line, compared against the overall profile of AMH&LD's male service users

Area	Service line	Age Band (years)*												Total known	Not known	Grand total
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 +			
	AMH/LD Overall‡	0.0%	0.1%	0.2%	3.9%	23.3%	20.9%	20.5%	17.6%	10.1%	3.0%	0.4%	0.0%	10667	0.0%	10667
AMH	ADHD Service	0.0%	0.0%	0.0%	9.6%	50.1%	21.5%	13.0%	R	R	R	0.0%	0.0%	738	0.0%	738
	Adult General Psychiatry Community and Outpatient Teams	0.0%	0.0%	0.0%	R	18.6%	21.2%	23.3%	21.0%	11.8%	R	R	0.0%	5297	0.0%	5297
	Adult General Psychiatry Inpatients / Acute Recovery Team	0.0%	0.0%	0.0%	R	22.1%	26.4%	17.7%	18.0%	12.3%	R	R	0.0%	367	0.0%	367
	Aspergers	0.0%	0.0%	0.0%	R	39.8%	19.9%	17.0%	10.7%	R	R	0.0%	0.0%	206	0.0%	206
	Assertive Outreach Community	0.0%	0.0%	0.0%	0.0%	R	30.5%	30.5%	17.3%	10.4%	R	R	0.0%	249	0.0%	249
	Clinical Neuropsychology	0.0%	R	R	R	7.4%	13.6%	13.6%	19.8%	20.4%	11.1%	R	0.0%	162	0.0%	162
	Cognitive Behavioural Psychotherapy	0.0%	0.0%	0.0%	R	20.4%	21.9%	25.1%	20.1%	10.2%	R	R	0.0%	442	0.0%	442
	Criminal Justice Liaison and Diversion Service	R	0.0%	R	9.8%	34.7%	24.2%	17.4%	8.6%	3.0%	R	R	0.0%	1011	0.0%	1011
	Deliberate Self Harm	0.0%	0.0%	0.0%	5.8%	30.8%	24.6%	19.9%	11.4%	4.7%	R	R	0.0%	639	0.0%	639
	Dynamic Psychotherapy Service	0.0%	0.0%	0.0%	R	R	20.3%	32.3%	27.8%	9.5%	R	R	0.0%	158	0.0%	158
	EMAS	0.0%	0.0%	R	R	R	R	R	R	R	R	R	0.0%	36	0.0%	36
	Forensic	0.0%	0.0%	0.0%	R	22.8%	35.1%	21.8%	14.4%	R	R	R	0.0%	202	0.0%	202
	Homeless Service	0.0%	0.0%	0.0%	R	27.5%	33.1%	20.3%	13.9%	R	0.0%	0.0%	0.0%	251	0.0%	251
	Huntington's Disease Service Lines	0.0%	0.0%	0.0%	R	R	R	22.9%	22.9%	24.1%	R	R	0.0%	83	0.0%	83
	Medical Psychology	0.0%	0.0%	0.0%	R	16.7%	18.7%	21.4%	23.4%	11.1%	4.2%	R	0.0%	359	0.0%	359
	Mental Health Inpatient Rehabilitation Service	0.0%	0.0%	0.0%	0.0%	15.9%	R	23.8%	23.8%	19.0%	R	R	0.0%	63	0.0%	63
	Mental Health Triage Service (Urgent Care Centre and UHL)	0.0%	0.0%	0.0%	6.7%	30.3%	24.0%	18.5%	12.2%	4.9%	2.7%	0.8%	0.0%	1277	0.0%	1277
	METT Centre and Linnaeus Nursery	0.0%	0.0%	0.0%	0.0%	R	20.0%	33.3%	26.7%	R	R	R	0.0%	90	0.0%	90
	Perinatal Mental Health Service	-	-	-	-	-	-	-	-	-	-	-	-	0	-	0
	Personality Disorder Service	0.0%	0.0%	0.0%	R	35.1%	33.7%	22.1%	R	R	R	0.0%	0.0%	208	0.0%	208
Place of Safety Assessment Unit	0.0%	0.0%	0.0%	R	25.0%	30.0%	R	R	R	R	R	0.0%	40	0.0%	40	
Psychiatry - Chronic Fatigue (Liaison)	0.0%	0.0%	0.0%	0.0%	R	R	R	39.4%	R	R	0.0%	0.0%	33	0.0%	33	
Psychiatry - General (Liaison)	0.0%	0.0%	0.0%	R	R	17.3%	27.2%	23.6%	19.8%	R	R	0.0%	313	0.0%	313	
Psycho Oncology (Liaison)	0.0%	0.0%	0.0%	0.0%	8.0%	R	10.2%	18.8%	28.4%	27.3%	R	0.0%	176	0.0%	176	
SPA Acute Assessment and CRHT	R	0.0%	0.0%	4.4%	26.0%	23.3%	20.6%	17.2%	7.1%	R	R	0.0%	1287	0.0%	1287	
Triage Car Service	0.0%	0.0%	R	5.9%	24.5%	27.0%	19.6%	13.7%	R	R	R	0.0%	204	0.0%	204	
Urgent Care Centre	0.0%	0.0%	0.0%	6.9%	29.7%	23.0%	18.0%	13.4%	5.0%	R	R	0.0%	784	0.0%	784	
LD	Autism Service	0.0%	0.0%	0.0%	R	44.4%	R	R	R	R	R	0.0%	54	0.0%	54	
	Community Team	0.0%	0.0%	0.0%	R	30.8%	16.4%	14.7%	17.7%	12.2%	4.7%	R	974	0.0%	974	
	Inpatients - Treatment and Assessment	0.0%	0.0%	0.0%	0.0%	R	R	R	R	R	0.0%	0.0%	R	0.0%	R	
	Outreach	0.0%	0.0%	0.0%	R	42.0%	17.3%	12.3%	R	R	R	0.0%	81	0.0%	81	

AMH/LD: Adult Mental Health and Learning Disability services (headcount of service users 2016/17); colour coding compares to this benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known age and gender (males)

‡ totals for individual service lines will exceed those for the service area overall as individuals may use services in more than one service line

R - REDACTED

Table 10: AMH&LD's service users analysed by ethnicity and service line, compared against the overall profile of AMH&LD's service users

Area Service line	Ethnicity*																Total known	Not known	Grand total
	White			Asian British				Black British			Mixed				Other				
	British	Irish	Other	Bangladeshi	Indian	Pakistani	Other	African	Caribbean	Other	White / Asian	White / Black African	White / Black Caribbean	Other	Chinese	Any Other			
AMH/LD Overall‡	77.0%	0.6%	2.7%	0.4%	9.3%	1.1%	2.2%	1.4%	1.2%	0.6%	0.4%	0.2%	0.9%	0.7%	0.2%	1.1%	17023	23.6%	22289
ADHD Service	89.4%	R	1.8%	R	1.9%	R	R	R	R	R	R	R	R	R	R	R	620	42.1%	1071
Adult General Psychiatry Community and Outpatient Teams	78.2%	0.6%	2.2%	0.4%	10.0%	1.2%	1.9%	1.0%	1.0%	0.4%	0.4%	R	0.9%	0.6%	R	1.0%	8772	23.9%	11534
Adult General Psychiatry Inpatients / Acute Recovery Team	61.9%	R	2.4%	R	17.8%	1.6%	3.2%	3.2%	2.4%	R	R	R	1.9%	R	0.0%	1.6%	625	5.4%	661
Aspergers	86.8%	R	R	0.0%	R	0.0%	0.0%	0.0%	R	0.0%	R	0.0%	R	R	R	0.0%	151	49.8%	301
Assertive Outreach Community	63.3%	R	3.3%	R	12.8%	R	3.8%	2.8%	5.6%	R	R	R	R	R	R	0.0%	392	2.7%	403
Clinical Neuropsychology	76.6%	R	R	0.0%	9.4%	R	R	R	R	R	R	R	R	R	R	0.0%	235	13.9%	273
Cognitive Behavioural Psychotherapy	83.4%	R	2.0%	R	6.9%	R	2.5%	R	0.0%	R	R	R	R	R	R	R	715	25.5%	960
Criminal Justice Liaison and Diversion Service	76.1%	0.9%	3.4%	R	4.7%	R	2.8%	2.5%	3.1%	0.9%	R	R	1.4%	1.4%	R	1.5%	1167	16.0%	1389
Deliberate Self Harm	76.5%	R	3.4%	R	7.1%	R	3.3%	0.9%	R	1.1%	R	0.0%	0.9%	1.5%	0.0%	2.4%	1185	11.6%	1341
Dynamic Psychotherapy Service	84.9%	R	2.7%	R	6.8%	R	R	0.0%	R	0.0%	R	0.0%	R	R	0.0%	0.0%	438	21.5%	558
EMAS	80.3%	0.0%	R	0.0%	R	0.0%	R	R	0.0%	0.0%	0.0%	0.0%	R	0.0%	R	0.0%	61	9.0%	67
Forensic	68.7%	0.0%	R	R	R	R	R	R	6.6%	R	R	R	R	R	R	0.0%	198	15.7%	235
Homeless Service	73.7%	R	6.0%	0.0%	4.5%	R	R	R	3.0%	R	R	R	R	R	R	0.0%	331	11.3%	373
Huntington's Disease Service Lines	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	159	7.0%	171
Medical Psychology	66.3%	R	3.5%	R	13.8%	R	2.8%	4.4%	1.5%	R	R	R	R	R	R	0.0%	653	39.3%	1076
Mental Health Inpatient Rehabilitation Service	70.8%	0.0%	R	R	13.2%	R	R	R	R	0.0%	R	0.0%	R	R	R	0.0%	106	1.9%	108
Mental Health Triage Service (Urgent Care Centre and UHL)	75.7%	0.5%	4.1%	R	7.3%	0.7%	3.1%	1.5%	0.8%	1.1%	R	R	0.7%	1.2%	R	1.9%	2283	13.1%	2627
METT Centre and Linnaeus Nursery	71.5%	R	R	R	16.4%	R	R	R	R	0.0%	0.0%	0.0%	R	0.0%	R	0.0%	165	2.9%	170
Perinatal Mental Health Service	71.9%	R	4.3%	R	7.9%	3.6%	1.9%	R	R	R	R	R	R	R	R	R	534	9.8%	592
Personality Disorder Service	89.7%	R	1.4%	0.0%	3.2%	R	R	R	R	R	R	R	R	R	R	R	725	16.3%	866
Place of Safety Assessment Unit	79.3%	0.0%	R	0.0%	R	0.0%	0.0%	R	R	0.0%	0.0%	R	R	0.0%	R	0.0%	58	18.3%	71
Psychiatry - Chronic Fatigue (Liaison)	85.1%	0.0%	R	0.0%	R	R	R	R	0.0%	0.0%	0.0%	0.0%	R	0.0%	0.0%	0.0%	74	55.7%	167
Psychiatry - General (Liaison)	73.6%	R	2.7%	R	13.0%	R	4.2%	R	R	R	R	R	0.0%	R	R	R	553	27.0%	758
Psycho Oncology (Liaison)	81.8%	R	R	R	7.8%	R	R	R	R	R	0.0%	R	R	R	R	R	308	34.2%	468
SPA Acute Assessment and CRHT	77.3%	R	2.8%	0.7%	8.7%	1.0%	2.3%	1.5%	0.8%	0.8%	R	R	0.5%	1.1%	R	1.3%	2061	25.5%	2768
Triage Car Service	74.3%	R	R	R	8.3%	R	R	4.0%	R	R	0.0%	R	R	R	R	R	300	10.4%	335
Urgent Care Centre	75.7%	0.7%	4.3%	R	7.3%	0.7%	2.9%	1.8%	1.0%	1.2%	R	R	0.7%	1.0%	R	1.2%	1361	13.6%	1576
Autism Service	70.1%	0.0%	0.0%	0.0%	R	R	R	R	R	0.0%	R	0.0%	0.0%	R	0.0%	R	67	11.8%	76
Community Team	77.1%	0.7%	1.4%	R	11.2%	1.3%	3.1%	R	1.0%	R	R	R	0.8%	R	R	0.8%	1539	11.2%	1734
Inpatients - Treatment and Assessment	83.3%	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	12	7.7%	13
Outreach	84.9%	0.0%	0.0%	0.0%	R	R	R	R	R	0.0%	R	R	0.0%	0.0%	0.0%	0.0%	139	6.7%	149

AMH/LD: Adult Mental Health and Learning Disability services (headcount of service users 2016/17); colour coding compares to this benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known ethnicity

‡ totals for individual service lines will exceed those for the service area overall as individuals may use services in more than one service line

R - REDACTED

4.1.3 Service use in Community and Health Services analysed by service line

Table 11: CHS’s service users analysed by age and service line, compared against the overall profile of CHS’s service users

Area Service line	Age Band (years)*											Total known	Not known	Grand total	
	0 to 4	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89				90 +
CHS Overall‡	0.1%	0.2%	0.7%	1.6%	5.1%	6.1%	8.6%	12.4%	15.8%	20.0%	20.8%	8.7%	108760	0.02%	108782
Community Nursing	0.0%	0.0%	0.0%	0.5%	3.6%	4.1%	5.2%	8.1%	12.6%	20.1%	29.1%	16.7%	35613	0.03%	35622
Community Therapy	0.0%	0.0%	0.0%	0.1%	0.9%	1.3%	3.0%	6.0%	10.5%	22.0%	37.3%	18.8%	15663	0.02%	15666
Continence Nursing Service	0.0%	0.0%	0.0%	0.2%	2.3%	2.7%	4.4%	7.7%	11.6%	19.9%	33.4%	18.0%	5832	0.02%	5833
Falls Prevention Service	0.0%	0.0%	0.0%	0.0%	R	R	R	1.9%	8.2%	23.7%	46.7%	18.7%	1897	0.05%	1898
Heart Failure Service / COPD	0.0%	0.0%	0.0%	0.0%	R	R	2.3%	6.5%	14.7%	26.6%	36.7%	12.4%	2754	0.00%	2754
Hospice at Home / Comm’ Therapy / Generalist Comm’ Matrons	0.0%	0.0%	0.0%	R	R	R	3.4%	8.3%	14.1%	23.7%	30.4%	18.6%	830	0.00%	830
Intensive Community Support	0.0%	0.0%	0.0%	R	R	1.1%	2.3%	4.7%	9.8%	22.0%	38.6%	20.7%	8348	0.00%	8348
Intermediate Care and RIT	0.0%	0.0%	0.0%	R	R	1.8%	4.1%	6.9%	12.0%	20.2%	30.6%	22.6%	1355	0.00%	1355
MHSOP															
Central Referral Hub	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	R	R	R	R	11	0.00%	11
Community Teams	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	R	R	11.0%	34.1%	41.9%	11.4%	2934	0.00%	2934
Functional Assessment / Organic Assessment	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	R	11.6%	44.2%	37.7%	R	276	0.00%	276
In-Reach	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	R	R	19.7%	45.7%	30.3%	717	0.00%	717
Memory Clinics / Younger Persons Memory Service	0.0%	0.0%	0.0%	0.0%	0.0%	R	R	2.6%	8.9%	27.3%	45.1%	15.6%	7037	0.00%	7037
Outpatient Service	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.8%	10.3%	34.8%	39.2%	14.8%	2455	0.00%	2455
Unscheduled Care Service	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	R	R	35.2%	40.3%	13.4%	409	0.00%	409
Multi Therapy	0.0%	0.0%	0.0%	0.0%	R	R	R	2.9%	9.0%	22.5%	38.9%	24.2%	524	0.00%	524
Neuro Psychology	0.0%	0.0%	0.0%	R	R	R	R	28.6%	R	R	0.0%	0.0%	35	0.00%	35
Older Persons Unit	0.0%	0.0%	0.0%	0.0%	R	R	R	R	R	19.2%	45.8%	29.4%	286	0.00%	286
Oxygen Service	1.3%	R	R	R	1.3%	1.5%	2.9%	7.1%	18.6%	32.8%	26.2%	7.6%	1937	0.00%	1937
Phlebotomy Service	0.0%	0.0%	0.0%	0.0%	0.4%	0.5%	1.3%	3.5%	7.5%	18.1%	41.6%	27.0%	17881	0.01%	17882
Physiotherapy	0.0%	0.0%	0.0%	1.9%	8.7%	11.4%	15.5%	19.2%	17.5%	14.4%	8.9%	2.6%	28473	0.00%	28473
Podiatry	0.2%	0.7%	2.2%	2.6%	3.9%	4.3%	7.2%	12.4%	17.5%	22.2%	21.0%	5.9%	32312	0.00%	32312
Primary Care Coordinators	0.0%	0.0%	0.0%	0.0%	0.5%	0.6%	1.5%	2.5%	5.2%	18.2%	44.8%	26.7%	5032	0.02%	5033
Reablement	0.0%	0.0%	0.0%	0.0%	R	R	R	5.2%	12.6%	25.3%	39.5%	13.1%	597	0.00%	597
Rehabilitation	0.0%	0.0%	0.0%	0.0%	R	R	2.7%	8.7%	26.0%	40.5%	20.7%	R	1123	0.09%	1124
Respiratory Specialist Service	0.0%	0.0%	R	R	0.6%	1.3%	2.5%	10.2%	23.8%	35.9%	22.2%	3.0%	2499	0.00%	2499
Single Point of Access (SPA)	0.1%	0.1%	0.1%	0.6%	3.4%	3.8%	5.2%	8.4%	12.9%	20.7%	29.4%	15.4%	50374	0.04%	50393
Specialist Palliative Care Nurses	0.0%	0.0%	0.0%	0.0%	R	R	4.4%	10.4%	18.5%	31.5%	27.1%	6.3%	1820	0.00%	1820
Speech Therapy	0.0%	0.0%	0.0%	0.5%	2.2%	3.1%	4.9%	8.2%	13.3%	20.7%	30.4%	16.8%	6131	0.00%	6131
Stroke & Neuro	0.0%	0.0%	0.0%	R	R	5.0%	10.1%	14.6%	18.7%	23.6%	19.2%	4.7%	1233	0.16%	1235
Tissue Viability / Care Home Project	R	R	R	0.5%	1.2%	1.3%	3.4%	5.8%	10.8%	18.8%	34.3%	23.3%	2227	0.00%	2227
Unscheduled Care Contacts Delivered by ICS	0.0%	0.0%	0.0%	R	1.4%	R	3.0%	4.9%	9.8%	19.6%	37.1%	22.9%	2912	0.07%	2914

CHS: Community Health Services (headcount of service users 2016/17); colour coding compares to this benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known age (all persons)

‡ totals for individual service lines will exceed those for the service area overall as individuals may use services in more than one service line

R - REDACTED

Table 12: CHS's female service users analysed by age and service line, compared against the overall profile of CHS's female service users

Area Service line	Age Band (years)											Total known	Not known	Grand total	
	0 to 4	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89				90 +
CHS Overall‡	0.1%	0.2%	0.7%	1.3%	4.5%	6.1%	8.7%	12.5%	14.7%	18.9%	21.6%	10.6%	61488	0.00%	61488
Community Nursing	0.0%	0.0%	0.0%	0.4%	2.7%	3.6%	4.9%	7.4%	10.7%	18.4%	30.7%	21.2%	19705	0.00%	19705
Community Therapy	0.0%	0.0%	0.0%	R	R	1.3%	3.0%	5.5%	9.5%	20.7%	37.9%	21.4%	9449	0.00%	9449
Continence Nursing Service	0.0%	0.0%	0.0%	R	R	2.6%	5.3%	8.3%	10.7%	18.3%	32.5%	20.3%	3977	0.00%	3977
Falls Prevention Service	0.0%	0.0%	0.0%	0.0%	R	R	R	R	8.6%	23.7%	46.2%	18.9%	1159	0.00%	1159
Heart Failure Service / COPD	0.0%	0.0%	0.0%	0.0%	R	R	2.1%	4.3%	12.0%	22.0%	41.7%	17.0%	1096	0.00%	1096
Hospice at Home / Comm' Therapy / Generalist Comm' Matrons	0.0%	0.0%	0.0%	0.0%	R	R	3.2%	7.3%	13.4%	21.4%	30.9%	21.6%	440	0.00%	440
Intensive Community Support	0.0%	0.0%	0.0%	R	R	1.3%	2.0%	4.1%	8.5%	20.4%	39.4%	23.8%	4732	0.00%	4732
Intermediate Care and RIT	0.0%	0.0%	0.0%	0.0%	1.6%	1.5%	4.5%	7.2%	10.2%	17.5%	31.3%	26.4%	755	0.00%	755
Central Referral Hub	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	R	R	R	R	R	0.00%	8
Community Teams	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	R	R	9.4%	33.1%	43.4%	12.7%	1814	0.00%	1814
Functional Assessment / Organic Assessment	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	R	10.8%	44.3%	38.6%	R	158	0.00%	158
In-Reach	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.2%	15.4%	43.0%	38.3%	402	0.00%	402
Memory Clinics / Younger Persons Memory Service	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	2.3%	7.3%	25.5%	46.2%	18.4%	4135	0.00%	4135
Outpatient Service	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	R	R	8.6%	33.7%	39.7%	17.3%	1529	0.00%	1529
Unscheduled Care Service	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	10.3%	34.0%	40.3%	15.4%	253	0.00%	253
Multi Therapy	0.0%	0.0%	0.0%	0.0%	R	R	R	R	7.6%	20.7%	36.4%	30.2%	275	0.00%	275
Neuro Psychology	0.0%	0.0%	0.0%	R	R	R	R	R	R	R	0.0%	0.0%	R	0.00%	9
Older Persons Unit	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	R	R	R	18.8%	44.3%	31.3%	176	0.00%	176
Oxygen Service	R	0.0%	0.0%	R	1.3%	1.5%	3.0%	7.6%	16.6%	32.3%	26.6%	10.1%	1046	0.00%	1046
Phlebotomy Service	0.0%	0.0%	0.0%	0.0%	0.2%	0.5%	1.2%	2.9%	6.1%	16.0%	42.4%	30.7%	11284	0.00%	11284
Physiotherapy	0.0%	0.0%	0.0%	1.7%	7.8%	11.4%	15.7%	19.8%	17.2%	14.4%	9.3%	2.7%	17201	0.00%	17201
Podiatry	0.1%	0.7%	2.2%	2.2%	3.7%	4.6%	7.7%	13.1%	16.8%	21.3%	20.6%	6.9%	17563	0.00%	17563
Primary Care Coordinators	0.0%	0.0%	0.0%	0.0%	R	R	1.4%	1.9%	4.1%	16.5%	44.4%	30.7%	2971	0.00%	2971
Reablement	0.0%	0.0%	0.0%	0.0%	0.8%	R	R	R	11.1%	26.0%	40.6%	13.1%	389	0.00%	389
Rehabilitation	0.0%	0.0%	0.0%	0.0%	R	R	R	10.3%	27.8%	39.2%	18.6%	R	533	0.00%	533
Respiratory Specialist Service	0.0%	0.0%	R	R	R	1.3%	3.0%	11.8%	24.3%	34.8%	20.4%	3.6%	1193	0.00%	1193
Single Point of Access (SPA)	0.1%	0.0%	0.0%	0.4%	2.6%	3.4%	4.9%	7.5%	11.1%	19.3%	31.4%	19.3%	28342	0.00%	28342
Specialist Palliative Care Nurses	0.0%	0.0%	0.0%	0.0%	R	R	4.5%	11.1%	19.3%	29.5%	26.2%	6.9%	861	0.00%	861
Speech Therapy	0.0%	0.0%	0.0%	0.4%	2.3%	3.4%	5.2%	7.9%	11.1%	17.7%	31.0%	20.9%	3137	0.00%	3137
Stroke & Neuro	0.0%	0.0%	0.0%	R	R	4.8%	12.0%	13.7%	19.4%	21.1%	18.0%	6.7%	582	0.00%	582
Tissue Viability / Care Home Project	R	R	R	R	1.0%	1.1%	2.6%	5.0%	9.8%	16.8%	34.7%	28.5%	1311	0.00%	1311
Unscheduled Care Contacts Delivered by ICS	0.0%	0.0%	0.0%	R	1.3%	R	3.2%	4.3%	7.7%	16.1%	38.1%	28.1%	1594	0.00%	1594

CHS: Community Health Services (headcount of service users 2016/17); colour coding compares to this benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known age and gender (females)

‡ totals for individual service lines will exceed those for the service area overall as individuals may use services in more than one service line

R - REDACTED

Table 13: CHS's male service users analysed by age and service line, compared against the overall profile of CHS's male service users

Area Service line	Age Band (years)												Total known	Not known	Grand total
	0 to 4	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 +			
CHS Overall‡	0.1%	0.3%	0.8%	1.9%	5.9%	6.1%	8.3%	12.2%	17.2%	21.4%	19.7%	6.2%	47240	0.00%	47240
Community Nursing	0.0%	0.0%	0.0%	0.7%	4.7%	4.7%	5.6%	8.9%	14.8%	22.2%	27.2%	11.1%	15908	0.00%	15908
Community Therapy	0.0%	0.0%	0.0%	0.2%	1.1%	1.3%	3.1%	6.9%	12.1%	24.1%	36.4%	14.9%	6214	0.00%	6214
Continence Nursing Service	R	0.0%	0.0%	R	3.3%	2.7%	R	6.3%	13.6%	23.2%	35.3%	12.8%	1855	0.00%	1855
Falls Prevention Service	0.0%	0.0%	0.0%	0.0%	0.0%	R	R	R	7.6%	23.7%	47.4%	18.3%	738	0.00%	738
Heart Failure Service / COPD	0.0%	0.0%	0.0%	0.0%	R	R	2.5%	7.9%	16.5%	29.6%	33.4%	9.4%	1658	0.00%	1658
Hospice at Home / Comm' Therapy / Generalist Comm' Matrons	0.0%	0.0%	0.0%	R	R	R	R	9.5%	14.9%	26.4%	29.7%	15.1%	390	0.00%	390
Intensive Community Support	0.0%	0.0%	0.0%	R	R	1.0%	2.6%	5.4%	11.5%	24.2%	37.6%	16.6%	3616	0.00%	3616
Intermediate Care and RIT	0.0%	0.0%	0.0%	R	R	2.3%	3.7%	6.7%	14.3%	23.7%	29.8%	17.8%	600	0.00%	600
Central Referral Hub	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	R	R	R	R	0.00%	R
Community Teams	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	R	R	13.6%	35.6%	39.5%	9.3%	1120	0.00%	1120
Functional Assessment / Organic Assessment	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	R	44.1%	36.4%	R	118	0.00%	118
In-Reach	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	R	R	25.1%	49.2%	20.0%	315	0.00%	315
Memory Clinics / Younger Persons Memory Service	0.0%	0.0%	0.0%	0.0%	0.0%	R	R	3.1%	11.3%	29.7%	43.5%	11.6%	2902	0.00%	2902
Outpatient Service	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.2%	13.1%	36.6%	38.4%	10.7%	926	0.00%	926
Unscheduled Care Service	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	R	11.5%	37.2%	40.4%	R	156	0.00%	156
Multi Therapy	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	R	R	10.4%	24.5%	41.8%	17.7%	249	0.00%	249
Neuro Psychology	0.0%	0.0%	0.0%	R	R	R	R	R	R	R	0.0%	0.0%	26	0.00%	26
Older Persons Unit	0.0%	0.0%	0.0%	0.0%	R	R	R	R	R	R	48.2%	26.4%	110	0.00%	110
Oxygen Service	1.9%	R	R	R	1.3%	1.5%	2.8%	6.5%	20.9%	33.4%	25.7%	4.7%	891	0.00%	891
Phlebotomy Service	0.0%	0.0%	0.0%	0.0%	0.5%	0.6%	1.5%	4.6%	9.9%	21.9%	40.3%	20.6%	6597	0.00%	6597
Physiotherapy	0.0%	0.0%	0.0%	2.3%	10.0%	11.4%	15.2%	18.2%	17.9%	14.4%	8.3%	2.3%	11242	0.00%	11242
Podiatry	0.2%	0.6%	2.2%	3.0%	4.1%	4.0%	6.6%	11.5%	18.3%	23.3%	21.4%	4.7%	14747	0.00%	14747
Primary Care Coordinators	0.0%	0.0%	0.0%	R	0.6%	R	1.7%	3.3%	6.7%	20.7%	45.4%	21.0%	2061	0.00%	2061
Reablement	0.0%	0.0%	0.0%	0.0%	0.0%	R	R	R	15.4%	24.0%	37.5%	13.0%	208	0.00%	208
Rehabilitation	0.0%	0.0%	0.0%	0.0%	0.0%	R	R	7.3%	24.4%	41.7%	22.7%	R	590	0.00%	590
Respiratory Specialist Service	0.0%	R	R	R	R	1.4%	2.1%	8.7%	23.4%	36.8%	24.0%	2.5%	1306	0.00%	1306
Single Point of Access (SPA)	0.1%	0.1%	0.1%	0.9%	4.5%	4.3%	5.6%	9.4%	15.2%	22.6%	26.8%	10.5%	22032	0.00%	22032
Specialist Palliative Care Nurses	0.0%	0.0%	0.0%	0.0%	0.0%	1.0%	4.3%	9.8%	17.8%	33.4%	27.9%	5.7%	959	0.00%	959
Speech Therapy	0.0%	0.0%	0.0%	0.5%	2.0%	2.8%	4.5%	8.5%	15.7%	23.8%	29.7%	12.4%	2994	0.00%	2994
Stroke & Neuro	0.0%	0.0%	0.0%	R	3.2%	5.2%	8.3%	15.4%	18.0%	25.8%	20.3%	R	651	0.00%	651
Tissue Viability / Care Home Project	0.0%	R	R	R	1.4%	1.7%	4.5%	7.0%	12.2%	21.6%	33.6%	15.8%	916	0.00%	916
Unscheduled Care Contacts Delivered by ICS	0.0%	0.0%	0.0%	R	1.5%	R	2.7%	5.7%	12.3%	23.8%	35.9%	16.6%	1318	0.00%	1318

CHS: Community Health Services (headcount of service users 2016/17); colour coding compares to this benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known age and gender (males)

‡ totals for individual service lines will exceed those for the service area overall as individuals may use services in more than one service line

R - REDACTED

Table 14: CHS's service users analysed by ethnicity and service line, compared against the overall profile of CHS's service users

Area	Service line	Ethnicity*																Total known	Not known	Grand total
		White			Asian British				Black British			Mixed				Other				
		British	Irish	Other	Bangla-deshi	Indian	Pakis-tani	Other	African	Carib-bean	Other	White / Asian	White / Black African	White / Black Caribbean	Other	Chin-ese	Any Other			
CHS Overall‡		79.2%	0.8%	2.3%	0.3%	12.2%	0.7%	1.5%	0.3%	0.6%	0.3%	0.2%	0.3%	0.4%	0.2%	0.2%	0.4%	88424	18.7%	108782
	Community Nursing	80.8%	0.8%	2.5%	0.2%	11.4%	0.7%	1.2%	0.1%	0.4%	0.3%	0.1%	0.5%	0.4%	0.1%	0.1%	0.3%	29868	16.2%	35622
	Community Therapy	82.6%	0.8%	2.0%	0.2%	11.1%	0.6%	0.9%	0.1%	0.3%	0.4%	0.1%	0.3%	0.4%	0.0%	0.1%	0.2%	14845	5.2%	15666
	Continence Nursing Service	74.9%	0.8%	2.1%	0.2%	15.9%	1.2%	1.9%	R	0.5%	0.6%	0.0%	0.7%	0.6%	0.0%	R	0.3%	5566	4.6%	5833
	Falls Prevention Service	96.1%	R	1.3%	R	1.1%	R	R	0.0%	R	R	R	R	0.0%	0.0%	R	R	1630	14.1%	1898
	Heart Failure Service / COPD	81.8%	1.2%	2.3%	0.5%	11.6%	0.4%	0.6%	0.0%	R	R	0.0%	R	0.5%	0.0%	R	R	2654	3.6%	2754
	Hospice at Home / Comm' Therapy / Generalist Comm' Matrons	85.2%	1.8%	2.3%	R	8.2%	R	R	0.0%	0.0%	R	0.0%	R	R	0.0%	R	R	784	5.5%	830
	Intensive Community Support	86.0%	0.9%	1.8%	0.2%	8.2%	0.5%	0.7%	R	0.3%	0.3%	R	0.2%	0.4%	0.0%	R	0.2%	7842	6.1%	8348
	Intermediate Care and RIT	89.4%	R	1.8%	R	4.8%	R	1.2%	R	R	0.0%	R	R	R	0.0%	R	0.0%	1073	20.8%	1355
MHSOP	Central Referral Hub	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	10	9.1%	11
	Community Teams	85.7%	1.0%	2.3%	R	7.2%	0.5%	1.0%	R	0.6%	R	R	R	R	R	R	R	2884	1.7%	2934
	Functional Assessment / Organic Assessment	86.8%	R	R	0.0%	5.9%	R	R	0.0%	R	R	R	0.0%	R	0.0%	0.0%	R	273	1.1%	276
	In-Reach	92.7%	R	2.0%	0.0%	2.5%	0.0%	R	0.0%	R	R	0.0%	0.0%	R	0.0%	R	R	712	0.7%	717
	Memory Clinics / Younger Persons Memory Service	84.4%	1.1%	2.0%	0.2%	8.6%	0.5%	1.2%	0.3%	0.7%	0.2%	R	R	0.3%	R	R	0.3%	6546	7.0%	7037
	Outpatient Service	87.6%	1.5%	1.5%	0.0%	6.1%	0.5%	1.0%	R	0.5%	R	R	R	R	R	R	R	2390	2.6%	2455
	Unscheduled Care Service	88.7%	R	3.1%	R	3.8%	R	R	0.0%	R	0.0%	R	0.0%	0.0%	0.0%	R	0.0%	390	4.6%	409
	Multi Therapy	75.6%	R	R	0.0%	17.7%	R	R	0.0%	R	R	0.0%	R	R	0.0%	0.0%	0.0%	508	3.1%	524
	Neuro Psychology	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	32	8.6%	35
	Older Persons Unit	89.2%	R	R	R	R	R	R	0.0%	0.0%	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	249	12.9%	286
	Oxygen Service	86.8%	1.4%	1.9%	R	6.9%	R	0.6%	0.0%	R	R	R	R	R	R	0.0%	R	1687	12.9%	1937
	Phlebotomy Service	85.8%	0.9%	2.2%	0.2%	8.3%	0.4%	0.9%	0.0%	0.2%	0.2%	0.1%	0.2%	0.3%	0.0%	0.1%	0.2%	15863	11.3%	17882
	Physiotherapy	83.0%	0.6%	2.5%	0.4%	8.7%	0.5%	1.7%	0.6%	0.4%	0.2%	0.2%	0.2%	0.2%	0.3%	0.2%	0.4%	22510	20.9%	28473
	Podiatry	75.1%	0.9%	1.9%	0.3%	16.0%	0.7%	1.5%	0.4%	1.0%	0.3%	0.3%	0.1%	0.4%	0.3%	0.2%	0.4%	29045	10.1%	32312
	Primary Care Coordinators	87.7%	1.0%	1.8%	R	6.7%	0.5%	0.6%	0.0%	0.3%	0.3%	0.0%	0.3%	0.5%	0.0%	R	0.3%	4790	4.8%	5033
	Reablement	55.6%	1.9%	2.0%	R	34.0%	2.2%	R	R	R	R	0.0%	R	R	0.0%	R	0.0%	588	1.5%	597
	Rehabilitation	96.5%	R	R	0.0%	1.0%	R	R	0.0%	0.0%	R	0.0%	R	0.0%	0.0%	R	R	960	14.6%	1124
	Respiratory Specialist Service	93.3%	0.9%	1.4%	R	2.9%	R	R	0.0%	R	R	0.0%	R	R	R	R	0.0%	1877	24.9%	2499
	Single Point of Access (SPA)	79.6%	0.8%	2.4%	0.3%	12.4%	0.7%	1.3%	0.1%	0.4%	0.4%	0.2%	0.5%	0.4%	0.1%	0.1%	0.3%	41843	17.0%	50393
	Specialist Palliative Care Nurses	87.3%	0.9%	2.3%	R	6.4%	R	0.9%	0.0%	R	R	R	R	R	R	R	R	1722	5.4%	1820
	Speech Therapy	83.1%	0.9%	2.1%	0.2%	8.6%	0.5%	2.3%	0.2%	0.4%	0.5%	0.2%	R	0.2%	R	0.2%	0.4%	5650	7.8%	6131
	Stroke & Neuro	75.3%	R	2.7%	R	15.4%	R	2.1%	0.0%	R	R	R	R	R	R	R	R	1132	8.3%	1235
	Tissue Viability / Care Home Project	90.6%	0.8%	2.3%	0.0%	4.1%	R	0.5%	0.0%	R	R	R	R	0.0%	R	R	R	2073	6.9%	2227
	Unscheduled Care Contacts Delivered by ICS	87.3%	0.9%	2.5%	R	6.2%	R	0.9%	0.0%	0.5%	R	0.0%	0.4%	0.4%	0.0%	R	R	2628	9.8%	2914

CHS: Community Health Services (headcount of service users 2016/17); colour coding compares to this benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known ethnicity

‡ totals for individual service lines will exceed those for the service area overall as individuals may use services in more than one service line

R - REDACTED

4.1.4 Service use in Families, Young Person and Children’s services analysed by service line

Table 15: FYPC’s service users analysed by age and service line, compared against the overall profile of FYPC’s service users

Area Service line	Age Band (years)*													Total known	Not known	Grand total
	0 to 4	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 +				
FYPC Overall‡	34.6%	18.3%	14.0%	10.0%	7.8%	9.2%	1.8%	1.0%	0.9%	0.9%	0.9%	0.5%	158859	0.001%	158860	
0-19 Healthy Child programme / Health Visiting & School Nursing	40.0%	17.6%	13.4%	9.5%	8.1%	10.1%	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	135416	0.001%	135417	
Audiology	44.8%	44.2%	8.8%	R	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	7247	0.000%	7247	
Access	0.7%	13.0%	39.7%	46.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2330	0.000%	2330	
Eating Disorders	0.0%	0.0%	R	85.7%	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	258	0.000%	258	
Inpatient / Bed Management	0.0%	0.0%	R	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	83	0.000%	83	
Learning Disability Service	R	R	41.2%	33.2%	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	388	0.000%	388	
On Call Team / Crisis and Home Treatment	0.0%	R	R	81.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	515	0.000%	515	
Outpatient & Community	R	3.5%	29.4%	65.8%	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3046	0.000%	3046	
Paediatric Psychology	R	15.2%	38.4%	41.3%	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	610	0.000%	610	
Primary Mental Health Contract	0.0%	4.2%	41.2%	54.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	354	0.000%	354	
Young Peoples' Team	R	R	31.3%	57.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	492	0.000%	492	
Childrens Occupational Therapy	13.1%	50.2%	29.8%	R	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2199	0.000%	2199	
Childrens Phlebotomy	20.0%	37.9%	31.1%	10.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	8659	0.000%	8659	
Childrens Physiotherapy	35.2%	30.8%	21.0%	11.4%	1.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1412	0.000%	1412	
Childrens SALT	24.6%	51.9%	17.8%	5.1%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	10014	0.000%	10014	
Diana Childrens Service	24.3%	24.6%	23.3%	24.6%	R	R	R	0.0%	0.0%	0.0%	0.0%	0.0%	1627	0.000%	1627	
Eating Disorders Service	0.0%	0.0%	0.0%	9.8%	48.5%	19.6%	13.1%	R	R	R	0.0%	0.0%	429	0.000%	429	
LNDS & HENS	9.9%	6.0%	5.8%	3.0%	4.8%	6.4%	8.8%	12.4%	12.3%	11.7%	12.3%	6.8%	12012	0.000%	12012	
Looked After Children	17.9%	19.4%	24.2%	37.6%	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1950	0.000%	1950	
Paediatric Medical Services	16.3%	37.5%	30.4%	14.8%	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	6359	0.000%	6359	
PIER - Early Intervention	0.0%	0.0%	0.0%	10.6%	58.1%	25.9%	3.7%	R	R	0.0%	0.0%	0.0%	762	0.000%	762	
Travelling Families Services	23.6%	12.1%	4.8%	5.3%	17.0%	8.1%	10.1%	5.5%	5.5%	6.1%	2.0%	0.0%	495	0.000%	495	

FYPC: Families, Young People and Children’s Services (headcount of service users 2016/17); colour coding compares to this benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known age (all persons)

‡ totals for individual service lines will exceed those for the service area overall as individuals may use services in more than one service line

R - REDACTED

Table 16: FYPC's female service users analysed by age and service line, compared against the overall profile of FYPC's female service users

Area Service line	Age Band (years)*													Total known	Not known	Grand total
	0 to 4	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 +				
FYPC Overall‡	29.2%	14.5%	11.2%	9.2%	12.8%	15.7%	2.8%	1.1%	1.0%	0.9%	1.0%	0.7%	90711	0.0%	90711	
0-19 Healthy Child programme / Health Visiting & School Nursing	33.3%	13.9%	10.8%	8.7%	13.8%	17.3%	2.2%	0.0%	0.0%	0.0%	0.0%	0.0%	78537	0.0%	78537	
Audiology	37.2%	50.5%	9.6%	R	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2885	0.0%	2885	
Access	R	R	33.4%	56.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1170	0.0%	1170	
Eating Disorders	0.0%	0.0%	R	87.2%	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	235	0.0%	235	
Inpatient / Bed Management	0.0%	0.0%	R	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	59	0.0%	59	
Learning Disability Service	0.0%	R	43.9%	39.3%	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	107	0.0%	107	
On Call Team / Crisis and Home Treatment	0.0%	R	R	86.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	374	0.0%	374	
Outpatient & Community	R	2.6%	22.3%	73.9%	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1487	0.0%	1487	
Paediatric Psychology	R	11.3%	38.0%	45.7%	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	337	0.0%	337	
Primary Mental Health Contract	0.0%	4.3%	36.4%	59.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	231	0.0%	231	
Young Peoples' Team	0.0%	9.5%	25.4%	65.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	189	0.0%	189	
Childrens Occupational Therapy	15.2%	44.5%	32.0%	R	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	650	0.0%	650	
Childrens Phlebotomy	17.8%	35.4%	32.6%	14.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4204	0.0%	4204	
Childrens Physiotherapy	36.5%	27.4%	22.1%	11.8%	2.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	584	0.0%	584	
Childrens SALT	25.6%	50.2%	17.4%	5.9%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2965	0.0%	2965	
Diana Childrens Service	24.1%	27.4%	23.8%	21.2%	R	R	R	0.0%	0.0%	0.0%	0.0%	0.0%	643	0.0%	643	
Eating Disorders Service	0.0%	0.0%	0.0%	9.4%	48.6%	19.1%	13.6%	7.7%	1.0%	0.5%	0.0%	0.0%	403	0.0%	403	
LNDs & HENS	7.5%	4.0%	4.0%	2.8%	5.9%	7.9%	9.7%	13.5%	12.3%	11.1%	13.1%	8.3%	7124	0.0%	7124	
Looked After Children	R	21.1%	22.5%	36.3%	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	873	0.0%	873	
Paediatric Medical Services	20.3%	34.9%	27.3%	16.3%	1.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2017	0.0%	2017	
PIER - Early Intervention	0.0%	0.0%	0.0%	15.9%	48.8%	30.4%	R	R	R	0.0%	0.0%	0.0%	283	0.0%	283	
Travelling Families Services	18.5%	9.2%	R	5.4%	21.1%	11.3%	11.9%	6.3%	5.4%	6.0%	R	0.0%	336	0.0%	336	

FYPC: Families, Young People and Children's Services (headcount of service users 2016/17); colour coding compares to this benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known age and gender (females)

‡ totals for individual service lines will exceed those for the service area overall as individuals may use services in more than one service line

R - REDACTED

Table 17: FYPC's male service users analysed by age and service line, compared against the overall profile of FYPC's male service users

Area Service line	Age Band (years)													Total known	Not known	Grand total
	0 to 4	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 +				
FYPC Overall‡	41.8%	23.5%	17.6%	11.2%	1.1%	0.5%	0.6%	0.8%	0.9%	0.9%	0.8%	0.3%	68144	0.0%	68144	
0-19 Healthy Child programme / Health Visiting & School Nursing	49.3%	22.7%	16.9%	10.6%	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	56877	0.0%	56877	
Audiology	49.9%	40.1%	8.3%	R	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4361	0.0%	4361	
Access	1.0%	16.7%	46.1%	36.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1160	0.0%	1160	
Eating Disorders	0.0%	0.0%	R	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	23	0.0%	23	
Inpatient / Bed Management	0.0%	0.0%	R	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	24	0.0%	24	
Learning Disability Service	R	R	40.2%	31.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	281	0.0%	281	
On Call Team / Crisis and Home Treatment	0.0%	R	R	70.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	141	0.0%	141	
Outpatient & Community	R	4.4%	36.2%	58.1%	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1559	0.0%	1559	
Paediatric Psychology	R	20.1%	38.8%	35.9%	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	273	0.0%	273	
Primary Mental Health Contract	0.0%	R	50.4%	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	123	0.0%	123	
Young Peoples' Team	R	R	35.0%	53.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	303	0.0%	303	
Childrens Occupational Therapy	12.3%	52.6%	28.9%	R	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1549	0.0%	1549	
Childrens Phlebotomy	22.2%	40.4%	29.6%	7.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4455	0.0%	4455	
Childrens Physiotherapy	34.3%	33.2%	20.3%	R	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	828	0.0%	828	
Childrens SALT	24.2%	52.6%	18.0%	4.7%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	7049	0.0%	7049	
Diana Childrens Service	24.5%	22.9%	23.0%	26.9%	2.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	984	0.0%	984	
Eating Disorders Service	0.0%	0.0%	0.0%	R	46.2%	R	R	R	0.0%	0.0%	0.0%	0.0%	26	0.0%	26	
LNDs & HENS	13.5%	8.9%	8.4%	3.3%	3.1%	4.2%	7.4%	10.7%	12.3%	12.5%	11.2%	4.5%	4888	0.0%	4888	
Looked After Children	16.7%	18.0%	25.7%	38.7%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1076	0.0%	1076	
Paediatric Medical Services	14.5%	38.7%	31.8%	14.1%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4342	0.0%	4342	
PIER - Early Intervention	0.0%	0.0%	0.0%	7.5%	63.7%	23.2%	3.5%	R	R	0.0%	0.0%	0.0%	479	0.0%	479	
Travelling Families Services	34.6%	18.2%	9.4%	R	8.2%	R	6.3%	R	R	6.3%	R	0.0%	159	0.0%	159	

FYPC: Families, Young People and Children's Services (headcount of service users 2016/17); colour coding compares to this benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known age and gender (males)

‡ totals for individual service lines will exceed those for the service area overall as individuals may use services in more than one service line

R - REDACTED

Table 18: FYPC's service users analysed by ethnicity and service line, compared against the overall profile of FYPC's service users

Area Service line	Ethnicity																Total known	Not known	Grand total
	White			Asian British				Black British			Mixed				Other				
	British	Irish	Other	Bangla-deshi	Indian	Pakis-tani	Other	African	Carib-bean	Other	White / Asian	White / Black	White / Black	Other	Chin-ese	Any Other			
FYPC Overall‡	59.1%	0.2%	6.6%	1.2%	17.6%	2.5%	2.8%	0.1%	0.4%	0.8%	1.4%	2.2%	1.5%	1.4%	0.4%	1.7%	114606	27.9%	158860
0-19 Healthy Child programme / Health Visiting & School Nursing	58.4%	0.2%	7.1%	1.2%	17.5%	2.6%	2.7%	0.0%	0.4%	0.8%	1.5%	2.3%	1.6%	1.4%	0.5%	1.8%	97703	27.9%	135417
Audiology	63.8%	0.2%	5.7%	1.2%	14.3%	2.6%	2.4%	0.0%	0.3%	0.8%	1.6%	2.1%	1.6%	1.4%	0.4%	1.6%	5542	23.5%	7247
Access	85.3%	R	2.5%	R	3.7%	1.0%	2.1%	0.0%	R	R	R	0.8%	1.9%	R	R	0.8%	1445	38.0%	2330
Eating Disorders	81.8%	0.0%	R	0.0%	9.1%	R	R	0.0%	0.0%	0.0%	0.0%	R	R	R	0.0%	R	176	31.8%	258
Inpatient / Bed Management	76.7%	0.0%	R	R	R	R	R	0.0%	0.0%	0.0%	R	R	R	0.0%	0.0%	R	60	27.7%	83
Learning Disability Service	69.6%	0.0%	R	R	11.4%	R	R	R	R	R	R	R	R	R	0.0%	R	263	32.2%	388
On Call Team / Crisis and Home Treatment	78.0%	0.0%	R	0.0%	5.2%	R	3.3%	0.0%	R	R	R	R	2.7%	R	R	R	364	29.3%	515
Outpatient & Community	79.9%	R	3.9%	R	5.2%	R	0.9%	0.0%	R	R	1.7%	0.9%	2.9%	1.0%	R	1.2%	1506	50.6%	3046
Paediatric Psychology	63.1%	0.0%	3.4%	0.0%	4.6%	R	4.2%	0.0%	R	7.6%	8.1%	R	R	R	0.0%	2.7%	409	33.0%	610
Primary Mental Health Contract	84.2%	R	R	0.0%	5.4%	R	R	0.0%	R	0.0%	R	R	R	R	0.0%	R	202	42.9%	354
Young Peoples' Team	71.8%	0.0%	R	R	R	R	4.0%	R	R	R	3.7%	R	5.7%	4.0%	0.0%	R	298	39.4%	492
Childrens Occupational Therapy	69.5%	R	4.6%	R	11.8%	1.8%	2.2%	0.0%	R	0.9%	1.6%	1.3%	1.6%	1.1%	R	2.1%	1486	32.4%	2199
Childrens Phlebotomy	29.4%	R	5.1%	3.5%	38.3%	6.9%	4.5%	R	0.4%	1.2%	1.4%	3.7%	1.3%	1.4%	0.4%	2.3%	6239	27.9%	8659
Childrens Physiotherapy	64.7%	R	4.4%	1.3%	14.3%	2.3%	2.9%	0.0%	R	R	1.5%	1.4%	1.6%	1.7%	R	2.1%	1095	22.5%	1412
Childrens SALT	63.1%	0.2%	5.9%	1.3%	13.9%	2.4%	2.6%	0.0%	0.4%	1.1%	1.5%	2.4%	1.8%	1.4%	0.3%	1.7%	7249	27.6%	10014
Diana Childrens Service	54.1%	R	4.9%	1.9%	19.7%	3.8%	3.9%	R	R	2.1%	1.4%	2.1%	1.9%	1.5%	R	1.9%	1256	22.8%	1627
Eating Disorders Service	87.9%	R	R	0.0%	4.6%	R	R	0.0%	0.0%	R	R	0.0%	R	R	R	R	346	19.3%	429
LNDS & HENS	72.3%	0.6%	3.0%	0.5%	12.9%	1.2%	3.7%	0.8%	0.6%	0.7%	0.4%	0.5%	0.6%	1.1%	0.1%	1.1%	10761	10.4%	12012
Looked After Children	72.0%	0.0%	2.8%	R	4.2%	1.5%	2.9%	0.0%	1.0%	R	2.3%	3.1%	4.7%	1.9%	R	2.1%	1441	26.1%	1950
Paediatric Medical Services	60.9%	R	4.3%	1.1%	13.3%	3.0%	2.6%	0.0%	0.6%	1.2%	1.8%	3.1%	3.3%	1.9%	R	2.4%	4457	29.9%	6359
PIER - Early Intervention	56.1%	R	4.6%	R	15.1%	R	5.8%	5.0%	2.7%	R	R	R	R	2.1%	R	2.2%	583	23.5%	762
Travelling Families Services	68.2%	22.7%	R	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	R	264	46.7%	495

FYPC: Families, Young People and Children's Services (headcount of service users 2016/17); colour coding compares to this benchmark

* percentages calculated by row; total known is the base for the percentage and represents total of known ethnicity

‡ totals for individual service lines will exceed those for the service area overall as individuals may use services in more than one service line

R - REDACTED

4.2 Broad disorder types and Health of Nation Outcome Scores amongst users of adult mental health services

Disorder types and Health of Nation Outcome Scores (HoNOS) were analysed by age, ethnicity, and gender for users of adult mental health services in 2016/17, based on the most recent assessment in 2016/17, to give insight into how the difficulties and problems faced by these service users vary by demographic group.

HoNOS provides clinician rated measures of the presence and degree of problems experienced by a service user across several domains.

Severity ratings:

- No problem
- Minor problem requiring no action
- Mild problem but definitely present
- Moderately severe problem
- Severe to very severe problem

HoNOS domains:

- Overactive, aggressive, disruptive or agitated behaviour
- Non-accidental self-injury
- Problem drinking or drug taking
- Cognitive problems
- Physical illness or disability problems
- Problems associated with hallucinations and delusions
- Problems with depressed mood
- Other mental and behavioural problems
- Problems with relationships
- Problems with activities of daily living
- Problems with living conditions
- Problems with occupation and activities
- Strong unreasonable beliefs occurring in non-psychotic disorders only
- Agitated behaviour / expansive mood (historical)
- Repeat self-harm (historical)
- Safeguarding children and vulnerable dependent adults (historical)
- Engagement (historical)
- Vulnerability (historical)

4.2.1 Broad disorder type

Non-psychotic disorders:

- adult mental health service users aged 59 and under were overrepresented amongst those with a non-psychotic disorder (Table 19);
- White people were overrepresented amongst those with a non-psychotic disorder (Table 20);
- women were overrepresented amongst those with a non-psychotic disorder (Table 21).

Psychotic disorders:

- adult mental health service users aged 25 to 64 were overrepresented amongst those with a psychotic disorder (Table 19);
- BME people were overrepresented amongst those with a psychotic disorder (Table 20);
- men were overrepresented amongst those with a psychotic disorder (Table 21).

Organic disorders:

- adult mental health service users aged 70 and over were overrepresented amongst those with an organic disorder (Table 19);
- overall, White people were overrepresented amongst those with an organic disorder, but this trend appeared to reflect the older age profile of White service users and was not apparent when only considering those aged 75 and above (Table 20);
- amongst those aged 50 to 74, men were overrepresented amongst those with an organic disorder (Table 21).

Table 19: Broad disorder type by age (quinary)

Age (quinary)	Broad disorder type							
	Overall		Non Psychotic		Psychosis		Organic	
	n	%	n	%	n	%	n	%
15 to 19	139	1.34%	116	2.65%	23	0.93%	0	0.00%
20 to 24	591	5.68%	454	10.38%	137	5.53%	0	0.00%
25 to 29	619	5.95%	417	9.53%	200	8.07%	R	
30 to 34	633	6.09%	391	8.94%	238	9.60%	R	
35 to 39	595	5.72%	341	7.80%	250	10.08%	R	
40 to 44	648	6.23%	409	9.35%	235	9.48%	R	
45 to 49	706	6.79%	424	9.69%	269	10.85%	13	0.37%
50 to 54	722	6.94%	430	9.83%	265	10.69%	27	0.76%
55 to 59	621	5.97%	342	7.82%	231	9.32%	48	1.35%
60 to 64	515	4.95%	228	5.21%	190	7.66%	97	2.73%
65 to 69	550	5.29%	202	4.62%	157	6.33%	191	5.38%
70 to 74	706	6.79%	236	5.40%	117	4.72%	353	9.95%
75 to 79	791	7.61%	145	3.32%	81	3.27%	565	15.92%
80 to 84	997	9.59%	126	2.88%	48	1.94%	823	23.20%
85 to 89	934	8.98%	76	1.74%	18	0.73%	840	23.68%
90+	634	6.10%	37	0.85%	20	0.81%	577	16.26%

Percentages calculated by column
 Overall; total of known age
 R - REDACTED

Table 20: Broad disorder type by ethnicity, all ages and within age bands

Age band (years)	Ethnicity	Overall		Broad disorder type					
				Non Psychotic		Psychosis		Organic	
		n	%	n	%	n	%	n	%
All ages	White	7518	82.60%	3001	86.88%	1465	65.14%	3052	89.79%
	Mixed	131	1.44%	64	1.85%	49	2.18%	18	0.53%
	Asian British	1148	12.61%	331	9.58%	539	23.97%	278	8.18%
	Black British	232	2.55%	31	0.90%	161	7.16%	40	1.18%
	Other	73	0.80%	27	0.78%	35	1.56%	11	0.32%
29 and under	White	803	78.34%	637	89.09%	R		R	
	Mixed	30	2.93%	R		R		R	
	Asian British	144	14.05%	50	6.99%	94	30.52%	0	0.00%
	Black British	36	3.51%	R		R		R	
	Other	12	1.17%	R		R		R	
30 to 49	White	1547	75.06%	974	84.11%	R		R	
	Mixed	59	2.86%	33	2.85%	26	2.95%	0	0.00%
	Asian British	327	15.87%	R		205	23.27%	R	
	Black British	96	4.66%	R		80	9.08%	R	
	Other	32	1.55%	16	1.38%	16	1.82%	0	0.00%
50 to 74	White	2217	80.36%	1042	86.54%	624	69.88%	551	83.23%
	Mixed	22	0.80%	R		R		R	
	Asian British	436	15.80%	133	11.05%	205	22.96%	98	14.80%
	Black British	65	2.36%	R		43	4.82%	R	
	Other	19	0.69%	R		R		R	
75 and over	White	2951	90.60%	348	92.31%	123	73.65%	2480	91.41%
	Mixed	20	0.61%	R		R		R	
	Asian British	241	7.40%	R		R		R	
	Black British	35	1.07%	R		R		R	
	Other	10	0.31%	R		R		R	

Percentages calculated by column
 Overall; total of known ethnicity, all ages or within age band
 R - REDACTED

Table 21: Broad disorder type by gender, all ages and within age bands

Age band (years)	Gender	Overall		Broad disorder type					
				Non Psychotic		Psychosis		Organic	
		n	%	n	%	n	%	n	%
All ages	Female	6066	58.32%	2778	63.51%	1173	47.32%	2115	59.61%
	Male	4335	41.68%	1596	36.49%	1306	52.68%	1433	40.39%
29 and under	Female	811	60.12%	683	69.20%	R		R	
	Male	538	39.88%	304	30.80%	R		R	
30 to 49	Female	1423	55.11%	983	62.81%	428	43.15%	12	48.00%
	Male	1159	44.89%	582	37.19%	564	56.85%	13	52.00%
50 to 74	Female	1707	54.82%	854	59.39%	505	52.60%	348	48.60%
	Male	1407	45.18%	584	40.61%	455	47.40%	368	51.40%
75 and over	Female	2125	63.32%	258	67.19%	113	67.66%	1754	62.53%
	Male	1231	36.68%	126	32.81%	54	32.34%	1051	37.47%

Percentages calculated by column
 Overall; total of known gender, all ages or within age band
 R - REDACTED

4.2.2 Health of Nation Outcome Scores

The prevalence of problems in each of the HoNOS domains was analysed for users of adult mental services by age, ethnicity, and gender, based on the most recent assessment in the 2016/17 financial year. Specifically, comparisons between demographic groups were made on the basis two metrics:

- the presence of any problem requiring action (a severity rating of “mild problem but definitely present,” “moderately severe problem,” or “severe to very severe problem”);
- the presence of a severe problem (a severity rating of “severe to very severe problem”).

For each metric, comparisons were made between demographic groups on the basis of odds ratios, comparing those within the group of interest to those not in the group of interest (overall and stratified by age band). Statistically significant deviations from even odds (an odds ratio of 1) for a given demographic group on a given metric (presence of a problem requiring action or presence of a severe problem) are flagged in the tables of analysis that follow:

	A group that had a lower odds of having a problem requiring action / having a severe problem to a significant, large degree
	A group that had a lower odds of having a problem requiring action / having a severe problem to a significant, medium degree
	A group that had a lower odds of having a problem requiring action / having a severe problem to a significant, small degree
	A group that had even odds of having a problem requiring action / having a severe problem
	A group that had a higher odds of having a problem requiring action / having a severe problem to a significant, small degree
	A group that had a higher odds of having a problem requiring action / having a severe problem to a significant, medium degree
	A group that had a higher odds of having a problem requiring action / having a severe problem to a significant, large degree

(Essentially, greens indicate a lower prevalence of a problem in a given domain and yellows/oranges/reds indicate a higher prevalence of a problem in a given domain.)

Variations in the prevalence of problems, by age, ethnicity, and gender, are summarised below for each HoNOS domain.

Overactive, aggressive, disruptive or agitated behaviour:

- more likely amongst those in their twenties and those aged 40 to 44 (Table 22), but with severe problems most likely amongst those aged 15 to 19 years old (Table 23);
- more likely amongst White people overall (Table 24);
- more likely amongst men, overall (Table 26), and in terms of severe problems (Table 27).

Non-accidental self-injury:

- more likely amongst those aged 54 and under, and most likely amongst those aged 15 to 19 (Table 22), with severe problems more likely amongst those aged 25 to 29 (Table 23);
- more likely amongst White people (Table 24);
- and more likely amongst women (Table 26).

Problem drinking or drug taking:

- more likely amongst those aged 49 and under, and most likely amongst those aged 35 to 39 (Table 22), with severe problems most likely amongst those aged in their thirties and forties (Table 23);
- more likely amongst Mixed Race and Black British people (Table 24);
- and more likely amongst men, overall (Table 26), and in terms of severe problems (Table 27).

Cognitive problems:

- more likely amongst those aged 70 and above, and most likely amongst those aged 80 and above (Table 22), with severe problems more likely amongst those aged 75 and above, and most likely amongst those aged 90 and above (Table 23);
- more likely amongst White people, overall (Table 24), and in terms of severe problems (Table 25);
- severe problems were more likely amongst women (Table 27).

Physical illness or disability problems:

- more likely amongst those aged 60 and over, and most likely amongst those aged 90 and above (Table 22), with severe problems more likely amongst those aged 65 to 69 and 90 and above (Table 23);
- more likely amongst White people, overall (Table 24), and in terms of severe problems (Table 25);
- more likely amongst women overall (Table 26).

Problems associated with hallucinations and delusions:

- more likely amongst those aged 35 to 39 (Table 22);
- more likely amongst Asian British and Black British people (Table 24), with severe problems more likely amongst Black British people (Table 25);
- more likely amongst men, overall (Table 26), and in terms of severe problems (Table 27).

Problems with depressed mood:

- more likely amongst those aged 59 and under (Table 22);
- more likely amongst White people (Table 24);
- more likely amongst women (Table 26).

Other mental and behavioural problems:

- more likely amongst those aged 59 and under and most likely amongst those aged 29 and under (Table 22), with severe problems most likely amongst those in their twenties and those aged 50 to 54 (Table 23);
- more likely amongst White people, overall (Table 24), with severe problems amongst those aged 50 to 74 more likely amongst White people (Table 25);
- more likely amongst women, overall (Table 26), and in terms of severe problems (Table 27).

Problems with relationships:

- more likely amongst those aged 59 and under and most likely amongst those aged 19 and under (Table 22);
- more likely amongst Mixed Race people (Table 24);
- amongst those aged 30 to 49, more likely amongst men (Table 26).

Problems with activities of daily living:

- more likely amongst those aged 75 and over and most likely amongst those aged 85 and over (Table 22), with severe problems more likely to affect these same age ranges (Table 23);
- more likely amongst White people, overall (Table 24), and in terms of severe problems (Table 25).
- severe problems were more likely amongst women (Table 27).

Problems with living conditions:

- more likely amongst those aged 20 to 24, 34 to 39, and 40 to 44 (Table 22), with severe problems more likely amongst those aged 45 to 49 (Table 23);
- more likely amongst Mixed Race and Black British people (Table 24), with severe problems more likely amongst Black British people (Table 25);
- more likely amongst men, overall (Table 26), and in terms of severe problems (Table 27).

Problems with occupation and activities:

- more likely amongst those aged 90 and over (Table 22);
- more likely amongst White people (Table 24);
- amongst those aged 49 and under, more likely amongst men (Table 26).

Strong unreasonable beliefs occurring in non-psychotic disorders only:

- more likely amongst those aged under 55, and most likely amongst those aged under 25 (Table 22), with severe problems more likely amongst those aged 20 to 24 (Table 23);
- more likely amongst Mixed Race people overall, but amongst those aged 29 and under, more likely amongst White people (Table 24);
- amongst those aged 29 and under, more likely amongst women (Table 26).

Agitated behaviour / expansive mood (historical):

- more likely amongst those aged 20 to 59 (Table 22), with severe problems more likely amongst those aged 30 to 59 (Table 23);
- more likely amongst Black British people, overall (Table 24), and in terms of severe problems (Table 25);
- more likely amongst men, overall (Table 26), and in terms of severe problems (Table 27).

Repeat self-harm (historical):

- more likely amongst those aged 59 and under and most likely amongst those aged 29 and under (Table 22), with severe problems most likely amongst those aged 25 to 29 and those in their fifties (Table 23);
- more likely amongst White people (Table 24);
- more likely amongst women (Table 26).

Problems with Safeguarding children and vulnerable dependent adults (historical):

- more likely amongst those aged 25 to 49 years old, and most likely amongst those aged 35 to 44 (Table 22), with severe problems more likely amongst those in their forties (Table 23);
- more likely amongst Mixed Race and Black British people (Table 24), with severe problems more likely amongst Black British people (Table 25);
- amongst those aged 30 to 49, more likely amongst women (Table 26).

Problems with Engagement (historical):

- more likely amongst those aged 25 to 59 years old (Table 22), with severe problems more likely amongst those aged 30 to 49 and 55 to 59 (Table 23);
- more likely amongst Asian British and Black British people (Table 24), with severe problems more likely amongst Black British people (Table 25);
- more likely amongst men, overall (Table 26), and in terms of severe problems (Table 27).

Problems with Vulnerability (historical):

- more likely amongst people aged 20 to 59 years old (Table 22), with severe problems more likely amongst those aged 35 to 39 years old and 45 to 59 years old (Table 23);
- more likely amongst Asian British and Black British people (Table 24), with severe problems more likely amongst Black British people (Table 25).

Table 22: Prevalence of any problem requiring action in a given HoNOS domain by age band (quinary)

Age (quinary)	HoNOS domain "Mild problem but definitely present" to "Very severe problem"								
	Overactive, aggressive, disruptive or agitated behaviour	Non-accidental self-injury	Problem drinking or drug taking	Cognitive problems	Physical illness or disability problems	Problems associated with hallucinations and delusions	Problems with depressed mood	Other mental and behavioural problems	Problems with relationships
15 to 19	34.5% of 139	34.3% of 140	20.7% of 140	18.8% of 138	23.0% of 139	12.9% of 139	66.4% of 140	81.3% of 139	57.2% of 138
20 to 24	34.1% of 598	27.2% of 596	16.9% of 598	19.0% of 594	18.1% of 596	15.5% of 595	62.4% of 596	78.7% of 592	48.7% of 596
25 to 29	29.6% of 624	19.3% of 622	19.5% of 621	17.0% of 622	16.2% of 622	17.8% of 622	57.6% of 621	76.7% of 613	44.7% of 619
30 to 34	26.6% of 642	12.9% of 642	20.1% of 641	13.1% of 643	21.5% of 641	18.9% of 641	52.6% of 642	72.3% of 631	42.3% of 641
35 to 39	29.0% of 606	12.9% of 605	22.7% of 600	16.6% of 603	23.4% of 606	24.7% of 604	58.0% of 603	70.5% of 593	44.9% of 606
40 to 44	29.8% of 658	14.2% of 657	16.5% of 654	18.3% of 657	31.9% of 656	19.9% of 658	60.0% of 658	75.3% of 644	43.8% of 655
45 to 49	24.9% of 719	12.1% of 718	15.9% of 711	16.8% of 719	37.7% of 718	21.9% of 718	58.9% of 716	73.8% of 698	43.3% of 716
50 to 54	24.2% of 737	13.9% of 734	13.8% of 734	21.0% of 734	41.6% of 736	19.2% of 734	57.5% of 734	74.7% of 708	41.9% of 732
55 to 59	20.9% of 637	11.5% of 635	11.9% of 636	24.1% of 636	44.7% of 633	20.9% of 637	54.2% of 635	68.9% of 610	40.6% of 635
60 to 64	15.4% of 525	7.3% of 523	7.5% of 522	32.4% of 525	53.6% of 524	21.9% of 521	50.7% of 523	62.5% of 509	31.7% of 523
65 to 69	17.8% of 555	5.9% of 555	7.3% of 550	45.0% of 556	56.7% of 556	16.9% of 556	40.8% of 556	51.8% of 541	25.5% of 556
70 to 74	18.6% of 710	2.4% of 711	6.1% of 710	55.1% of 708	54.9% of 711	16.3% of 706	40.5% of 711	44.7% of 700	23.1% of 709
75 to 79	18.9% of 793	1.9% of 793	4.2% of 794	73.1% of 793	57.6% of 794	15.2% of 789	30.8% of 790	37.9% of 784	17.2% of 792
80 to 84	25.3% of 997	1.9% of 997	3.1% of 997	84.0% of 995	62.1% of 997	15.2% of 988	27.2% of 993	35.1% of 987	17.9% of 995
85 to 89	23.4% of 935	1.2% of 934	2.5% of 935	89.3% of 935	62.7% of 935	15.4% of 929	23.2% of 931	30.3% of 923	17.1% of 934
90+	29.0% of 634	2.8% of 634	4.3% of 634	92.6% of 634	70.5% of 634	17.2% of 627	24.5% of 628	35.9% of 624	20.9% of 633
Overall	24.6% of 10509	9.5% of 10496	11.0% of 10477	44.1% of 10492	44.6% of 10498	18.1% of 10464	45.4% of 10477	57.6% of 10296	32.7% of 10480

Table 22 is continued overleaf ...

Table 22 continued: Prevalence of any problem requiring action in a given HoNOS domain by age band (quinary)

Age (quinary)	HoNOS domain "Mild problem but definitely present" to "Very severe problem"								
	Problems with activities of daily living	Problems with living conditions	Problems with occupation and activities	Strong unreasonable beliefs occurring in non-psychotic disorders only	Agitated behaviour / expansive mood (historical)	Repeat self-harm (historical)	Safeguarding children and vulnerable dependent adults (historical)	Engagement (historical)	Vulnerability (historical)
15 to 19	37.0% of 138	17.9% of 140	44.2% of 138	25.7% of 136	47.4% of 137	51.1% of 139	7.3% of 137	20.6% of 136	38.3% of 133
20 to 24	36.7% of 597	17.4% of 592	42.3% of 593	24.7% of 586	50.2% of 594	46.1% of 594	7.6% of 578	23.6% of 580	34.9% of 578
25 to 29	34.3% of 621	15.8% of 619	42.7% of 613	19.7% of 593	52.1% of 618	41.3% of 617	13.3% of 607	28.1% of 609	34.6% of 604
30 to 34	31.7% of 641	15.2% of 640	39.7% of 639	17.6% of 608	51.6% of 636	30.7% of 632	11.6% of 614	26.7% of 619	34.9% of 611
35 to 39	33.3% of 604	17.2% of 600	41.0% of 603	15.4% of 585	53.8% of 600	33.2% of 596	16.5% of 582	32.4% of 587	36.0% of 589
40 to 44	35.4% of 656	17.5% of 657	43.4% of 656	16.4% of 623	53.3% of 649	34.9% of 647	16.8% of 642	29.7% of 643	38.2% of 638
45 to 49	38.0% of 715	15.5% of 714	43.3% of 714	16.4% of 681	50.0% of 698	35.5% of 698	13.2% of 682	29.0% of 693	38.0% of 681
50 to 54	37.2% of 734	14.2% of 734	41.2% of 730	15.0% of 692	50.6% of 717	34.1% of 716	8.7% of 704	25.3% of 711	36.2% of 708
55 to 59	44.0% of 634	13.6% of 633	44.2% of 633	14.0% of 593	44.1% of 624	26.9% of 620	9.3% of 610	24.7% of 619	37.7% of 615
60 to 64	40.3% of 523	11.1% of 524	40.6% of 520	9.3% of 497	37.9% of 506	20.5% of 503	5.2% of 502	20.3% of 507	29.2% of 503
65 to 69	45.8% of 554	11.4% of 553	34.1% of 551	4.0% of 531	31.1% of 544	16.4% of 543	3.8% of 531	17.1% of 538	27.2% of 537
70 to 74	46.9% of 710	9.3% of 709	35.3% of 708	5.3% of 697	25.1% of 700	8.0% of 700	3.3% of 692	11.9% of 700	19.1% of 696
75 to 79	54.0% of 792	8.7% of 791	33.8% of 793	3.6% of 775	19.3% of 776	4.5% of 778	2.0% of 763	9.5% of 771	16.9% of 762
80 to 84	64.3% of 997	8.9% of 994	40.1% of 994	2.9% of 962	19.4% of 977	2.3% of 971	2.1% of 957	8.9% of 969	16.4% of 964
85 to 89	67.8% of 934	10.3% of 932	42.2% of 933	3.3% of 910	15.4% of 914	1.7% of 915	1.5% of 893	8.0% of 907	15.4% of 892
90+	76.6% of 633	14.4% of 631	47.5% of 630	2.3% of 606	14.9% of 610	1.3% of 605	1.2% of 603	7.0% of 599	14.5% of 600
Overall	47.0% of 10483	13.1% of 10463	40.8% of 10448	10.9% of 10075	36.7% of 10300	21.5% of 10274	7.3% of 10097	19.3% of 10188	27.8% of 10111

Table 23: Prevalence of a severe to very severe problem in a given HoNOS domain by age band (quinary)

Age (quinary)	HoNOS domain "Severe" to "Very severe problem"								
	Overactive, aggressive, disruptive or agitated behaviour	Non-accidental self-injury	Problem drinking or drug taking	Cognitive problems	Physical illness or disability problems	Problems associated with hallucinations and delusions	Problems with depressed mood	Other mental and behavioural problems	Problems with relationships
15 to 19	5.8% of 139	0.0% of 140	2.1% of 140	0.0% of 138	0.7% of 139	0.7% of 139	3.6% of 140	8.6% of 139	2.9% of 138
20 to 24	1.8% of 598	1.2% of 596	1.7% of 598	1.0% of 594	2.3% of 596	1.2% of 595	2.5% of 596	10.5% of 592	1.3% of 596
25 to 29	1.1% of 624	1.9% of 622	1.4% of 621	0.3% of 622	1.0% of 622	2.1% of 622	1.9% of 621	8.8% of 613	1.3% of 619
30 to 34	1.1% of 642	1.2% of 642	2.8% of 641	0.2% of 643	2.3% of 641	2.7% of 641	2.6% of 642	7.0% of 631	2.3% of 641
35 to 39	1.2% of 606	1.3% of 605	3.2% of 600	0.8% of 603	2.3% of 606	2.6% of 604	2.2% of 603	6.9% of 593	1.8% of 606
40 to 44	1.2% of 658	0.3% of 657	2.3% of 654	0.2% of 657	2.3% of 656	2.4% of 658	3.2% of 658	6.7% of 644	1.1% of 655
45 to 49	1.0% of 719	0.4% of 718	2.7% of 711	0.6% of 719	4.0% of 718	2.4% of 718	3.2% of 716	6.9% of 698	1.8% of 716
50 to 54	0.9% of 737	0.8% of 734	1.8% of 734	0.7% of 734	3.4% of 736	2.7% of 734	3.4% of 734	7.9% of 708	1.5% of 732
55 to 59	1.7% of 637	0.6% of 635	0.8% of 636	0.5% of 636	3.6% of 633	2.2% of 637	2.8% of 635	6.7% of 610	2.0% of 635
60 to 64	1.0% of 525	0.4% of 523	0.6% of 522	2.7% of 525	4.0% of 524	1.3% of 521	2.3% of 523	4.5% of 509	1.7% of 523
65 to 69	1.4% of 555	0.5% of 555	0.5% of 550	4.1% of 556	6.8% of 556	1.3% of 556	2.7% of 556	2.2% of 541	0.4% of 556
70 to 74	1.8% of 710	0.3% of 711	0.8% of 710	5.5% of 708	4.5% of 711	0.8% of 706	1.8% of 711	2.9% of 700	0.8% of 709
75 to 79	1.1% of 793	0.3% of 793	0.3% of 794	7.6% of 793	5.5% of 794	0.5% of 789	0.6% of 790	2.0% of 784	0.9% of 792
80 to 84	2.4% of 997	0.1% of 997	0.1% of 997	9.6% of 995	4.0% of 997	1.0% of 988	0.5% of 993	1.6% of 987	0.5% of 995
85 to 89	1.8% of 935	0.1% of 934	0.1% of 935	10.7% of 935	5.7% of 935	0.8% of 929	0.4% of 931	2.0% of 923	1.1% of 934
90+	2.2% of 634	0.0% of 634	0.3% of 634	16.7% of 634	7.3% of 634	1.0% of 627	0.5% of 628	1.4% of 624	0.6% of 633
Overall	1.6% of 10509	0.6% of 10496	1.2% of 10477	4.4% of 10492	4.0% of 10498	1.6% of 10464	2.0% of 10477	5.0% of 10296	1.3% of 10480

Table 23 is continued overleaf ...

Table 23 continued: Prevalence of a severe to very severe problem in a given HoNOS domain by age band (quinary)

Age (quinary)	HoNOS domain "Severe" to "Very severe problem"								
	Problems with activities of daily living	Problems with living conditions	Problems with occupation and activities	Strong unreasonable beliefs occurring in non-psychotic disorders only	Agitated behaviour / expansive mood (historical)	Repeat self-harm (historical)	Safeguarding children and vulnerable dependent adults (historical)	Engagement (historical)	Vulnerability (historical)
15 to 19	1.4% of 138	0.7% of 140	1.4% of 138	2.2% of 136	3.6% of 137	1.4% of 139	1.5% of 137	2.2% of 136	0.0% of 133
20 to 24	0.5% of 597	1.5% of 592	1.7% of 593	3.4% of 586	4.7% of 594	2.7% of 594	0.9% of 578	2.1% of 580	4.5% of 578
25 to 29	1.3% of 621	0.6% of 619	3.1% of 613	2.0% of 593	6.8% of 618	3.7% of 617	1.8% of 607	2.3% of 609	4.1% of 604
30 to 34	1.4% of 641	0.9% of 640	2.7% of 639	1.5% of 608	8.2% of 636	1.9% of 632	2.3% of 614	5.2% of 619	5.2% of 611
35 to 39	1.5% of 604	1.3% of 600	2.0% of 603	1.4% of 585	9.7% of 600	2.9% of 596	2.2% of 582	5.8% of 587	6.1% of 589
40 to 44	0.8% of 656	1.2% of 657	2.4% of 656	1.6% of 623	7.2% of 649	2.9% of 647	2.8% of 642	5.9% of 643	5.2% of 638
45 to 49	1.7% of 715	2.1% of 714	2.9% of 714	1.5% of 681	8.7% of 698	1.7% of 698	2.3% of 682	5.2% of 693	6.0% of 681
50 to 54	1.6% of 734	1.2% of 734	3.3% of 730	2.0% of 692	8.8% of 717	4.2% of 716	1.4% of 704	4.1% of 711	5.9% of 708
55 to 59	2.2% of 634	0.8% of 633	3.6% of 633	1.5% of 593	7.7% of 624	3.4% of 620	2.0% of 610	6.6% of 619	7.0% of 615
60 to 64	3.6% of 523	0.6% of 524	2.3% of 520	1.0% of 497	5.9% of 506	1.8% of 503	0.6% of 502	2.6% of 507	5.4% of 503
65 to 69	4.0% of 554	1.1% of 553	2.5% of 551	0.4% of 531	3.7% of 544	1.3% of 543	0.4% of 531	3.2% of 538	4.5% of 537
70 to 74	3.7% of 710	0.8% of 709	2.5% of 708	0.1% of 697	1.6% of 700	1.0% of 700	0.1% of 692	1.3% of 700	1.7% of 696
75 to 79	5.8% of 792	0.3% of 791	1.9% of 793	0.3% of 775	1.0% of 776	0.3% of 778	0.1% of 763	1.2% of 771	1.8% of 762
80 to 84	6.2% of 997	0.9% of 994	2.4% of 994	0.0% of 962	1.0% of 977	0.2% of 971	0.1% of 957	0.7% of 969	1.3% of 964
85 to 89	8.2% of 934	0.9% of 932	2.9% of 933	0.0% of 910	0.9% of 914	0.3% of 915	0.1% of 893	0.4% of 907	1.1% of 892
90+	11.5% of 633	1.0% of 631	4.4% of 630	0.0% of 606	0.8% of 610	0.0% of 605	0.2% of 603	0.0% of 599	0.8% of 600
Overall	3.8% of 10483	1.0% of 10463	2.7% of 10448	1.0% of 10075	4.8% of 10300	1.8% of 10274	1.1% of 10097	2.9% of 10188	3.8% of 10111

Table 24: Prevalence of any problem requiring action in a given HoNOS domain by age band and ethnicity

Age band	Ethnicity	HoNOS domain "Mild problem but definitely present" to "Very severe problem"								
		Overactive, aggressive, disruptive or agitated behaviour	Non-accidental self-injury	Problem drinking or drug taking	Cognitive problems	Physical illness or disability problems	Problems associated with hallucinations and delusions	Problems with depressed mood	Other mental and behavioural problems	Problems with relationships
All ages	White	25.4% of 7580	9.6% of 7571	10.1% of 7557	49.5% of 7572	47.8% of 7578	17.1% of 7543	44.9% of 7556	56.5% of 7448	31.9% of 7560
	Mixed	23.7% of 131	7.6% of 131	21.5% of 130	26.9% of 130	34.9% of 129	22.9% of 131	48.5% of 130	66.1% of 127	44.6% of 130
	Asian British	19.4% of 1172	4.6% of 1168	8.1% of 1167	36.5% of 1166	43.2% of 1169	27.3% of 1165	37.2% of 1169	49.2% of 1122	30.0% of 1168
	Black British	25.3% of 237	3.8% of 236	16.7% of 234	33.1% of 236	34.9% of 235	39.0% of 236	25.1% of 235	44.7% of 228	31.2% of 234
	Other	24.0% of 75	8.0% of 75	6.7% of 75	26.7% of 75	32.0% of 75	26.7% of 75	34.7% of 75	47.9% of 71	26.7% of 75
	Overall	24.6% of 9195	8.8% of 9181	10.2% of 9163	47.0% of 9179	46.6% of 9186	19.1% of 9150	43.4% of 9165	55.4% of 8996	31.8% of 9167
29 and under	White	33.5% of 813	27.9% of 811	18.6% of 810	18.7% of 811	18.0% of 811	15.2% of 811	65.1% of 811	81.5% of 804	50.2% of 809
	Mixed	36.7% of 30	13.3% of 30	36.7% of 30	6.7% of 30	16.7% of 30	23.3% of 30	43.3% of 30	66.7% of 30	51.7% of 29
	Asian British	22.8% of 145	12.5% of 144	15.2% of 145	19.9% of 141	17.9% of 145	29.6% of 142	38.2% of 144	56.7% of 141	39.6% of 144
	Black British	40.5% of 37	2.8% of 36	18.9% of 37	27.8% of 36	16.7% of 36	44.4% of 36	25.0% of 36	63.9% of 36	28.6% of 35
	Other	25.0% of 12	33.3% of 12	8.3% of 12	16.7% of 12	8.3% of 12	25.0% of 12	58.3% of 12	66.7% of 12	50.0% of 12
	Overall	32.2% of 1037	24.5% of 1033	18.6% of 1034	18.8% of 1030	17.8% of 1034	18.5% of 1031	59.2% of 1033	76.8% of 1023	48.0% of 1029
30 to 49	White	29.5% of 1568	14.9% of 1566	18.5% of 1555	17.3% of 1567	30.2% of 1567	20.4% of 1565	60.8% of 1567	75.2% of 1540	45.5% of 1564
	Mixed	18.6% of 59	8.5% of 59	22.4% of 58	15.5% of 58	25.9% of 58	23.7% of 59	50.0% of 58	73.7% of 57	45.8% of 59
	Asian British	19.6% of 336	4.8% of 335	15.6% of 333	16.1% of 336	25.7% of 335	31.3% of 335	40.4% of 334	62.4% of 314	39.5% of 334
	Black British	22.2% of 99	6.1% of 99	15.5% of 97	16.2% of 99	25.3% of 99	43.4% of 99	26.3% of 99	43.2% of 95	34.7% of 98
	Other	21.2% of 33	3.0% of 33	12.1% of 33	9.1% of 33	27.3% of 33	27.3% of 33	36.4% of 33	53.1% of 32	27.3% of 33
	Overall	27.1% of 2095	12.5% of 2092	17.9% of 2076	16.9% of 2093	29.1% of 2092	23.5% of 2091	55.2% of 2091	71.3% of 2038	43.8% of 2088
50 to 74	White	20.2% of 2247	9.4% of 2243	9.8% of 2239	36.6% of 2243	51.2% of 2247	17.7% of 2239	49.2% of 2242	62.0% of 2189	33.7% of 2240
	Mixed	27.3% of 22	4.5% of 22	18.2% of 22	31.8% of 22	42.9% of 21	18.2% of 22	77.3% of 22	75.0% of 20	54.5% of 22
	Asian British	17.8% of 449	4.0% of 447	3.8% of 447	35.7% of 448	51.5% of 447	28.0% of 447	42.8% of 449	49.6% of 425	27.5% of 448
	Black British	21.2% of 66	3.0% of 66	24.6% of 65	33.3% of 66	44.6% of 65	39.4% of 66	28.8% of 66	46.9% of 64	30.3% of 66
	Other	20.0% of 20	5.0% of 20	0.0% of 20	30.0% of 20	35.0% of 20	25.0% of 20	25.0% of 20	38.9% of 18	25.0% of 20
	Overall	19.9% of 2804	8.3% of 2798	9.2% of 2793	36.3% of 2799	50.9% of 2800	19.9% of 2794	47.7% of 2799	59.7% of 2716	32.7% of 2796
75 and over	White	24.8% of 2952	2.0% of 2951	3.7% of 2953	85.0% of 2951	62.7% of 2953	15.4% of 2928	27.5% of 2936	35.6% of 2915	18.4% of 2947
	Mixed	15.0% of 20	0.0% of 20	0.0% of 20	85.0% of 20	80.0% of 20	25.0% of 20	20.0% of 20	R	20.0% of 20
	Asian British	19.8% of 242	0.8% of 242	1.7% of 242	76.3% of 241	67.4% of 242	19.1% of 241	21.9% of 242	26.9% of 242	15.7% of 242
	Black British	25.7% of 35	0.0% of 35	2.9% of 35	85.7% of 35	62.9% of 35	20.0% of 35	14.7% of 34	24.2% of 33	25.7% of 35
	Other	40.0% of 10	0.0% of 10	0.0% of 10	90.0% of 10	70.0% of 10	30.0% of 10	20.0% of 10	R	0.0% of 10
	Overall	24.5% of 3259	1.9% of 3258	3.5% of 3260	84.4% of 3257	63.2% of 3260	15.8% of 3234	26.9% of 3242	34.8% of 3219	18.2% of 3254

R - REDACTED

Table 24 is continued overleaf ...

Table 24 continued: Prevalence of any problem requiring action in a given HoNOS domain by age band and ethnicity

Age band	Ethnicity	HoNOS domain "Mild problem but definitely present" to "Very severe problem"								
		Problems with activities of daily living	Problems with living conditions	Problems with occupation and activities	Strong unreasonable beliefs occurring in non-psychotic disorders only	Agitated behaviour / expansive mood (historical)	Repeat self-harm (historical)	Safeguarding children and vulnerable dependent adults (historical)	Engagement (historical)	Vulnerability (historical)
All ages	White	50.0% of 7563	13.1% of 7546	42.1% of 7534	10.5% of 7270	35.4% of 7412	21.7% of 7390	7.0% of 7260	18.6% of 7344	27.2% of 7286
	Mixed	38.5% of 130	20.9% of 129	38.8% of 129	20.0% of 125	45.3% of 128	27.3% of 128	13.6% of 125	28.6% of 126	36.3% of 124
	Asian British	45.9% of 1169	10.6% of 1169	33.5% of 1167	7.8% of 1104	39.9% of 1156	13.1% of 1149	7.2% of 1140	23.0% of 1141	32.6% of 1129
	Black British	40.0% of 235	21.0% of 233	35.5% of 234	4.9% of 225	54.7% of 232	13.0% of 230	15.3% of 222	39.9% of 228	39.6% of 222
	Other	36.0% of 75	17.3% of 75	45.9% of 74	8.5% of 71	47.9% of 73	23.0% of 74	11.1% of 72	18.3% of 71	41.7% of 72
	Overall	49.0% of 9172	13.2% of 9152	40.9% of 9138	10.1% of 8795	36.7% of 9001	20.5% of 8971	7.4% of 8819	19.9% of 8910	28.5% of 8833
29 and under	White	37.0% of 810	16.7% of 806	44.4% of 800	26.4% of 781	51.9% of 805	49.7% of 805	12.4% of 788	28.0% of 793	36.6% of 789
	Mixed	37.9% of 29	31.0% of 29	44.8% of 29	23.3% of 30	48.3% of 29	35.7% of 28	17.9% of 28	21.4% of 28	28.6% of 28
	Asian British	32.4% of 145	14.6% of 144	33.3% of 144	9.3% of 140	55.9% of 143	26.4% of 144	9.3% of 140	30.0% of 140	43.7% of 135
	Black British	47.2% of 36	22.2% of 36	44.4% of 36	5.9% of 34	77.8% of 36	13.9% of 36	5.9% of 34	41.7% of 36	55.9% of 34
	Other	25.0% of 12	41.7% of 12	58.3% of 12	8.3% of 12	66.7% of 12	66.7% of 12	8.3% of 12	8.3% of 12	41.7% of 12
	Overall	36.6% of 1032	17.3% of 1027	43.0% of 1021	23.0% of 997	53.5% of 1025	45.0% of 1025	11.9% of 1002	28.3% of 1009	38.1% of 998
30 to 49	White	36.0% of 1563	16.8% of 1561	43.2% of 1562	17.0% of 1489	54.2% of 1545	39.9% of 1538	14.4% of 1503	30.1% of 1529	38.4% of 1512
	Mixed	35.6% of 59	15.5% of 58	39.7% of 58	23.2% of 56	59.6% of 57	27.6% of 58	14.3% of 56	37.5% of 56	45.5% of 55
	Asian British	34.5% of 333	14.1% of 334	38.4% of 333	13.2% of 310	52.7% of 330	18.1% of 326	14.8% of 325	33.2% of 325	40.2% of 321
	Black British	33.7% of 98	22.9% of 96	32.7% of 98	6.5% of 92	60.8% of 97	16.7% of 96	22.9% of 96	55.2% of 96	43.0% of 93
	Other	27.3% of 33	15.2% of 33	40.6% of 32	9.7% of 31	45.2% of 31	18.8% of 32	20.0% of 30	31.0% of 29	36.7% of 30
	Overall	35.5% of 2086	16.6% of 2082	41.8% of 2083	16.0% of 1978	54.3% of 2060	34.7% of 2050	15.0% of 2010	32.0% of 2035	39.1% of 2011
50 to 74	White	43.9% of 2240	12.2% of 2238	40.0% of 2229	9.7% of 2149	38.9% of 2188	23.5% of 2185	6.5% of 2153	20.6% of 2182	30.6% of 2170
	Mixed	27.3% of 22	22.7% of 22	40.9% of 22	20.0% of 20	36.4% of 22	40.9% of 22	9.1% of 22	31.8% of 22	42.9% of 21
	Asian British	46.3% of 449	9.8% of 449	34.4% of 448	6.3% of 414	37.0% of 441	11.7% of 437	4.8% of 435	20.2% of 435	31.8% of 434
	Black British	36.4% of 66	24.2% of 66	36.9% of 65	3.1% of 64	51.6% of 64	12.7% of 63	17.5% of 57	29.5% of 61	38.3% of 60
	Other	50.0% of 20	10.0% of 20	45.0% of 20	11.1% of 18	55.0% of 20	15.0% of 20	5.0% of 20	10.0% of 20	55.0% of 20
	Overall	44.0% of 2797	12.2% of 2795	39.1% of 2784	9.1% of 2665	39.0% of 2735	21.5% of 2727	6.5% of 2687	20.8% of 2720	31.2% of 2705
75 and over	White	65.7% of 2950	10.9% of 2941	42.6% of 2943	3.2% of 2851	17.9% of 2874	2.7% of 2862	1.9% of 2816	8.3% of 2840	16.0% of 2815
	Mixed	60.0% of 20	20.0% of 20	25.0% of 20	5.3% of 19	10.0% of 20	0.0% of 20	10.5% of 19	10.0% of 20	15.0% of 20
	Asian British	69.0% of 242	5.0% of 242	25.2% of 242	2.5% of 240	18.2% of 242	0.8% of 242	0.0% of 240	10.4% of 241	17.6% of 239
	Black British	57.1% of 35	8.6% of 35	31.4% of 35	2.9% of 35	20.0% of 35	2.9% of 35	0.0% of 35	14.3% of 35	17.1% of 35
	Other	50.0% of 10	10.0% of 10	50.0% of 10	0.0% of 10	20.0% of 10	0.0% of 10	0.0% of 10	10.0% of 10	30.0% of 10
	Overall	65.8% of 3257	10.5% of 3248	41.1% of 3250	3.2% of 3155	17.9% of 3181	2.6% of 3169	1.8% of 3120	8.6% of 3146	16.2% of 3119

Table 25: Prevalence of a severe to very severe problem in a given HoNOS domain by age band and ethnicity

Age band	Ethnicity	HoNOS domain "Severe" to "Very severe problem"								
		Overactive, aggressive, disruptive or agitated behaviour	Non-accidental self-injury	Problem drinking or drug taking	Cognitive problems	Physical illness or disability problems	Problems associated with hallucinations and delusions	Problems with depressed mood	Other mental and behavioural problems	Problems with relationships
All ages	White	1.7% of 7580	0.6% of 7571	1.1% of 7557	5.6% of 7572	4.5% of 7578	1.4% of 7543	2.0% of 7556	4.8% of 7448	1.3% of 7560
	Mixed	2.3% of 131	0.0% of 131	0.8% of 130	1.5% of 130	4.7% of 129	3.8% of 131	1.5% of 130	7.1% of 127	1.5% of 130
	Asian British	1.0% of 1172	0.2% of 1168	1.1% of 1167	2.1% of 1166	2.7% of 1169	2.5% of 1165	1.5% of 1169	3.4% of 1122	0.8% of 1168
	Black British	3.0% of 237	0.4% of 236	1.7% of 234	3.4% of 236	3.0% of 235	5.5% of 236	1.7% of 235	6.1% of 228	1.7% of 234
	Other	0.0% of 75	1.3% of 75	0.0% of 75	0.0% of 75	0.0% of 75	2.7% of 75	2.7% of 75	4.2% of 71	0.0% of 75
	Overall	1.7% of 9195	0.5% of 9181	1.1% of 9163	5.0% of 9179	4.2% of 9186	1.7% of 9150	1.9% of 9165	4.7% of 8996	1.2% of 9167
29 and under	White	2.0% of 813	1.4% of 811	1.9% of 810	0.7% of 811	1.6% of 811	1.4% of 811	2.5% of 811	8.8% of 804	2.0% of 809
	Mixed	3.3% of 30	0.0% of 30	0.0% of 30	0.0% of 30	3.3% of 30	0.0% of 30	0.0% of 30	10.0% of 30	0.0% of 29
	Asian British	2.8% of 145	0.7% of 144	0.0% of 145	0.0% of 141	0.0% of 145	3.5% of 142	2.1% of 144	11.3% of 141	0.7% of 144
	Black British	5.4% of 37	0.0% of 36	0.0% of 37	2.8% of 36	0.0% of 36	8.3% of 36	2.8% of 36	8.3% of 36	2.9% of 35
	Other	0.0% of 12	8.3% of 12	0.0% of 12	0.0% of 12	0.0% of 12	0.0% of 12	0.0% of 12	8.3% of 12	0.0% of 12
	Overall	2.2% of 1037	1.3% of 1033	1.5% of 1034	0.7% of 1030	1.4% of 1034	1.8% of 1031	2.3% of 1033	9.2% of 1023	1.7% of 1029
30 to 49	White	1.3% of 1568	1.0% of 1566	2.6% of 1555	0.5% of 1567	3.1% of 1567	2.3% of 1565	3.1% of 1567	7.6% of 1540	1.8% of 1564
	Mixed	3.4% of 59	0.0% of 59	1.7% of 58	1.7% of 58	3.4% of 58	8.5% of 59	3.4% of 58	10.5% of 57	1.7% of 59
	Asian British	0.3% of 336	0.0% of 335	3.6% of 333	0.3% of 336	0.9% of 335	3.3% of 335	1.2% of 334	3.5% of 314	0.9% of 334
	Black British	4.0% of 99	1.0% of 99	2.1% of 97	0.0% of 99	4.0% of 99	8.1% of 99	3.0% of 99	6.3% of 95	0.0% of 98
	Other	0.0% of 33	0.0% of 33	0.0% of 33	0.0% of 33	0.0% of 33	3.0% of 33	3.0% of 33	6.3% of 32	0.0% of 33
	Overall	1.3% of 2095	0.8% of 2092	2.7% of 2076	0.5% of 2093	2.8% of 2092	2.9% of 2091	2.8% of 2091	7.0% of 2038	1.5% of 2088
50 to 74	White	1.6% of 2247	0.6% of 2243	1.1% of 2239	3.1% of 2243	5.3% of 2247	1.7% of 2239	2.8% of 2242	5.3% of 2189	1.4% of 2240
	Mixed	0.0% of 22	0.0% of 22	0.0% of 22	0.0% of 22	4.8% of 21	0.0% of 22	0.0% of 22	0.0% of 20	4.5% of 22
	Asian British	1.3% of 449	0.2% of 447	0.2% of 447	2.9% of 448	2.7% of 447	2.2% of 447	2.2% of 449	2.1% of 425	0.9% of 448
	Black British	0.0% of 66	0.0% of 66	3.1% of 65	1.5% of 66	1.5% of 65	1.5% of 66	0.0% of 66	4.7% of 64	1.5% of 66
	Other	0.0% of 20	0.0% of 20	0.0% of 20	0.0% of 20	0.0% of 20	5.0% of 20	10.0% of 20	0.0% of 18	0.0% of 20
	Overall	1.5% of 2804	0.5% of 2798	1.0% of 2793	3.0% of 2799	4.7% of 2800	1.8% of 2794	2.6% of 2799	4.7% of 2716	1.4% of 2796
75 and over	White	2.1% of 2952	0.1% of 2951	0.2% of 2953	11.6% of 2951	5.5% of 2953	0.8% of 2928	0.6% of 2936	1.9% of 2915	0.8% of 2947
	Mixed	0.0% of 20	0.0% of 20	0.0% of 20	5.0% of 20	10.0% of 20	0.0% of 20	0.0% of 20	R	0.0% of 20
	Asian British	0.4% of 242	0.0% of 242	0.0% of 242	4.6% of 241	6.6% of 242	1.2% of 241	0.0% of 242	0.8% of 242	0.4% of 242
	Black British	2.9% of 35	0.0% of 35	0.0% of 35	17.1% of 35	5.7% of 35	2.9% of 35	0.0% of 34	6.1% of 33	5.7% of 35
	Other	0.0% of 10	0.0% of 10	0.0% of 10	0.0% of 10	0.0% of 10	0.0% of 10	0.0% of 10	R	0.0% of 10
	Overall	1.9% of 3259	0.1% of 3258	0.2% of 3260	11.1% of 3257	5.6% of 3260	0.8% of 3234	0.5% of 3242	1.8% of 3219	0.8% of 3254

R - REDACTED

Table 25 is continued overleaf ...

Table 25 continued: Prevalence of a severe to very severe problem in a given HoNOS domain by age band and ethnicity

Age band	Ethnicity	HoNOS domain "Severe" to "Very severe problem"								
		Problems with activities of daily living	Problems with living conditions	Problems with occupation and activities	Strong unreasonable beliefs occurring in non-psychotic disorders only	Agitated behaviour / expansive mood (historical)	Repeat self-harm (historical)	Safeguarding children and vulnerable dependent adults (historical)	Engagement (historical)	Vulnerability (historical)
All ages	White	4.6% of 7563	0.9% of 7546	2.8% of 7534	1.0% of 7270	4.5% of 7412	2.0% of 7390	1.1% of 7260	2.7% of 7344	3.6% of 7286
	Mixed	3.8% of 130	2.3% of 129	3.1% of 129	1.6% of 125	7.8% of 128	3.9% of 128	1.6% of 125	4.0% of 126	4.8% of 124
	Asian British	2.4% of 1169	0.9% of 1169	2.3% of 1167	1.1% of 1104	5.5% of 1156	1.0% of 1149	0.8% of 1140	3.9% of 1141	4.6% of 1129
	Black British	2.6% of 235	3.0% of 233	2.1% of 234	0.0% of 225	14.2% of 232	2.2% of 230	3.6% of 222	10.5% of 228	10.8% of 222
	Other	2.7% of 75	0.0% of 75	1.4% of 74	1.4% of 71	5.5% of 73	0.0% of 74	0.0% of 72	4.2% of 71	5.6% of 72
	Overall	4.2% of 9172	1.0% of 9152	2.7% of 9138	1.0% of 8795	5.0% of 9001	1.9% of 8971	1.1% of 8819	3.1% of 8910	4.0% of 8833
29 and under	White	1.2% of 810	1.1% of 806	2.5% of 800	2.8% of 781	4.7% of 805	4.0% of 805	1.3% of 788	2.0% of 793	3.5% of 789
	Mixed	0.0% of 29	0.0% of 29	3.4% of 29	3.3% of 30	3.4% of 29	3.6% of 28	3.6% of 28	7.1% of 28	3.6% of 28
	Asian British	0.0% of 145	1.4% of 144	2.1% of 144	2.1% of 140	10.5% of 143	2.8% of 144	2.1% of 140	4.3% of 140	5.9% of 135
	Black British	0.0% of 36	2.8% of 36	2.8% of 36	0.0% of 34	13.9% of 36	2.8% of 36	2.9% of 34	2.8% of 36	14.7% of 34
	Other	0.0% of 12	0.0% of 12	0.0% of 12	0.0% of 12	8.3% of 12	0.0% of 12	0.0% of 12	0.0% of 12	0.0% of 12
	Overall	1.0% of 1032	1.2% of 1027	2.4% of 1021	2.6% of 997	5.9% of 1025	3.7% of 1025	1.5% of 1002	2.5% of 1009	4.2% of 998
30 to 49	White	1.6% of 1563	1.3% of 1561	2.4% of 1562	1.5% of 1489	9.3% of 1545	3.2% of 1538	2.8% of 1503	5.7% of 1529	6.3% of 1512
	Mixed	3.4% of 59	1.7% of 58	5.2% of 58	1.8% of 56	10.5% of 57	5.2% of 58	1.8% of 56	1.8% of 56	5.5% of 55
	Asian British	1.2% of 333	1.8% of 334	3.6% of 333	2.3% of 310	7.6% of 330	0.6% of 326	1.2% of 325	5.5% of 325	5.0% of 321
	Black British	0.0% of 98	3.1% of 96	1.0% of 98	0.0% of 92	18.6% of 97	2.1% of 96	4.2% of 96	19.8% of 96	10.8% of 93
	Other	0.0% of 33	0.0% of 33	3.1% of 32	3.2% of 31	9.7% of 31	0.0% of 32	0.0% of 30	10.3% of 29	6.7% of 30
	Overall	1.5% of 2086	1.4% of 2082	2.6% of 2083	1.6% of 1978	9.5% of 2060	2.7% of 2050	2.5% of 2010	6.3% of 2035	6.3% of 2011
50 to 74	White	3.5% of 2240	0.8% of 2238	3.1% of 2229	1.2% of 2149	5.7% of 2188	2.8% of 2185	1.0% of 2153	3.6% of 2182	4.8% of 2170
	Mixed	4.5% of 22	9.1% of 22	0.0% of 22	0.0% of 20	13.6% of 22	4.5% of 22	0.0% of 22	9.1% of 22	9.5% of 21
	Asian British	2.0% of 449	0.4% of 449	1.8% of 448	0.5% of 414	5.2% of 441	1.1% of 437	0.5% of 435	4.4% of 435	5.5% of 434
	Black British	1.5% of 66	3.0% of 66	1.5% of 65	0.0% of 64	15.6% of 64	1.6% of 63	5.3% of 57	6.6% of 61	13.3% of 60
	Other	5.0% of 20	0.0% of 20	0.0% of 20	0.0% of 18	0.0% of 20	0.0% of 20	0.0% of 20	0.0% of 20	0.0% of 20
	Overall	3.3% of 2797	0.8% of 2795	2.8% of 2784	1.0% of 2665	5.9% of 2735	2.5% of 2727	1.0% of 2687	3.8% of 2720	5.1% of 2705
75 and over	White	7.9% of 2950	0.8% of 2941	3.0% of 2943	0.1% of 2851	1.0% of 2874	0.2% of 2862	0.1% of 2816	0.6% of 2840	1.3% of 2815
	Mixed	10.0% of 20	0.0% of 20	0.0% of 20	0.0% of 19	0.0% of 20	0.0% of 20	0.0% of 19	0.0% of 20	0.0% of 20
	Asian British	6.2% of 242	0.4% of 242	1.7% of 242	0.0% of 240	0.4% of 242	0.0% of 242	0.0% of 240	0.8% of 241	1.7% of 239
	Black British	14.3% of 35	2.9% of 35	5.7% of 35	0.0% of 35	0.0% of 35	2.9% of 35	0.0% of 35	0.0% of 35	2.9% of 35
	Other	10.0% of 10	0.0% of 10	0.0% of 10	0.0% of 10	0.0% of 10	0.0% of 10	0.0% of 10	0.0% of 10	10.0% of 10
	Overall	7.9% of 3257	0.8% of 3248	2.9% of 3250	0.1% of 3155	1.0% of 3181	0.2% of 3169	0.1% of 3120	0.6% of 3146	1.3% of 3119

Table 26: Prevalence of any problem requiring action in a given HoNOS domain by age band and gender

Age band	Gender	HoNOS domain "Mild problem but definitely present" to "Very severe problem"								
		Overactive, aggressive, disruptive or agitated behaviour	Non-accidental self-injury	Problem drinking or drug taking	Cognitive problems	Physical illness or disability problems	Problems associated with hallucinations and delusions	Problems with depressed mood	Other mental and behavioural problems	Problems with relationships
All ages	Female	23.6% of 6121	10.6% of 6118	7.4% of 6109	44.5% of 6113	46.0% of 6120	15.5% of 6094	49.1% of 6106	59.4% of 6007	31.9% of 6111
	Male	26.0% of 4388	8.0% of 4378	16.0% of 4368	43.4% of 4379	42.6% of 4378	21.8% of 4370	40.2% of 4371	55.1% of 4289	33.9% of 4369
	Overall	24.6% of 10509	9.5% of 10496	11.0% of 10477	44.1% of 10492	44.6% of 10498	18.1% of 10464	45.4% of 10477	57.6% of 10296	32.7% of 10480
29 and under	Female	29.3% of 816	26.3% of 816	12.9% of 815	16.4% of 813	20.9% of 815	10.3% of 814	68.9% of 814	82.3% of 808	48.8% of 812
	Male	36.3% of 545	21.2% of 542	26.8% of 544	20.7% of 541	13.1% of 542	25.3% of 542	48.3% of 543	71.6% of 536	46.2% of 541
	Overall	32.1% of 1361	24.3% of 1358	18.5% of 1359	18.1% of 1354	17.8% of 1357	16.3% of 1356	60.6% of 1357	78.1% of 1344	47.7% of 1353
30 to 49	Female	24.9% of 1442	15.6% of 1441	11.3% of 1434	15.4% of 1441	31.0% of 1441	15.4% of 1439	64.2% of 1440	76.5% of 1409	41.3% of 1439
	Male	30.7% of 1183	9.8% of 1181	27.6% of 1172	17.2% of 1181	26.5% of 1180	28.4% of 1182	49.2% of 1179	68.8% of 1157	46.3% of 1179
	Overall	27.5% of 2625	13.0% of 2622	18.6% of 2606	16.2% of 2622	29.0% of 2621	21.3% of 2621	57.5% of 2619	73.0% of 2566	43.5% of 2618
50 to 74	Female	19.4% of 1736	9.8% of 1734	7.4% of 1732	33.4% of 1733	51.2% of 1736	17.4% of 1730	53.1% of 1735	63.1% of 1688	32.9% of 1735
	Male	20.0% of 1428	6.5% of 1424	12.0% of 1420	37.8% of 1426	48.2% of 1424	20.8% of 1424	43.8% of 1424	57.6% of 1380	32.8% of 1420
	Overall	19.7% of 3164	8.3% of 3158	9.5% of 3152	35.4% of 3159	49.8% of 3160	18.9% of 3154	48.9% of 3159	60.6% of 3068	32.9% of 3155
75 and over	Female	24.1% of 2127	1.8% of 2127	2.6% of 2128	84.2% of 2126	61.7% of 2128	16.0% of 2111	27.9% of 2117	36.2% of 2102	18.3% of 2125
	Male	23.8% of 1232	2.0% of 1231	4.7% of 1232	85.1% of 1231	64.6% of 1232	15.0% of 1222	23.9% of 1225	31.8% of 1216	17.7% of 1229
	Overall	24.0% of 3359	1.9% of 3358	3.4% of 3360	84.5% of 3357	62.8% of 3360	15.6% of 3333	26.4% of 3342	34.6% of 3318	18.1% of 3354

Table 26 is continued overleaf ...

Table 26 continued: Prevalence of any problem requiring action in a given HoNOS domain by age band and gender

Age band	Gender	HoNOS domain "Mild problem but definitely present" to "Very severe problem"								
		Problems with activities of daily living	Problems with living conditions	Problems with occupation and activities	Strong unreasonable beliefs occurring in non-psychotic disorders only	Agitated behaviour / expansive mood (historical)	Repeat self-harm (historical)	Safeguarding children and vulnerable dependent adults (historical)	Engagement (historical)	Vulnerability (historical)
All ages	Female	47.3% of 6111	12.2% of 6101	40.1% of 6089	11.2% of 5869	33.5% of 6004	23.1% of 6002	7.8% of 5907	17.1% of 5954	28.0% of 5916
	Male	46.6% of 4372	14.4% of 4362	41.7% of 4359	10.5% of 4206	41.2% of 4296	19.2% of 4272	6.7% of 4190	22.4% of 4234	27.6% of 4195
	Overall	47.0% of 10483	13.1% of 10463	40.8% of 10448	10.9% of 10075	36.7% of 10300	21.5% of 10274	7.3% of 10097	19.3% of 10188	27.8% of 10111
29 and under	Female	33.8% of 814	15.5% of 811	40.0% of 806	26.7% of 794	45.0% of 811	51.0% of 814	11.7% of 797	21.7% of 801	35.7% of 795
	Male	38.4% of 542	18.5% of 540	46.8% of 538	16.3% of 521	59.5% of 538	34.5% of 536	8.0% of 525	30.9% of 524	34.2% of 520
	Overall	35.6% of 1356	16.7% of 1351	42.7% of 1344	22.6% of 1315	50.8% of 1349	44.4% of 1350	10.2% of 1322	25.4% of 1325	35.1% of 1315
30 to 49	Female	32.9% of 1439	14.3% of 1439	39.6% of 1439	16.9% of 1372	46.5% of 1421	36.1% of 1423	16.4% of 1400	24.8% of 1406	37.6% of 1399
	Male	36.9% of 1177	18.8% of 1172	44.8% of 1173	15.9% of 1125	59.0% of 1162	30.6% of 1150	12.1% of 1120	35.1% of 1136	35.9% of 1120
	Overall	34.7% of 2616	16.3% of 2611	41.9% of 2612	16.5% of 2497	52.1% of 2583	33.7% of 2573	14.5% of 2520	29.4% of 2542	36.8% of 2519
50 to 74	Female	42.0% of 1732	11.5% of 1730	38.9% of 1723	9.1% of 1647	37.2% of 1697	23.7% of 1693	6.5% of 1672	19.2% of 1689	30.6% of 1681
	Male	43.7% of 1423	12.5% of 1423	39.4% of 1419	10.3% of 1363	39.0% of 1394	18.6% of 1389	5.7% of 1367	20.7% of 1386	29.0% of 1378
	Overall	42.8% of 3155	12.0% of 3153	39.1% of 3142	9.7% of 3010	38.0% of 3091	21.4% of 3082	6.2% of 3039	19.9% of 3075	29.9% of 3059
75 and over	Female	66.6% of 2126	10.0% of 2121	41.5% of 2121	3.2% of 2056	17.0% of 2075	2.6% of 2072	1.4% of 2038	8.4% of 2058	16.3% of 2041
	Male	62.8% of 1230	10.7% of 1227	39.1% of 1229	2.9% of 1197	18.3% of 1202	2.3% of 1197	2.3% of 1178	8.5% of 1188	15.2% of 1177
	Overall	65.2% of 3356	10.3% of 3348	40.6% of 3350	3.1% of 3253	17.5% of 3277	2.5% of 3269	1.7% of 3216	8.4% of 3246	15.9% of 3218

Table 27: Prevalence of a severe to very severe problem in a given HoNOS domain by age band and gender

Age band	Gender	HoNOS domain "Severe" to "Very severe problem"								
		Overactive, aggressive, disruptive or agitated behaviour	Non-accidental self-injury	Problem drinking or drug taking	Cognitive problems	Physical illness or disability problems	Problems associated with hallucinations and delusions	Problems with depressed mood	Other mental and behavioural problems	Problems with relationships
All ages	Female	1.3% of 6121	0.7% of 6118	0.6% of 6109	4.9% of 6113	4.3% of 6120	1.3% of 6094	2.1% of 6106	5.4% of 6007	1.1% of 6111
	Male	1.9% of 4388	0.5% of 4378	2.2% of 4368	3.7% of 4379	3.5% of 4378	2.0% of 4370	1.8% of 4371	4.4% of 4289	1.5% of 4369
	Overall	1.6% of 10509	0.6% of 10496	1.2% of 10477	4.4% of 10492	4.0% of 10498	1.6% of 10464	2.0% of 10477	5.0% of 10296	1.3% of 10480
29 and under	Female	1.3% of 816	1.6% of 816	0.9% of 815	0.9% of 813	2.1% of 815	1.0% of 814	2.6% of 814	11.1% of 808	1.2% of 812
	Male	2.8% of 545	1.1% of 542	2.8% of 544	0.2% of 541	0.7% of 542	2.4% of 542	2.0% of 543	7.1% of 536	1.8% of 541
	Overall	1.9% of 1361	1.4% of 1358	1.6% of 1359	0.6% of 1354	1.5% of 1357	1.5% of 1356	2.4% of 1357	9.5% of 1344	1.5% of 1353
30 to 49	Female	0.8% of 1442	0.8% of 1441	1.0% of 1434	0.5% of 1441	3.3% of 1441	1.9% of 1439	3.2% of 1440	7.3% of 1409	2.0% of 1439
	Male	1.5% of 1183	0.8% of 1181	4.8% of 1172	0.3% of 1181	2.2% of 1180	3.2% of 1182	2.4% of 1179	6.3% of 1157	1.4% of 1179
	Overall	1.1% of 2625	0.8% of 2622	2.7% of 2606	0.4% of 2622	2.8% of 2621	2.5% of 2621	2.8% of 2619	6.9% of 2566	1.8% of 2618
50 to 74	Female	1.3% of 1736	0.8% of 1734	0.5% of 1732	2.6% of 1733	4.5% of 1736	1.7% of 1730	2.9% of 1735	5.2% of 1688	0.9% of 1735
	Male	1.5% of 1428	0.2% of 1424	1.5% of 1420	2.7% of 1426	4.3% of 1424	1.8% of 1424	2.3% of 1424	4.6% of 1380	1.8% of 1420
	Overall	1.4% of 3164	0.5% of 3158	1.0% of 3152	2.7% of 3159	4.4% of 3160	1.7% of 3154	2.6% of 3159	5.0% of 3068	1.3% of 3155
75 and over	Female	1.6% of 2127	0.0% of 2127	0.2% of 2128	11.4% of 2126	5.6% of 2128	0.7% of 2111	0.4% of 2117	2.1% of 2102	0.5% of 2125
	Male	2.4% of 1232	0.2% of 1231	0.2% of 1232	9.7% of 1231	5.2% of 1232	1.0% of 1222	0.7% of 1225	1.2% of 1216	1.2% of 1229
	Overall	1.9% of 3359	0.1% of 3358	0.2% of 3360	10.8% of 3357	5.4% of 3360	0.8% of 3333	0.5% of 3342	1.8% of 3318	0.8% of 3354

Table 27 is continued overleaf ...

Table 27 continued: Prevalence of a severe to very severe problem in a given HoNOS domain by age band and gender

Age band	Gender	HoNOS domain "Severe" to "Very severe problem"								
		Problems with activities of daily living	Problems with living conditions	Problems with occupation and activities	Strong unreasonable beliefs occurring in non-psychotic disorders only	Agitated behaviour / expansive mood (historical)	Repeat self-harm (historical)	Safeguarding children and vulnerable dependent adults (historical)	Engagement (historical)	Vulnerability (historical)
All ages	Female	4.2% of 6111	0.7% of 6101	2.5% of 6089	1.1% of 5869	3.8% of 6004	1.9% of 6002	1.1% of 5907	2.1% of 5954	3.9% of 5916
	Male	3.2% of 4372	1.5% of 4362	2.9% of 4359	1.0% of 4206	6.3% of 4296	1.5% of 4272	1.1% of 4190	4.1% of 4234	3.7% of 4195
	Overall	3.8% of 10483	1.0% of 10463	2.7% of 10448	1.0% of 10075	4.8% of 10300	1.8% of 10274	1.1% of 10097	2.9% of 10188	3.8% of 10111
29 and under	Female	1.1% of 814	0.7% of 811	2.0% of 806	3.3% of 794	3.8% of 811	3.4% of 814	1.4% of 797	1.7% of 801	3.6% of 795
	Male	0.7% of 542	1.5% of 540	2.8% of 538	1.7% of 521	8.2% of 538	2.4% of 536	1.3% of 525	2.9% of 524	4.2% of 520
	Overall	1.0% of 1356	1.0% of 1351	2.3% of 1344	2.7% of 1315	5.6% of 1349	3.0% of 1350	1.4% of 1322	2.2% of 1325	3.9% of 1315
30 to 49	Female	1.0% of 1439	1.0% of 1439	2.4% of 1439	1.6% of 1372	6.5% of 1421	3.0% of 1423	2.6% of 1400	3.1% of 1406	5.6% of 1399
	Male	1.7% of 1177	2.0% of 1172	2.6% of 1173	1.3% of 1125	10.8% of 1162	1.5% of 1150	2.1% of 1120	8.5% of 1136	5.6% of 1120
	Overall	1.3% of 2616	1.4% of 2611	2.5% of 2612	1.5% of 2497	8.4% of 2583	2.3% of 2573	2.4% of 2520	5.5% of 2542	5.6% of 2519
50 to 74	Female	3.3% of 1732	0.5% of 1730	2.7% of 1723	0.7% of 1647	5.1% of 1697	2.5% of 1693	1.0% of 1672	3.2% of 1689	5.5% of 1681
	Male	2.5% of 1423	1.4% of 1423	3.2% of 1419	1.4% of 1363	6.2% of 1394	2.2% of 1389	0.9% of 1367	4.0% of 1386	4.1% of 1378
	Overall	2.9% of 3155	0.9% of 3153	2.9% of 3142	1.0% of 3010	5.6% of 3091	2.4% of 3082	0.9% of 3039	3.5% of 3075	4.8% of 3059
75 and over	Female	8.3% of 2126	0.6% of 2121	2.7% of 2121	0.1% of 2056	0.9% of 2075	0.1% of 2072	0.1% of 2038	0.7% of 2058	1.4% of 2041
	Male	6.6% of 1230	1.1% of 1227	2.9% of 1229	0.0% of 1197	1.1% of 1202	0.3% of 1197	0.2% of 1178	0.5% of 1188	1.2% of 1177
	Overall	7.7% of 3356	0.7% of 3348	2.8% of 3350	0.1% of 3253	0.9% of 3277	0.2% of 3269	0.1% of 3216	0.6% of 3246	1.3% of 3218