

Medicines Management Policy

This Policy describes the key processes for the handling of medicines within the Trust.

Key Words:	Medicines, Medication, Drug, Medicines Code, Prescribing, Administration				
Version:	3	3			
Adopted by:	Trust Po	licy Comr	nittee		
Date this version was adopted:	8 June 2	2023			
Name of author: (owner of policy)	Anthony Oxley				
Name of responsible committee:	Medicines Management Committee				
Date issued for publication:	14 th June 2023				
Review date:	December 2025				
Expiry date:	June 2026				
Target audience:	Clinical Staff				
Type of Policy	Clinical X		Non Clinical		
Which Relevant Confundamental Stan	- • -	12 Safe	Care and Treatment		

CONTRIBUTION LIST

Key individuals involved in developing the document

Name	Designation
Joanne Charles	Pharmacy Lead, CHS
Tejas Khatau	Pharmacy Lead, FYPC.LD

Circulated to the following individuals for comments

Name	Designation
Samantha Aston	Advanced Nurse Practitioner, CHS
Rachel Calton	Lead Pharmacist – Education & Training
Jenny Dolphin	Clinical Governance Manager – AMH/LD
Michelle Churchard	Head of Nursing – AMH/LD
Paul Williams	Head of Service – Eating Disorders
Lynn Wroe	Team Leader, Assertive Outreach Team
Sharon Hames	Inpatient Matron - MHSOP
Steve Dyer	Consultant Psychiatrist
John Barnes	Ward Matron - AMH
Lynne Moore	Practice Development Nurse – LD
Roshnee Gill	Ward Manager - CHS
Mathew Williams	Team Leader – Crisis Resolution Team

Contents

Equ	ality Statement	4
Due	Regard	5
Def	initions that apply to this Policy	5
1.	Summary	7
2.	Introduction	7
3.	Purpose	7
4.	Justification for Document	7
5.	Duties within the Organisation	7
6.	Processes	8
7.	Training	16
8.	Stakeholders and Consultation	17
9.	Monitoring Compliance and Effectiveness	17
10.	Links to Standards/Performance Indicators	17
Ref	erences and Associated Documentation	19
App	pendix 1 - Sending medication by taxi, courier or voluntary driver	20
App	pendix 2 - Policy Training Requirements	21
App	pendix 3 - Policy Monitoring Section	22
App	pendix 4 - The NHS Constitution	23
App	pendix 5 - Due Regard Screening Template	24
Δnr	endix 6 - DATA PRIVACY IMPACT ASSESSMENT SCREENING	26

Version Control and Summary of Changes

Version number	Date	Comments (description change and amendments)
1.3	2 nd March 2012	Modified in line with Trust procedural document on policy production
1.4	March 2013	Amendments incorporated to NHSLA Monitoring section (Appendix 2)
1.5	June 2014	Reviewed and updated as part of standard review cycle
1.6	Jan 2015	Reviewed and updated as part of standard review cycle
1.7	July 2017	Reviewed and updated as part of standard review cycle
1.8	August 2018	New section (6.8) added to allow treatment of members of the public who present for treatment at Trust premises
1.9	June 2019	Reviewed and updated as part of standard review cycle. Section on items that can be stored outside medicine cupboard added
2	October 2020	New section added (6.13) on how to manage prolonged breaks in treatment
3	October 2022	General review and new section added on transportation

For further information contact:

Head of Pharmacy 0116 295 3709

Lead Pharmacist for CHS Division 0116 295 6651

Lead Pharmacist for FYPC.LD Division 0116 295 8308

Equality Statement

Leicestershire Partnership NHS Trust (LPT) aims to design and implement policy documents that meet the diverse needs of our service, population and workforce, ensuring that none are placed at a disadvantage over others.

It takes into account the provisions of the Equality Act 2010 and promotes equal opportunities for all.

This document has been assessed to ensure that no one receives less favourable treatment on the protected characteristics of their age, disability,

sex (gender), gender reassignment, sexual orientation, marriage and civil partnership, race, religion or belief, pregnancy and maternity.

In carrying out its functions, LPT must have due regard to the different needs of different protected equality groups in their area.

This applies to all the activities for which LPT is responsible, including policy development and review.

Due Regard

(All policies must be screened)

Standard statement for all policies.

The Trust's commitment to equality means that this policy has been screened in relation to paying due regard to the Public Sector Equality Duty as set out in the Equality Act 2010 to eliminate unlawful discrimination, harassment and victimisation, advance equality of opportunity and foster good relations.

A due regard review found the activity outlined in the document to be equality neutral because they do not delineate activities down to an individual patient level.

Definitions that apply to this Policy

Prescribing	The act whereby a practitioner who is appropriately legally authorised produces an instruction for a specific patient to receive a specific medication.
Administration	The act of an appropriately legally authorised practitioner giving medication to a patient on the instruction of a prescriber
Transfer	Moving a patient from one discrete clinical area to another either within or out with the Trust
Discharge	The point in time at which a patient leaves in-patient or day-patient care
Controlled Drug	A product which has specific additional restrictions placed on its prescription, supply and/or storage by the Misuse of Drugs Act
Private Patient	A patient who at the time in question is not being treated for the relevant condition by the Trust

Due Regard	Having due regard for advancing equality involves:
Due Negaru	 Removing or minimising disadvantages suffered by people due to their protected characteristics. Taking steps to meet the needs of people from protected groups where these are different from the needs of other people. Encouraging people from protected groups to participate in public life or in other activities where their participation is disproportionately low.

1. Summary

This policy enshrines the Leicestershire medicines code into Trust policy and describes some additional Trust positions with respect to the management of medicines within the organisation.

2. Introduction

This policy is the overarching policy framework that supports the administration and prescribing sections of the Leicestershire Medicines Code which lays down medicines procedures for the Leicester, Leicestershire and Rutland Healthcare Community. As such, it ensures that following the procedures set down in the Medicines Code is a contractual responsibility for all staff involved in the handling of medicines.

Current version of the Medicines Code can be found here:

https://www.areaprescribingcommitteeleicesterleicestershirerutland.nhs.uk/guidelines/secondary-care/medicines-code/

3. Purpose

The purpose of this policy is to ensure that following the procedures set down in the Medicines Code is a contractual responsibility for all staff involved in the handling of medicines.

4. Justification for Document

The justification for this policy is to ensure that following the procedures set down in the Medicines Code is a contractual responsibility for all staff involved in the handling of medicines.

5. Duties within the Organisation

- 5.1 The Trust Board has a legal responsibility for Trust policies and for ensuring that they are carried out effectively.
- 5.2. Trust Board Sub-committees have the responsibility for ratifying policies and protocols. This policy will be overseen by the Quality Assurance Committee (QAC).

5.3 **Staff**

5.3.1 Who may prescribe?

'Prescriber' is taken to mean any practitioner legally authorised to prescribe under

the Medicines Act 1968 or subsequent amendments. Thus this policy applies equally and fully to both medical and non-medical practitioner prescribing.

There are two categories of prescribers:

Independent Prescribers - professionals who are responsible for the initial assessment of the patient and for devising the broad treatment plan, with the authority to prescribe the medicines required as part of that plan. This includes medical staff, dentists and authorised nurse, physiotherapist, chiropodist, podiatrist and pharmacist prescribers who have successfully completed an independent prescribing course. Non-medical independent prescribers can prescribe any medicine for any medical condition within their clinical competence. Nurse and pharmacist independent prescribers are permitted to prescribe unlicensed medicines. They may also prescribe medicines independently for uses outside their licensed indications/UK marketing authorisation (so called "off licence" or "off label"). They must however accept professional, clinical and legal responsibility for that prescribing and should only prescribe "off label" where it is accepted clinical practice. The guidance for unlicensed medicines should be referred to.

Supplementary Prescribers - professionals who are authorised to prescribe certain medicines for patients whose condition has been diagnosed or assessed by an independent prescriber, which in this situation must be a medical practitioner, within an agreed clinical management plan (CMP). Professionals who can undertake supplementary prescribing are nurses, pharmacists and certain allied health professionals (chiropodists/podiatrists, physiotherapists, dieticians and radiographers). Supplementary and independent prescribers must be registered as such with the relevant regulatory body and any activity carried out by them must have Trust approval and authorisation.

Where a nurse or a pharmacist is the supplementary prescriber, a CMP may include any General Sales List, Pharmacy or Prescription Only Medicine prescribable at NHS expense. This includes the prescribing of controlled drugs (except those listed in schedule 1 of the Misuse of Drugs regulations), unlicensed and off label medicines. When the latter occurs, such use must have the joint agreement of both prescribers and the status of the medicines should be recorded in the CMP.

Dietician Initiated Nutrition and / or Dietary Therapy

Registered Dieticians are authorised to initiate the use of nutrition and / or dietetic products (Borderline substances) by entering them on the inpatient prescription. Dietetic products may include sip nutritional supplements, enteral tube feeds, single/combined source (fat, carbohydrate, protein) supplements, thickeners, gluten, low protein and metabolic products, vitamins and minerals.

6. Processes

6.1 Transfers

A copy of the prescription should accompany the patient and his/her case notes

during transfer to a ward that cannot access that prescription electronically.

On arrival at a new ward within the same hospital or at a new hospital within Leicestershire, the original prescription chart should be used and the ward or hospital identification be amended, provided the new ward normally uses the same chart as the original. Otherwise all prescriptions should be re-written on the chart normally in use on the ward or if revision of therapy is needed because of transfer to another medical team. This also applies to respite care.

For transfers to hospitals outside of Leicestershire, a letter giving details of current medicines and their original starting date should accompany the patient. If the patient is likely to need treatment en route, the prescription chart and an adequate supply of medicines should accompany him/her. The prescription chart's validity ceases on arrival at the new hospital and should then be filed in the notes of the original hospital.

Where the patient's own medicines, prescribed by their GP, have been retained on the ward they must accompany the patient to the new ward or hospital.

Any non-standard/non-stock medicines should also be sent with careful detailed instructions as to their use. The transferring ward must ensure, prior to the transfer of the patient, that the receiving ward can continue treatment without interruption.

6.2 Discharge Medication (TTOs)

A full prescription should be produced for all medicines to be dispensed at discharge. Any changes made to the medicines regime since admission should be highlighted on the discharge letter. Medicines which the patient has brought in and whose use is to continue at home, should be returned to the patient on discharge, providing this medication has at some stage been checked by a pharmacist or accredited pharmacy checking technician.

Prescribers must include all medication required, including patient's own, on the discharge letter/TTO.

Instructions should be given to the patient to obtain further supplies from their GP.

For short courses, the precise number of days therapy required should be stated.

All members of the healthcare team have a duty to ensure that the patient is made aware of, and understands, any changes made to their medication regime since admission i.e. new medicines, changes in dose, stopped medicines, switching of one medicine for another.

The prescription should be endorsed 'patient own drug' (POD) when the patient has sufficient supplies at home.

A pharmacist should check the discharge prescription for accuracy and appropriateness compared with the in-patient prescription.

For medicines issued to patients being discharged from hospital, the registered nurse must check the dispensed medicine against the discharge letter. It is good practice to involve a second checker if available, who could be a registered nurse or the ward pharmacist or technician.

The registered nurse must hand over the medicines to the identified patient or their responsible carer and ensure that the following explanation/detail is given:

- The administration details on each bottle/package of medicines must be read out to the patient/carer, including instructions on storage, e.g. store in a refrigerator
- The nurse must explain to the patient/carer how and when the medicines should be taken and detail any potential (common) side effects, e.g. drowsiness.

6.3 Controlled Drugs for outpatient and discharge prescriptions

By law the prescription must always state:-

- The name and address of the patient
- The patient's NHS number
- In the case of a preparation, the form and, where appropriate, the strength of the preparation
- The dose
- The total quantity of the preparation, or the number of dose units, in both words and figures, e.g. morphine sulphate controlled release (MST) tablets, 30mg bd fourteen (14) x 30 mg tablets.

The above can be handwritten or be computer generated. The prescriber's signature must be handwritten and not computer generated.

A maximum of 30 days supply can be prescribed, and prescriptions will only be valid for 28 days from the date of signature or any other date on the prescription as the date before which the drug should not be supplied – whichever is later. In circumstances where the patient is known to be a drug misuser, no more than 24 hours supply of controlled drugs should normally be given except by the specialist team providing substance misuse services.

Where a Community Nurse is to administer medication, a copy of the prescription, containing the name, address and medicine details, signed and dated by the prescriber must be provided.

6.4 Out-patient prescribing

When it is necessary for a new treatment to be initiated by the hospital prescriber, or where a dose adjustment of existing therapy necessitates a new dosage form, an outpatient prescription should normally be produced and a treatment supply of twenty- eight days/nearest whole pack or as appropriate dependant on individual patient needs should be given. The patient will be advised to obtain further

prescriptions from their GP, except when the medicine is in the orange or red or grey categories of the Leicester, Leicestershire & Rutland Area Prescribing Committee traffic light classification system. See

www.areaprescribingcommitteeleicesterleicestershirerutland.nhs.uk/for further details. Local health community contracts do allow for GPs to be asked to initiate non-urgent prescriptions for drugs not classified as shared care or hospital only but this should only be used when the patient is happy with this option and it will not cause any clinical detriment.

'Amber' medicines are initiated in hospital and then transferred to the GP under a Shared Care Agreement. Care should only be transferred when the Health Community approved shared care agreement requirements for that medicine have been met and the GP is confident to continue prescribing and take over the care of the patient. Written communication will be sent to the GP, to confirm the rationale for initiation.

'Black' medicines are medicines which are not recommended for use in the Leicestershire Health Community and should not be prescribed or recommended by either secondary or primary care clinicians.

A record of the prescribed medication, including the dose and duration, should be entered in the patient's notes. The prescriber should ensure rapid communication to the GP. The GP must be given sufficient information on therapies that he/she would not normally be familiar with. The prescriber should ensure that the appropriate patient information leaflet is given to the patient.

Unlicensed medicines should be prescribed and supplied in accordance with locally agreed guidelines. Preparations in the children's BNF are considered to be quasi-licensed in the Leicestershire and Rutland healthcare community. GPs may refuse to prescribe unlicensed medicines.

An outpatient prescription given to a patient for supply from the hospital pharmacy is valid for 3 months from the date of issue, with the exception of controlled drug prescriptions, which are valid for 28 days from the date of issue.

6.5 Day Hospitals

Where a Day Hospital is responsible for supplying medication to a patient a formalised procedure should exist for the medicines required to be issued by the Pharmacy Department.

6.6 Medical Students

By law, medical students are not permitted to prescribe

6.7 Self-Prescribing Policy

6.7.1 Doctors

Prescribers must not prescribe any medicine for themselves.

It is strongly recommended that prescribers do not prescribe for anyone close to them, other than in an emergency. Those close may include immediate family, someone with whom one has an intimate personal relationship, friends, and also colleagues with whom one regularly works. If prescribing takes place, you must be able to justify your actions and must accept accountability for that decision.

If exceptional circumstances arise, then the prescriber must immediately:

- Contact the LPT pharmacy and speak to the duty pharmacist or on-call pharmacist before proceeding
- Make a clear record at the time, what was prescribed, your relationship to the patient, where relevant, and the reason it was necessary to prescribe.

Prescribers should refer to the relevant professional bodies' standards and codes of ethics for further advice.

6.7.2 Non-Medical Prescribers

The NMC and RPSGB advise that Non-Medical Prescribers should not prescribe any medicine for themselves. Non-medical Prescribers are accountable for their practice at all times, and if a situation arises where they find themselves in a position to prescribe for their family or friends, then they must accept accountability for that decision. It is strongly recommended that Non-Medical Prescribers do not prescribe for anyone with whom they have a close personal or emotional relationship other than in exceptional circumstances.

6.8 Prescribing for members of the public who present at Trust sites

If a member of the public presents at an LPT setting requiring emergency medical attention that cannot be provided in a timely manner through other approved routes, emergency medication can be prescribed and administered within the clinical competence of the available prescriber(s). If no prescriber is available, only medications approved under common law to save life (e.g. Naloxone) can be given.

All prescribing and administration should be carried out in line with the current Leicestershire Medicines Code

A 999 Call must be initiated for emergency response.

Medication should be prescribed and administration recorded on a paper drug chart and there should be handover of relevant information to those who will provide ongoing patient care.

An E-IRF should be completed as soon as the incident has been managed.

6.9 Staff's own medication

There are situations where staff will need to bring in or keep their own medication in a work environment. If the staff member works in an area to which patients have access, the medication must be stored securely in a location that does not permit patient access. The Trust takes no responsibility for the use or quality of such medication and in all except life threatening conditions it should be administered by the staff member themselves. If necessary to save a life e.g. an Adrenaline auto-injector for anaphylaxis, another staff member could administer the medication under common law.

6.10 Administration Points

6.10.1 Oral Syringes

In order to minimise the risk of medication being inadvertently administered by the wrong route, National Patient Safety Agency guidance was that:-

- Only oral/enteral syringes that are not compatible with intravenous and other parental devices are used to measure and administer oral liquid medicines/ enteral feeds to patients
- The colour purple should be adopted for use in oral/enteral devices to aid differentiation between oral/enteral and other devices in practice.
- Naso-gastric and enteral feeding tubes, administration and extension sets should be labelled to indicate the route of administration at both the proximal and distal ends of the tube, as appropriate.
- Nasogastric and enteral feeding tubes, administration and extension sets must not contain any in-line female luer ports, or male luer terminal connectors (tips).
- Three way taps must not be used in oral/enteral feeding systems
- Adaptors that convert oral/enteral syringes into devices that can connect with intravenous/parental connectors must not be used.

6.10.2 Administration of Medicines by Medical Staff

It is unacceptable to prepare medicines in advance of their immediate use or to prepare medicines for administration by others.

It is unacceptable to administer medicines prepared by another practitioner if this practitioner is not present.

Exceptions to this include ready-made preparations from pharmacy, or continuous or intermittent infusion by some kind of infusion device already in place. In these circumstances the following criteria must exist:-

A valid prescription:-

- The container must be clearly labelled, signed and dated
- Accurate administration records are kept including the name of the person who initiated the infusion
- Once these checks have taken place the registered nurse who has accepted

responsibility for the patient's care is accountable for the administration of the medicine.

6.10.3 Administration by Healthcare Support Workers (HCSW)

This section applies to in-patient care only. For community-based services refer to directorate based procedures.

HCSWs are authorised to administer oral dietary supplements and topical skin creams, gels and ointments on the instruction of a qualified nurse. The qualified nurse should record the administration on the Wellsky e-prescribing system flagging the administration using the drop-down rationale "administered by other staff".

6.10.4 Self-administration of Medicines

Self-administration of medicines is supported whenever it is appropriate and providing the necessary security, storage and assessment and monitoring arrangements are available.

LPT accepts responsibility for managing the risk involved in the provision of medicines self-administration for its patients and accepts liability where the policy is followed.

Before commencing self-administration two parameters should be filled:

- The service user's drug treatment has been reviewed and is as simple and rational as possible
- The service user understands they are self-administering their medicines and has signed the consent form to do so.

AN EXAMPLE PROGRAMME FOR SELF-ADMINISTRATION IN A MENTAL HEALTH REHABILITATION SETTING CONSISTS OF 5 STAGES:

- **Stage 1:** Medication supplied as 7 days' supply and kept by nursing staff between doses
- **Stage 2:** Medication supplied as a single day's supply
- **Stage 3:** Medication supplied as 2 days' supply
- **Stage 4:** Medication supplied as 3 4 days' supply
- Stage 5: Medication supplied as 7 days' supply and collected by the patient from pharmacy, (where appropriate):

The service user starts at Stage 1 and progresses to Stage 5. The service user should be continually assessed with a view to moving on to the next stage. Each stage should be a minimum of 7 days and should not continue for more than 4 weeks without review. When Stage 5 is successfully completed the service user should be capable of being responsible for their own medication on return to the community.

6.10.5 Non-administered Medication

If a medication has been removed from it's packaging prior to administration and it is subsequently not possible to administer it

6.11 Side effect monitoring

All qualified clinicians caring for patients are responsible for monitoring patients for side effects. Patients should be asked about any adverse reactions to medications on a regular basis. This may be at 6-monthly intervals or at each appointment whichever is the longer. If side-effects are observed or reported the patient should be asked if they are troublesome and any side-effects which are considered to be unacceptable to the patient should be brought to the attention of a prescriber responsible for the care of the patient so that therapy can be reviewed

Information will be available on request in a format suitable for the individual patient; for example, large print, another language, Braille etc, to ensure no patient is disadvantaged in the context of any aspect of this policy and its implementation. This will include appropriate referral to the Trust Interpretation and Translation Service (refer to Intranet).

6.12 Storage of medicines outside medicines cupboards

In line with the medicines code all medications should be stored in a medication cupboard at ward level. However, to facilitate ease of access and due to their low clinical risk the following items may be retained by the patient:

Reliever Inhalers (e.g. Salbutamol)

Lubricant Eye Drops

Anusol Cream/Ointment

Glyceryl Trinitrate Spray

6.13 Prolonged non-compliance or other breaks from medication

Where patients have not taken some or all of their medication for a prolonged period e.g. in excess of two weeks and they are taking a dose higher than the stated initiation dose in the BNF, care should be taken when medication is re-introduced including taking advice from an experienced prescriber or from a pharmacist. This is particularly important when the patient is receiving high-dose therapy. Separate arrangements exist for Clozapine where the drug regime must be re-escalated if the patient has not taken any for more than 48 hours.

6.14 Expiry dates of medicines that patients bring into hospital

If no expiry date is shown on a product that a patient brings with them into hospital,

either from home or from another healthcare provider, it must be used within 4 weeks of the date of dispensing shown on the dispensing label. If it has no dispensing label on it then it should not be used and a new supply ordered from pharmacy.

6.15 Transportation of medicines by taxi, courier or voluntary driver

Medication should always be in a sealed container and should only be handed to an authorised voluntary/taxi driver/courier.

If going to a patient's home address, the package must bear a clear address that has been confirmed with either the patient, a carer or on the patient administration system. Contact must be made with the recipient to verify that they are to expect a package to be delivered and to contact the dispatcher once it has arrived if possible. If a call to confirm receipt has not been received within 1 hour of expected delivery time then the recipient should be called to ascertain if delivery has taken place. If it has not, the taxi/courier company or voluntary driver booking number should be contacted to determine the current situation.

If a taxi driver/courier is being used they should be asked to show their valid company ID and be asked for their registration number and this should be recorded.

The voluntary/taxi driver/courier should be given instruction as to what to do if they are unable to deliver a package. This will usually be to return the package to the dispatcher. However, additional advice will need to be given if the unit of despatch is likely to be closed on their return.

The voluntary/taxi driver/courier should be instructed that if the address cannot be located they are to return the package to the dispatcher. However, additional advice will need to be given if the unit of despatch is likely to be closed on their return.

Taxi drivers, couriers or voluntary drivers should not be made aware that CDs are being transported.

7. Training

There is a need for training identified within this policy. In accordance with the classification of training outlined in the Trust Learning and Development Strategy this training has been identified as mandatory training.

The Trust will provide training in the operation of this policy to all qualified nurses, nurse co-ordinators and medical staff and this training will be recorded within the Trust Mandatory Training Register. Undertaking this training will be mandatory and will be repeated every 2 years.

The course directory available on e- source will identify: who the training applies to, delivery method, the update frequency, learning outcomes and a list of available

dates to access the training.

A record of the event will be recorded on the Trust's uLearn system.

The governance group responsible for monitoring the training is the Medicines Management Group.

8. Stakeholders and Consultation

The involvement of relevant groups, committees and stakeholders is key to the review and development of authorized documents. This policy has been developed by the Trust Medication Risk Reduction Group which has multi-professional and multiservice representation. Members of the group have consulted with relevant stakeholders within their own services.

9. Monitoring Compliance and Effectiveness

Monitoring of this policy is carried out as part of the Medicines Code audit carried out as part of the Trust's quality schedule monitoring. This audit is carried out annually using an approved methodology – the lead auditor will be the Trust Head of Pharmacy. Any action plans required will be developed by the Trust's medication risk reduction group and agreed by the Trust's commissioners as part of the quality schedule monitoring process.

10. Links to Standards/Performance Indicators

The safe management of medicines features in the safety domain of the CQC's standards framework.

10.1 Standards/Key Performance Indicators –

TARGET/STANDARDS	KEY PERFORMANCE INDICATOR
Only appropriately registered professionals will prescribe medicines	100% of medicines are prescribed by a practitioner qualified to do so
A full prescription should be produced for all medicines to be dispensed at discharge	100% of patients will receive the medication they require at the point of discharge
Self medication is supported whenever it is appropriate	A risk assessment will be carried out in 100% of cases where a patient requests to self-medicate and if the risk assessment shows low/no risk the patient will be supported to self medicate

Clinicians are responsible for monitoring patients for side effects	100% of patients' clinical records who are receiving medication will document an assessment of side effect burden at least	
	annually.	

References and Associated Documentation

This policy was drafted with reference to the following:

LPT Medication Error Policy 2019

LPT Non-Medical Prescribing Policy 2019

DoH Safer Management of Controlled Drugs

Medicines, Ethics and Practice – A guide for pharmacists

NMC Code of Professional Conduct


The safe & secure handling of medicines RPSGB

Misuse of Drugs Regulations 2006

NPSA Patient Safety Alert 19: Promoting safer administration of liquid medicines



Appendix 1 - Sending medication by taxi, courier or voluntary driver



Appendix 2 - Policy Training Requirements

Training topic:	
Type of training:	X Mandatory (must be on mandatory training register) ☐ Role specific ☐ Personal development
Division(s) to which the training is applicable:	X Adult Learning Disability Services X Adult Mental Health Services X Community Health Services X Enabling Services X Families Young People Children Hosted Services
Staff groups who require the training:	All staff who prescribe or administer medicines
Update requirement:	Every two years
Who is responsible for delivery of this training?	Pharmacy Services
Have resources been identified?	Yes
Has a training plan been agreed?	Yes
Where will completion of this training be recorded?	X Trust learning management system □ Other (please specify)
How is this training going to be monitored?	Audit of uLearn system

Appendix 3 - Policy Monitoring Section

Criteria Number & Name: Medicines Management Policy:

Medicines Management Policy / Medicines Code

Duties outlined in this Policy will be evidenced through monitoring of the other minimum requirements

Where monitoring identifies any shortfall in compliance the group responsible for the Policy (as identified on the policy cover) shall be responsible for developing and monitoring any action plans to ensure future compliance

Reference	Minimum Requirements	Self assessment evidence	Process for Monitoring	Responsible Individual / Group	Frequency of monitoring
5	All prescriptions are produced by appropriately qualified individuals		Medicines Code Audit	MRRG	Annually
6.3	Controlled drug prescriptions comply with legal requirements		Controlled Drug Audit	MRRG	Annually
6.4	GPs will not be asked to prescribe "red" or "black" medicines by LPT clinicians		Traffic light compliance audit (Quality Schedule)	Medication Management Group	Annually



Appendix 4 - The NHS Constitution

NHS Core Principles – Checklist

Please tick below those principles that apply to this policy

The NHS will provide a universal service for all based on clinical need, not ability to pay.

The NHS will provide a comprehensive range of services

Shape its services around the needs and preferences of individual patients, their families and their carers	
Respond to different needs of different sectors of the population	
Work continuously to improve quality services and to minimise errors	Х
Support and value its staff	
Work together with others to ensure a seamless service for patients	x
Help keep people healthy and work to reduce health inequalities	
Respect the confidentiality of individual patients and provide open access to information about services, treatment and performance	х

Appendix 5 - Due Regard Screening Template

Section 1	
Name of activity/proposal	Medicines Management Policy
Date Screening commenced	23 rd October 2019
Directorate / Service carrying out the	Pharmacy
assessment	
Name and role of person undertaking	Anthony Oxley, Head of Pharmacy
this Due Regard (Equality Analysis)	

Give an overview of the aims, objectives and purpose of the proposal:

AIMS: Ensure safe use of medicines within the Trust

OBJECTIVES: Ensure the principles of safe prescribing, administration, dispensing and storage of medicines are enshrined within Trust policy.

Section 2				
Protected Characteristic	f the proposal/s have a positive or negative impact			
	please give brief details			
Age	No impact			
Disability	No impact			
Gender reassignment	No impact			
Marriage & Civil Partnership	No impact			
Pregnancy & Maternity	No impact			
Race	No impact			
Religion and Belief	No impact			
Sex	No impact			
Sexual Orientation	No impact			
Other equality groups?	No impact			

Section 3

Does this activity propose major changes in terms of scale or significance for LPT? For example, is there a clear indication that, although the proposal is minor it is likely to have a major affect for people from an equality group/s? Please <u>tick</u> appropriate box below.

Yes	No	
High risk: Complete a full EIA starting click here to proceed to Part B	Low risk: Go to Section 4.	V
Section 4		

If this proposal is low risk please give evidence or justification for how you

reached this decision:

There are no significant changes from existing policy which was deemed to be low risk when previously screened

Signed by reviewer/assessor	Anthony Oxley	Date	23 rd October 2019
Sign off that this proposal is low risk and does not require a full Equality Analysis			
Head of Service Signed	Anthony Oxley	Date	23 rd October 2019

Appendix 6 - DATA PRIVACY IMPACT ASSESSMENT SCREENING

Data Privacy impact assessment (DPIAs) are a tool which can help organisations identify the most effective way to comply with their data protection obligations and meet Individual's expectations of privacy.

The following screening questions will help the Trust determine if there are any privacy issues associated with the implementation of the Policy. Answering 'yes' to any of these questions is an indication that a DPIA may be a useful exercise. An explanation for the answers will assist with the determination as to whether a full DPIA is required which will require senior management support, at this stage the Head of Data Privacy must be involved.

Name of Document:	Medicines Management Policy			
Completed by:	Anthony Oxley			
Job title	Head of Pharmacy		Date 30 th October 2019	
Screening Questions		Yes / No	Explanatory Note	
1. Will the process described in the document involve the collection of new information about individuals? This is information in excess of what is required to carry out the process described within the document.		No		
2. Will the process described in the document compel individuals to provide information about them? This is information in excess of what is required to carry out the process described within the document.		No		
 Will information about incorganisations or people who routine access to the inform process described in this do 	have not previously had ation as part of the	No		
4. Are you using information about individuals for a purpose it is not currently used for, or in a way it is not currently used?		No		
5. Does the process outlined in this document involve the use of new technology which might be perceived as being privacy intrusive? For example, the use of biometrics.		No		
6. Will the process outlined in this document result in decisions being made or action taken against individuals in ways which can have a significant impact on them?		No		
7. As part of the process ou the information about individ likely to raise privacy conce examples, health records, of information that people would particularly private.	duals of a kind particularly rns or expectations? For riminal records or other	No		
8. Will the process require you to contact individuals in ways which they may find intrusive?				

If the answer to any of these questions is 'Yes' please contact the Data Privacy Team via Lpt-dataprivacy@leicspart.secure.nhs.uk

In this case, ratification of a procedural document will not take place until review by the Head of Data Privacy.

Data Privacy approval name:	
Date of approval	

Acknowledgement: This is based on the work of Princess Alexandra Hospital NHS Trust

Data Privacy Impact Screening Guidance Notes

The following guidance notes should provide an explanation of the context for the screening questions and therefore assist you in determining your responses.

Question 1: Some policies will support underpinning processes and procedures. This question asks the policy author to consider whether through the implementation of the policy/procedure, will introduce the need to collect information that would not have previously been collected.

Question 2: This question asks the policy author if as part of the implementation of the policy/procedure, the process involves service users/staff providing information about them, over and above what we would normally collect

Question 3: This questions asks the policy author if the process or procedure underpinning the policy includes the need to share information with other organisations or groups of staff, who would not previously have received or had access to this information.

Question 4: This question asks the author to consider whether the underpinning processes and procedures involve using information that is collected and used, in ways that changes the purpose for the collection e.g. not for direct care purposes, but for research or planning

Question 5: This question asks the author to consider whether the underpinning processes or procedures involve the use of technology to either collect or use the information. This does not need to be a new technology, but whether a particular technology is being used to process the information e.g. use of email for communicating with service users as a primary means of contact

Question 6: This question asks the author to consider whether any underpinning processes or procedures outlined in the document support a decision making process that may lead to certain actions being taken in relation to the service user/staff member, which may have a significant privacy impact on them

Question 7: This question asks the author to consider whether any of the underpinning processes set out how information about service users/staff members may intrude on their privacy rights e.g. does the process involve the using specific types of special category data (previously known as sensitive personal data)

Question 8: This question asks the author to consider whether any part of the underpinning process(es) involves the need to contact service users/staff in ways that they may find intrusive e.g. using an application based communication such as WhatsApp

If you have any further questions about how to answer any specific questions on the screening tool, please contact the Data Privacy Team via LPT-DataPrivacy@leicspart.secure.nhs.uk