

# The Collection, Handling and Transport of Specimens Policy

This policy describes the key processes and procedures to be followed with regards to the collection, handling, and transport of specimens by staff.

Key Words:	Infection, Prevention, Control, Specimens, Collection, Handling, Transport	
Version:	10	
Approved by:	Infection prevention a group	and control assurance
Ratified by:	Quality forum	
Date this version was Ratified:	9 <sup>th</sup> April 2024	
Please state if there is a reason for not publishing on website	N/A	
Review date:	November 2026	
Expiry date:	31 <sup>st</sup> April 2027	
Type of Policy	Clinical	Non-Clinical

#### Leicestershire Partnership NH5 Trust

# Contents

1.0	Quick Look Summary3
1.2	Key individuals involved in developing and consulting on the document4
1.3	Governance4
1.4	Equality Statement
1.5	Due Regard5
1.6	Duties within the Organisation5
1.7	Definitions that apply to this Policy6
2.0.	Purpose of the policy
3.0	Introduction7
4.0	Monitoring Compliance and Effectiveness
5.0	References and Bibliography13
Арр	endix 1 Flow chart process for specimen collections15
Арр	endix 2 Common specimens16
Арр	endix 3 Training Requirements19
Арр	endix 4 The NHS Constitution
Арр	endix 5 Due Regard Screening Template21
Арр	endix 6 Data Privacy Impact Assessment Screening23

#### 1.0 Quick Look Summary

The aim of this policy is to inform all Leicestershire Partnership Trust (LPT) staff on how to collect handle and transport specimens in accordance with the carriage of dangerous goods and use of Transportable Pressure Equipment Regulations 2011, The control of substances hazardous to health regulations 2002 (As amended) (COSHH). The Health and Safety at work act (1974) along with the health and social care act (2015). The policy also aims to provide all staff employed by LPT with clear and robust process for the collection, handling and transporting of specimens.

This policy will also aim to provide all staff employed by LPT with the necessary information on collection, handling and transporting of specimens to reduce the risk posed by cross contamination to staff, patients, visitors and the wider public.

The policy applies to all staff, permanent employees, staff employed on the bank, agency staff and those staff who work across trust sites and any honouree contract staff.

The purpose of the policy is to give clear guidance to all staff responsible for obtaining and transporting specimens within inpatient facilities, community healthcare settings and patients in their own home. This will facilitate the collection of high quality specimens in order to achieve prompt microbiological diagnosis and to ensure that the patient is in receipt of the appropriate treatment and reducing inappropriate prescribing of antimicrobial drugs.

The policy identifies the requirements for the safe transport of specimens in line with the Carriage of Dangerous Goods and use of Transportable Pressure Equipment Regulations 2011. It also supports the reduction and minimisation of any potential infection or harm caused to staff, patients, visitors and the wider public during collection, handling and transporting of specimens.

1.1 Version Control and Summary of Changes

Version	Date	Comments
Version 1		New guideline: Infection control guideline for the collection, handling, and transport of specimens in community health services, inpatient facilities, and primary care
Version 2	November 09	Review of guideline
Version 3	December 09	Amendments following consultation process revisions to incorporate requirements of NHSLA standards
Version 4	October 2010	Amendments to policy following comments from specialist advisors
Version 5	August 2011	Harmonized in line with LCRCHS, LCCHS, LPT (Historical organisations)
Version 6	October 2014	Review of policy
Version 7	May 2015	Review of policy against current legislation
Version 8	April 2018	Review policy and updated references and guidance. Amended and update to contribution list.
Version 9	February 2022	Policy reviewed, references and contribution list updated
Version 10	March 2024	Review of policy references updated

# **1.2** Key individuals involved in developing and consulting on the document.

Name	Designation
Accountable Director	Anne Scott Director of nursing, AHP'S & Quality, Emma Wallis Deputy director of nursing & quality.
Author(s)	Reviewed by Claire King Infection Prevention and Control Nurse.
Implementation Lead	Amanda Hemsley Head of Infection Prevention and Control.
Core policy reviewer group	Infection Prevention & Control assurance Group
Wider consultation	Infection Prevention & Control assurance group members.
Trust policy Group	Trust policy Group members

#### 1.3 Governance

Level 2 or 3 approving delivery group	Level 1 Committee to ratify policy	
Infection prevention & control assurance	Quality & safety committee	
group		

# 1.4 Equality Statement

Leicestershire Partnership NHS Trust (LPT) aims to design and implement policy documents that meet the diverse needs of our service, population, and workforce, ensuring that none are placed at a disadvantage over others. It takes into account the provisions of the Equality Act 2010 and promotes equal opportunities for all. This document has been assessed to ensure that no one receives less favourable treatment on the protected characteristics of their age, disability, sex (gender), gender reassignment, sexual orientation, marriage and civil partnership, race, religion or belief, pregnancy, and maternity.

if you would like any public Trust Policy in an accessible format, please email lpt.corporateaffairs@nhs.net and we can send them to you.

# 1.5 Due Regard

LPT will ensure that Due regard for equality is taken and as such will undertake an analysis of equality (assessment of impact) on existing and new policies in line with the Equality Act 2010. This process will help to ensure that:

- Strategies, policies and procedures and services are free from discrimination.
- LPT complies with current equality legislation.
- Due regard is given to equality in decision making and subsequent processes.
- Opportunities for promoting equality are identified.

Please refer to due regard assessment (Appendix 4) of this policy

# 1.6 Duties within the Organisation

Duties regrading this policy can be located in the LPT infection prevention and control assurance policy.)

# Consent

- Clinical staff must ensure that consent has been sought and obtained before any care, intervention or treatment described in this policy is delivered. Consent can be given orally and/ or in writing. Someone could also give non-verbal consent as long as they understand the treatment or care about to take place. Consent must be voluntary and informed, and the person consenting must have the capacity to make the decision.
- In the event that the patient's capacity to consent is in doubt, clinical staff must ensure that a mental capacity assessment is completed and recorded. Someone with an impairment of or a disturbance in the functioning of the mind or brain is thought to lack the mental capacity to give informed consent if they cannot do one of the following:
- Understand information about the decision.
- Remember that information.
- Use the information to make the decision.
- Communicate the decision.

# **1.7** Definitions that apply to this Policy.

Aseptic non touch	The standard intravenous technique used for the accessing
technique (ANTT)	of all venous access devices (VADs) regardless of whether
	2010 Loveday et al 2014)
Blood Borne Virus	A blood borne disease is a disease that can be spread
(BBV)	through contamination by blood and other body fluids. Blood
	borne pathogens are microorganisms such as viruses or
	bacteria. The most common examples are HIV, hepatitis B
	and viral haemorrhagic fevers.
Clinical Specimen	A clinical specimen includes any substance either solid or
O de la sela de la	liquid obtained from a patient for the purpose of analysis.
Colonised	Multiplication of a micro-organism within an individual (host)
	without causing cellular damage. A colonized host can
Infection	The invasion and multiplication of microorganisms such as
meetion	hacteria viruses fundi and parasites that present within the
	body and cause an inflammatory response.
Non-pathogenic	Biological agent that does not cause disease of illness to its
	host.
Pathogenic	A microorganism such as bacteria, virus, fungi and parasites
	that causes disease.
Personal	PPE is clothing or equipment that will protect the user
Protective	against health or safety hazards at work.
Equipment (PPE)	Infaction transforred from one percente another via sevual
Transmitted	contact
Infection (STI)	
Sharps	Any item which could puncture the skin and thus permit the
•	entry of the bacteria and viruses into the body, i.e., used
	needles, scalpel blades.
Tuberculosis (TB)	An infectious disease usually caused by the bacterium
	Mycobacterium tuberculosis. Usually affects the lungs, but it
	can also affect other parts of the body, such as the brain,
Vananunatura	the kidneys, or the spine.
venepuncture	The process of obtaining intravenous access for the
	venous blood.

# 2.0. Purpose of the policy

The aim of this policy is to inform all Leicestershire Partnership Trust (LPT) staff on how to collect handle and transport specimens in accordance with the Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2011, the Control of Substances Hazardous to Health Regulations 2002 (As amended) (COSHH). The Health and Safety at Work Act (1974) along with, the Health and Social Care Act 2008: Code of Practice on the Prevention and Control of Infections and Related Guidance (2015). To provide all staff employed by LPT with clear and robust process for the collection, handling and transporting of specimens.

To provide all staff employed by LPT with the necessary information on collection, handling and transporting of specimens to reduce the risk posed by cross contamination to staff, patients, visitors and the wider public.

The policy applies to all staff, permanent employees, staff employed through the bank, agency staff and those staff who work across trust sites and any honoree contract staff.

This policy aims to give clear guidance to all LPT staff responsible for obtaining and transporting specimens within inpatient facilities, community hospitals, community healthcare settings and patients own home. This will facilitate high quality specimens in order to achieve prompt microbiological diagnosis and ensure the patient is in receipt of the appropriate treatment and reducing inappropriate prescribing of antimicrobial drugs.

The policy identifies the requirements for the safe transport of specimens in line with the Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2011. It also supports the reduction and minimization of any potential infection or harm caused to staff, patients, visitors and the wider public during collection, handling and transporting of specimens.

# 3.0 Introduction

A clinical specimen can be defined as any bodily substance, solid or liquid, that is obtained for the purpose of analysis. Examples include blood, sputum, pus, urine, faeces, and skin tissue.

All specimens are potentially infectious, and all staff involved in collecting, handling, and transporting of specimens must follow the correct infection control precautions to reduce the risk of transmission of infection and be aware of related infection prevention and control policies, examples Personal Protective Equipment (PPE) policy and Hand Hygiene policy.

Prompt, accurate laboratory reports are possible only if the specimen is properly collected and sent with the correct accompanied request form detailing patient information, stored, and transported safely. It is therefore essential that staff follow the correct processes (appendix 1 flow chart process) Staff handling specimens are responsible and have a duty to safely collect, handle and transport specimens outlined under the Health and Safety at Work Act (1974) and COSHH Regulations 2002 (As amended)

If specimens are not stored and transported safely, they pose a risk of infection to staff, patients and the wider public. Containers used for carrying and transporting specimens to pathology laboratories must be secure and conform to the relevant regulations set out in the Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations (2011)

#### 3.1 The collection, handling, and transport of specimens

Specimens should only be taken when there are clinical signs of infection, or a specific clinical need is identified.

#### 3.2 Communications regarding specimen collection

It is the responsibility of the clinician to ensure that specimens are correctly obtained, placed in the correct container, labelled, and transported safely. The clinician is also accountable for staff to which this procedure is delegated, ensuring that they have the knowledge of the process required.

If a patient is required to obtain their own specimens, it is important that they are given a full explanation of the process and a rationale (including the importance of hand washing prior to and on completion of the task) this information should be documented within LPT record systems for the patient. It is the responsibility of staff to ensure that all tests are explained fully so that the patient can give informed consent. Refer to the LPT Consent to Examination or Treatment Policy.

It is essential that confidentiality be maintained at all times to ensure sensitive information is not revealed unnecessarily on request forms. This is of particular importance with blood borne viruses (BBV's) and sexually transmitted infections (STIs) as they can be deemed sensitive in nature.

# 3.4 Information required on specimen container and form.

Poorly completed specimen request forms and poorly labelled specimen containers are likely to result in non-processing and will be discarded by the laboratory. This will delay the diagnosis and the treatment for the patient.

Specimen containers **must be** clearly labelled with:

- Patient's full name Forename (s) & Surname
- Hospital 'S' number (or NHS number)
- Date of Birth
- Date and time of collection.

The form must include the following:

- Patient's full name Forename (s) & Surname
- Date of Birth

Identification

- Hospital 'S' number (or NHS Number)
- Sender's name, address, and contact number.
- Geographical location of where specimen taken; so that the results can be sent back.
- Specimen type and site; different areas of the body are resident to different body flora.
- Date and time specimen taken; some organisms will deteriorate and become difficult to single out.
- Hazardous group 3 or 4 organisms (see section 3.6)
- Relevant clinical information: **this is important and essential** and will help the laboratory staff and the microbiologist to interpret results and lead to a more effective treatment.

Examples of clinical information

- Current/recent medication, including antibiotics, steroids or other immunesuppressive drugs, protein pump inhibitors, etc.
- Clinical signs and symptoms/investigation required.
- Recent history of foreign travel

The expiry date of all primary specimen containers and transport media must be checked prior to use to ensure they are in-date.

Bottles/containers that have bar code labels attached, these should not be covered and easily accessible for scanning at the laboratory.

# **3.5 Collections of specimens**

Always follow standard infection prevention and control precautions when handling specimens. It is essential to reduce the risk of contamination; this includes ensuring appropriate PPE is used, hand hygiene procedures adhered to, and all waste, including sharps waste is disposed of safely and correctly.

Staff need to be aware of the Asepsis and Aseptic Non-Touch Technique (ANTT) when collecting specimens such as blood cultures, wound swabs, and samples from catheter systems. (Please refer to the LPT Aseptic non-touch Technique and lean technique policy)

Ideally, when possible, always take the specimen prior to commencing treatment such as antibiotics or using antiseptics. If the patient is clinically unwell, deteriorating rapidly, sepsis or vulnerable, treatment must not be delayed obtaining a specimen. In this situation, a specimen should be taken as soon as possible.

MRSA swabs: antibacterial washes should not be used prior to obtaining a swab as may give a false negative result. (Please refer to the LPT management of patients with MRSA policy)

When collecting specimens collect fresh materials which are as free from extraneous contamination as possible, take material only from the site of infection, for example to sample an ulcer site for signs of infection, remove slough first and then take the specimen from the site. This will ensure appropriate material for analysis and limit the opportunity for incorrect results, i.e., a false negative.

#### See appendix 2 for samples of common specimens that maybe requested.

# 3.6 High -risk 'BIOHAZARD' specimens

Additional precautions need to be taken when a specimen is known or suspected to contain Hazard group 3 or 4 organisms. They require handling and processing differently in the laboratory to protect laboratory staff and reduce the risk of cross infection.

Hazard Group 3	Hazard Group 4	
Hepatitis B & C Virus	Viral Hemorrhagic Fever (Lassa and Ebola	
	virus)	
Chlamydia psittaci		

SARS virus	
Tuberculosis (TB)	
Human Immunodeficiency Virus (HIV)	*Note patients with viral hemorrhagic fever should not have specimens taken in the community. These patients will be managed in specialist facilities.
Escherichia coli 0 157 (E- coli 0157)	

Dysentery	
This is not an exhaustive list – If in doubt adv	ice should be sought from microbiology or
the infection prevention and control team.	

Advisory Committee on Dangerous Pathogens (2013) Approved List of Biological Agents. Health and Safety Executive: London

These specimens must be labelled "**HIGH RISK**" or "**DANGER OF INFECTION**" and placed in biohazard bags. Bottles must be transported in a sealed section of a biohazard bag. The form must contain complete clinical information including high-risk status and placed in the outer pocket of the bag or applied to the adhesive strip on the bag and folded. Both the sample and form must be labelled with "**High Risk or Danger of Infection**".

Where possible use the blue Blood Culture Collection Pack. This contains all the equipment required to collect blood cultures including a safety blood culture device for inoculating the culture bottles from a peripheral vein. Make sure that the procedure is recorded with indication for the culture, time, and site of venipuncture and if any complications have occurred in the patients SystemOne records. The blood culture label should then be attached to a continuation sheet and filed in the patients paper lite notes for scanning (Please refer to the LPT policy and procedure for clinicians undertaking venipuncture on adults and children within LPT policy for further guidance)

If the blue bag blood culture collection pack is not used (e.g., in pediatrics or specimens collected from lines):

- Ensure the collection site and blood culture bottle tops are prepared appropriately.
- Following inoculation place the blood culture bottles into a clear specimen sample bag, attach completed request form. Document in the patient's notes the name of the person taking the blood culture and the date and time.

Refer to the LPT Venipuncture Policy for full procedural guidance for taking blood cultures.

# 3.7 Storage of specimens

Specimens can deteriorate with time; therefore, it is essential that they are correctly stored and transported in a timely manner to minimise any deterioration and should be transported to the laboratory as quickly as possible. If unsure about storage and/or time, please contact microbiology for advice.

Any fridge used for the storage of specimens must not be used for the storage of any drugs, including vaccines and food items. The fridge should have a minimum/ maximum thermometer, be monitored daily, cleaned, and serviced as per manufacturer's instructions.

Please refer to the cleaning and decontamination of equipment, medical devices, and the environment (including the management of blood and bodily fluid spillages) policy.

Blood cultures must not be stored or refrigerated, send to the laboratory as soon as possible within a maximum of 4 hours (UK Standards for Microbiology Investigations 2014)

Sputum specimens must also be sent to the laboratory as soon as possible, as respiratory pathogens will not survive for prolonged periods.

Do not store specimens, over the weekend or bank holidays. If necessary, send specimens to the laboratory using the approved taxi company for your area.

# 3.8 Transport of specimens

Under the Health and Safety at Work Act 1974, all staff have a responsibility to protect themselves and others including patients and the wider public, from inadvertent contamination from hazardous substances.

All specimens must be placed in a designated secure collection area until ready for collection.

All specimens must be placed in a specimen bag with the required form in a separate pocket or attached to the adhesive strip of the bag and folded. If sample is of 'high risk' status, ensure specimen is placed in biohazard bag.

Appropriate transportation packaging should be used in line with the Carriage of Dangerous Goods and use of Transportable Pressure Equipment (amendments) Regulations (2011).

Specimens must be transported to the laboratory in transport containers, which comply with UN3373 regulations. (United Nations Economic Commission for Europe, 2017) requirements.

LPT staff who are expected to transport specimens in their own vehicle to healthcare premises must be provided with a secure, leak proof, robust container which complies with UN3373 regulations, such as a 'Daniel's red transport box or DGP Pathopak and bio bottle containers.





These containers must be cleaned after each use with either a disinfectant wipe such as a clinell wipe or if contaminated with blood/bodily fluid a clinell spill kit will be required to be used as per manufacturers instruction.

Larger specimens such as 24-hour urine collections should be placed in clear plastic sacks, which are tied at the neck. The request form should be attached to the outside of the bag. **Do not use pins or staples to attach the form to the bag.** 

All staff who are required to transport specimens where there is a risk of spillage are offered Hepatitis B vaccinations. This will be assessed through the occupational health screening process for staff on appointment to the trust.

#### 3.9 Leakages

If specimens are placed in the correct container, not over filled and lids are secure the incidents of leakage will be extremely rare. Where a leakage of bodily fluids does take place during transportation, this will be dealt with by the laboratory staff on arrival, any leaking samples will be discarded and a report placed on the computer system, the clinician is responsible for check on the progress of the specimen. If leakage occurs prior to transportation then it is the clinicians responsible for taking the specimen to deal with the leakage in accordance with the Cleaning and decontamination of equipment, medical devices, and the environment (including the management of blood and bodily fluid spillages) policy. The incident must be reported and recorded.

# 4.0 Monitoring Compliance and Effectiveness

Compliance with this policy is outlined in the infection prevention and control policy.

# 5.0 References and Bibliography

Advisory Committee on Dangerous Pathogens (2013) Approved List of Biological Agents. Health and Safety Executive: London

Control of Substances Hazardous to Health Regulations 2002 (as amended in 2004) (COSHH).

#### www.hse.gov.uk/coshh/index.htm

Department of Health: The Health and Social Care Act 2008; Code of practice and on Prevention and Control of Infections and related guidance (updated 2015). <u>https://www.gov.uk/government/publications/the-health-and-social-care-act-2008-code-of-practice-on-the-prevention-and-control-of-infections-and-related-guidance</u>

NHS England National infection prevention and control manual for England (2023) V2.4

Loveday HP, Wilson JA, Pratt RJ, Golsorkhi, A Bak JB, Prieto J and Wilcox M (2014) epic 3: National Evidence-Based Guidelines for Preventing Healthcare-Associated Infections in NHS Hospitals in England. Journal of Hospital Infection, supplement S1-S70

LPT Aseptic Non-Touch Technique / Clean Technique Policy (2022)

LPT Cleaning and decontamination of equipment, medical devices, and the environment (including the management of blood and bodily fluid spillages) policy (2022)

LPT Consent to Examination or Treatment Policy (2023) (Updated 2020)

LPT Hand Hygiene Policy (2022)

LPT Personal Protective Equipment for use in Healthcare Policy (2023)

LPT Venipuncture Policy (2023)

Public Health England: UK Standards for Microbiology Investigations Investigation of Blood Cultures (for Organisms other than Mycobacterium species) 2014

Rowley S, Clare S, Macqueen S, Molyneux R (2010) ANTT v2: An updated practice framework for aseptic technique. British Journal of Nursing 19(5)

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (amendment) Regulations 2011

The Health and Safety at work Act 1974

www.hse.gov.uk/coshh/index.htm

United Nations Economic Commission for Europe (UNECE) (2017) European Agreement concerning the International Carriage of Dangerous Goods by Ro

# Appendix 1 Flow chart process for specimen collections





# Appendix 2 Common specimens

Specimen	Container	Technique	Storage If overnight, fridge storage can be recommended
Axilla – can be moisten with sterile water (remove excess) or used dry.	Cotton tipped swab transport medium	Roll over skin of both armpits	Yes - specimen fridge no longer than 24hrs
Blood Cultures	Blue Blood Culture Collection Pack.	- Aseptic Non-Touch Technique (ANTT)	No – send directly to lab within 4hrs.
Blood for routine investigations.	Various colored tip bottles depending on test.	see venepuncture guidelines	Yes – specimen fridge at 4° c No longer than 24hrs
Catheter specimen of urine (csu)	10mls Universal (white top) or Boric acid (red top) bottle	Aseptic Non-Touch Technique (ANTT) should be used. Not be taken directly from catheter, use sampling port	Yes – specimen fridge no longer than 24hrs
Еуе	Cotton tipped swab with appropriate transport medium should be used for suspected bacterial eye infections. For conjunctivitis a viral swab with viral transport medium.	Gently roll the swab over the conjunctival sac inside the lower lid. Hold the swab parallel to the cornea to avoid injury.	Yes - specimen fridge no longer than 24 hrs.



Faeces – obtain at the earliest opportunity if it is thought to be of an infective nature, patient has diarrhoea or develops diarrhoea within 72hrs of admission. No formed stool T4 or above.	15mls or walnut size - Stool container (blue top) with 'scoop'.	You can collect a sample even if contaminated, with urine. Indicate this on form information.	Yes - specimen fridge no longer than 24 hrs.
Groin - can be moisten with sterile water (remove excess) or used dry.	Cotton tipped transport medium.	Rolled along both sides of the groin inner part of thigh, closest to the genitalia.	Yes - specimen fridge no longer than 24 hrs.
High Vaginal Swab	High Vaginal swab	Circle around the high vaginal wall once.	No – send directly to lab
Mid-Stream specimen of urine (msu)	10mls Universal (white top) or Boric acid (red top) bottle	The first few seconds of the stream should be discarded. If the patient cannot participate then, collect in a sterile container and transfer to bottle.	Yes - specimen fridge no longer than 24 hrs.
Nose	Cotton tipped swab transport medium.	Swab into the anterior nares, direct it up into the tip of the nose, and gently rotate. Both nares should be swabbed using the same swab.	Yes specimen fridge no longer than 24 hrs.



Pus	Depending on the sample, either Cotton tipped swab transport medium or sterile container.	Loose debris should be removed prior to swab. The deepest part of the wound should be sampled, avoiding the superficial microflora). Swabs should be well soaked in pus. If in a container the volume should ideally be 1ml	No – send directly to lab
Wound	Cotton tipped transport medium.	Obtain the specimen prior to any dressing or cleaning procedure of the wound. Rotate on the area to collect exudate from the wound.	Yes –specimen fridge no longer than 24 hrs.

Please seek advice from Microbiology if taking an unfamiliar specimen or are in doubt.

# Appendix 3 Training Requirements

Training Needs Analysis

Training topic:	The collection, handling, and Transport of specimen's policy		
Type of training: (See study leave policy)	<ul> <li>Not required</li> <li>Mandatory (must be on mandatory training register)</li> <li>X Role Essential (must be on the Role Essential Training register)</li> <li>Desirable</li> </ul>		
Directorate to which the training is applicable:	<ul> <li>x Adult Mental Health</li> <li>Community Health Services</li> <li>□ Enabling Services</li> <li>x Families Young People Children / Learning Disability/ Autism Services</li> <li>x Hosted Services</li> </ul>		
Staff groups who require the training:	All staff groups that have a responsibility for the collection, handling and transporting of specimens within the trust		
Regularity of Update requirement:	2 yearly		
Who is responsible for delivery of this training?	E-Learning IPC level 1 and Level 2 training Learning and development team		
Have resources been identified?	Yes		
Has a training plan been agreed?	Yes		
Where will completion of this training be recorded?	X ULearn □ Other (please specify)		
How is this training going to be monitored?			
Signed by Learning and Development Approval name	Date: April 2024		

# **Appendix 4 The NHS Constitution**

- The NHS will provide a universal service for all based on clinical need, not ability to pay.
- The NHS will provide a comprehensive range of services.

Shape its services around the needs and preferences of individual patients, their families, and their carers	
Respond to different needs of different sectors of the population	х
Work continuously to improve quality services and to minimise errors	х
Support and value its staff	X
Work together with others to ensure a seamless service for patients	Х
Help keep people healthy and work to reduce health inequalities	х
Respect the confidentiality of individual patients and provide open access to information about services, treatment and performance	x

# Appendix 5 Due Regard Screening Template

Section 1		
Name of activity/proposal	The collection, Handling and Transport of	
	Specimens policy	
Date Screening commenced	14-03-2024	
Directorate / Service carrying out the	Enabling Infection prevention and control	
assessment	team	
Name and role of person undertaking.	Claire King Infection prevention and	
this Due Regard (Equality Analysis)	control nurse	
Give an overview of the aims, objectives, and purpose of the proposal:		
AIMS:		

The aim of this policy is to provide clear guidance to all LPT staff on how to collect, handle and transport specimens in accordance with the carriage of dangerous goods and use of transportable pressure equipment regulations 2011, the control of substances hazardous to health regulations 2002 (As amended) (COSHH). The health and safety at work act (1974) along with the health and social care act 2008: Code of practice on the prevention and control of infections and related guidance (2015). The aim to also provide all staff employed by LPT with clear and robust process for the collection, handling and transporting of specimens.

# OBJECTIVES:

The objective of the policy is for staff to have clear guidance of their responsibility for obtaining and transporting specimens within inpatient facilities, community hospitals, community healthcare settings and patients own homes. This will facilitate high quality specimens in order to achieve prompt microbiological diagnosis and to ensure the patient is in receipt of the appropriate treatment and reducing inappropriate prescribing of antimicrobial drugs.

Section 2			
Protected Characteristic	If the proposal/s have a positive or negative impact		
	please give brief details		
Age	None identified		
Disability	None identified		
Gender reassignment	None identified		
Marriage & Civil	None identified		
Partnership			
Pregnancy & Maternity	None identified		
Race	None identified		
Religion and Belief	None identified		
Sex	None identified		
Sexual Orientation	None identified		
Other equality groups?	None identified		

Section 3					
Does this activity propose ma	jor change	s in terms of scale o	r signifi	cance for LPT?	
For example, is there a clear i	indication t	hat, although the pro	oposal i	s minor it is likely	
to have a major affect for peo	ple from ar	equality group/s? F	lease <u>t</u>	<u>iick</u> appropriate	
box below.					
Yes		No			
High risk: Complete a full EIA starting		Low risk: Go to Section 4.			
click here to proceed to Part B					
		<b>X</b>			
Section 4					
If this proposal is low risk please give evidence or justification for how you reached this decision:					
	<u>.</u>				
Signed by	Claire King		Date	15-03-2024	
reviewer/assessor					
Sign off that this proposal is low risk and does not require a full Equality Analysis					
Head of Service Signed	Emma Wallis Date April 2024		April 2024		

# Appendix 6 Data Privacy Impact Assessment Screening

Data Privacy impact assessment (DPIAs) are a tool which can help organisations identify the most effective way to comply with their data protection obligations and meet Individual's expectations of privacy.

The following screening questions will help the Trust determine if there are any privacy issues associated with the implementation of the Policy. Answering 'yes' to any of these questions is an indication that a DPIA may be a useful exercise. An explanation for the answers will assist with the determination as to whether a full DPIA is required which will require senior management support, at this stage the Head of Data Privacy must be involved.

Name of Document:	The Collection, Handling and Transport of Specimens Policy		
Completed by:	Claire King		
Job title	Infection prevention and control Nurse		Date 15 <sup>th</sup> March 2024
Screening Questions		Yes / No	Explanatory Note
1. Will the process described in the document involve the collection of new information about individuals? This is information in excess of what is required to carry out the process described within the document.		Ν	
2. Will the process described in the document compel individuals to provide information about them? This is information in excess of what is required to carry out the process described within the document.		Ν	
<b>3.</b> Will information about individuals be disclosed to organisations or people who have not previously had routine access to the information as part of the process described in this document?		N	
<b>4.</b> Are you using information about individuals for a purpose it is not currently used for, or in a way it is not currently used?		N	
<b>5.</b> Does the process outlined in this document involve the use of new technology which might be perceived as being privacy intrusive? For example, the use of biometrics.		N	
<b>6.</b> Will the process outlined in this document result in decisions being made or action taken against individuals in ways which can have a significant impact on them?		N	
<b>7.</b> As part of the process outlined in this document, is the information about individuals of a kind particularly likely to raise privacy concerns or expectations? For		N	

examples, health records, crimina other information that people wou to be particularly private.	al records or Ild consider		
8. Will the process require you to individuals in ways which they maintrusive?	N		
If the answer to any of these questions is 'Yes' please contact the Data Privacy			
Team via			
Lpt-dataprivacy@leicspart.secure.nhs.uk			
In this case, ratification of a procedural document will not take place until			
review by the Head of Data Privacy.			
Data Privacy approval name:	n/a		
Date of approval			

 Date of approval
 Acknowledgement: This is based on the work of Princess Alexandra Hospital NHS

 Trust
 Trust